



**GEOHERMAL DEVELOPMENT  
COMPANY LIMITED**

**GDC/FM/OT/046/2016-2017**

**TENDER FOR SUPPLY OF MOTOR  
VEHICLE SPARE PARTS AND  
WORKSHOP TOOLS AND  
CONSUMABLES**

**CLOSING DATE AND TIME: 17<sup>th</sup> APRIL, 2017 AT 2.00PM**

**Geothermal Development  
Company Ltd  
P.O. Box 100746-00101  
NAIROBI  
Website: [www.gdc.co.ke](http://www.gdc.co.ke)**

## TABLE OF CONTENTS

|             |  | PAGE      |
|-------------|--|-----------|
| SECTION I   | INVITATION TO TENDER.....                          | 3         |
| SECTION II  | INSTRUCTIONS TO TENDERERS.....                     | 5         |
|             | <b>Appendix to Instructions to Tenderers .....</b> | <b>20</b> |
| SECTION III | GENERAL CONDITIONS OF CONTRACT.....                | 24        |
| SECTION IV  | SPECIAL CONDITIONS OF CONTRACT.....                | 30        |
| SECTION V   | TECHNICAL SPECIFICATIONS.....                      | 33        |
| SECTION VI  | PRICE SCHEDULE.....                                | 62        |
| SECTION VII | STANDARD FORMS.....                                | 78        |
|             | 1. FORM OF TENDER .....                            | 79        |
|             | 2. TENDER SECURITY.....                            | 80        |
|             | 3. CONTRACT FORM.....                              | 81        |
|             | 4. PERFORMANCE SECURITY FORM .....                 | 83        |
|             | 5. CONFIDENTIAL BUSINESS QUESTIONNAIRE..           | 84        |
|             | 6. DECLARATION OF UNDERTAKING.....                 | 85        |



The Managing Director,  
Geothermal Development Company  
P.O Box 100746-00101  
NAIROBI, KENYA

And deposited in the tender box at Kawi House Office Ground floor located at South C Bellevue, Off Mombasa Road, Red Cross Road, Not later than **17<sup>th</sup> April, 2017 at 2.00Pm (1400Hrs.)**

Tenders will be opened immediately thereafter in the presence of the tenderers' or their representatives who choose to attend at GDC Kawi House Board Room.

Late tenders will not be accepted.

MANAGER, SUPPLY CHAIN

## SECTION II - INSTRUCTIONS TO TENDERERS

### Table of Clauses

|  | Page |
|--|------|
| 2.1 Eligible tenderers.....  | 5    |
| 2.2 Eligible goods.....  | 5    |
| 2.3 Cost of tendering.....   | 6    |
| 2.4 Contents of Tender document.....   | 6    |
| 2.5 Clarification of documents.....  | 6    |
| 2.6 Amendment of documents.....  | 7    |
| 2.7 Language of tender.....  | 7    |
| 2.8 Documents comprising the tender.....                                     | 8    |
| 2.9 Tender forms.....  | 8    |
| 2.10 Tender prices.....  | 8    |
| 2.11 Tender currencies.....  | 9    |
| 2.12 Tenderers eligibility and qualifications.....                           | 9    |
| 2.13 Goods' eligibility and conformity to<br>tender documents.....           | 9    |
| 2.14 Tender security.....  | 10   |
| 2.15 Validity of tenders.....  | 11   |
| 2.16 Format and signing of tenders.....                                      | 12   |
| 2.17 Sealing and marking of tenders.....                                     | 12   |
| 2.18 Deadline for submission of tender .....                                 | 13   |
| 2.19 Modification and withdrawal of tenders.....                             | 13   |
| 2.20 Opening of tenders.....   | 14   |
| 2.21 Clarification of tenders.....   | 14   |
| 2.22 Preliminary examination.....  | 15   |
| 2.23 Conversion to single currency.....                                      | 15   |
| 2.24 Evaluation and comparison of tenders.....                               | 16   |
| 2.25 Contacting the procuring entity.....                                    | 16   |
| 2.26 Award of contract.....  | 16   |
| (a) Post qualification.....  | 17   |
| (b) Award criteria.....  | 17   |
| (c) Procuring entity's right to vary quantities....                          | 17   |
| (d) Procuring entity's right to accept or<br>reject any or all tenders ..... | 17   |
| 2.27 Notification of award.....  | 18   |
| 2.28 Signing of contract.....  | 18   |
| 2.29 Performance security.....   | 18   |
| 2.30 Corrupt or fraudulent practices.....                                    | 18   |

## **SECTION II - INSTRUCTIONS TO TENDERERS**

### **2.1 Eligible Tenderers**

- 2.1.1 This Invitation for Tenders is open to all Kenyan citizens eligible tenderers as described in the Invitation to Tender. Successful tenderers shall complete the supply of goods by the intended completion date specified in the Schedule of Requirements Section VI.
- 2.1.2 The procuring entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.
- 2.1.3 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring entity to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this Invitation for tenders.
- 2.1.4 Tenderers shall not be under a declaration of ineligibility for corrupt and fraudulent practices.

### **2.2 Eligible Goods**

- 2.2.1 All goods to be supplied under the contract shall have their origin in eligible source countries.
- 2.2.2 For purposes of this clause, "origin" means the place where the goods are mined, grown, or produced. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is substantially different in basic characteristics or in purpose or utility from its components
- 2.2.3 The origin of goods is distinct from the nationality of the tenderer.

## **2.3 Cost of Tendering**

- 2.3.1 The Tenderer shall bear all costs associated with the preparation and submission of its tender, and the procuring entity, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.
- 2.3.2 The price to be charged for the tender document shall not exceed Kshs.1,000/= or free of charge for bidders that download the tender document from GDC website or IFMIS portal.
- 2.3.3 All firms found capable of performing the contract satisfactorily in accordance with the set prequalification criteria shall be prequalified.

## **2.4. The Tender Document**

- 2.4.1 The tender document comprises the documents listed below and addenda issued in accordance with clause 2.6 of these instructions to Tenderers
- (i) Invitation to Tender
  - (ii) Instructions to tenderers
  - (iii) General Conditions of Contract
  - (iv) Special Conditions of Contract
  - (v) Schedule of requirements
  - (vi) Technical Specifications
  - (vii) Tender Form and Price Schedules
  - (viii) Tender Security Form
  - (ix) Contract Form
  - (x) Performance Security Form
  - (xi) Confidential Business Questionnaire
  - (xii) Declaration of Undertaking not to engage in fraudulent practice
- 2.4.2 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tender documents. Failure to furnish all information required by the tender documents or to submit a tender not substantially responsive to the tender documents in every respect will be at the tenderers risk and may result in the rejection of its tender.

## **2.5 Clarification of Documents**

- 2.5.1 A prospective tenderer requiring any clarification of the tender document may notify the Procuring entity in writing or by post at the entity's address indicated in the Invitation to Tender. The Procuring

- entity will respond in writing to any request for clarification of the tender documents, which it receives not later than seven (7) days prior to the deadline for the submission of tenders, prescribed by the procuring entity. Written copies of the Procuring entities response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective tenderers that have received the tender document.
- 2.5.2 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.

## **2.6 Amendment of Documents**

- 2.6.1 At any time prior to the deadline for submission of tenders, the Procuring entity, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer, may modify the tender documents by amendment.
- 2.6.2 All prospective candidates that have received the tender documents will be notified of the amendment in writing or by post and will be binding on them.
- 2.6.3 In order to allow prospective tenderers reasonable time in which to take the amendment into account in preparing their tenders, the Procuring entity, at its discretion, may extend the deadline for the submission of tenders.

## **2.7 Language of Tender**

- 2.7.1 The tender prepared by the tenderer, as well as all correspondence and documents relating to the tender exchange by the tenderer and the Procuring entity, shall be written in English language, provided that any printed literature furnished by the tenderer may be written in another language provided they are accompanied by an accurate English translation of the relevant passages in which case, for purposes of interpretation of the tender, the English translation shall govern.



## **2.8 Documents Comprising of Tender**

2.8.1 The tender prepared by the tenderers shall comprise the following components

- (a) a Tender Form and a Price Schedule completed in accordance with paragraph 2.9, 2.10 and 2.11 below
- (b) documentary evidence established in accordance with paragraph 2.1 that the tenderer is eligible to tender and is qualified to perform the contract if its tender is accepted;
- (c) documentary evidence established in accordance with paragraph 2.2 that the goods and ancillary services to be supplied by the tenderer are eligible goods and services and conform to the tender documents; and
- (d) tender security furnished in accordance with paragraph 2.14

## **2.9 Tender Forms**

2.9.1 The tenderer shall complete the Tender Form and the appropriate Price Schedule furnished in the tender documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, quantity, and prices.

## **2.10 Tender Prices**

2.10.1 The tenderer shall indicate on the appropriate Price Schedule the unit prices and total tender price of the goods it proposes to supply under the contract

2.10.2 Prices indicated on the Price Schedule shall include all costs including taxes, insurances and delivery to the premises of the entity.

2.10.3 Prices quoted by the tenderer shall be fixed during the Tender's performance of the contract and not subject to variation on any account. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to paragraph 2.22

2.10.4 The validity period of the tender shall be 90 days from the date of opening of the tender.

## **2.11 Tender Currencies**

2.11.1 Prices shall be quoted in Kenya Shillings unless otherwise specified in the Appendix to Instructions to Tenderers.

## **2.12 Tenderers Eligibility and Qualifications**

2.12.1 Pursuant to paragraph 2.1. the tenderer shall furnish, as part of its tender, documents establishing the tenderers eligibility to tender and its qualifications to perform the contract if its tender is accepted.

2.12.2 The documentary evidence of the tenderers eligibility to tender shall establish to the Procuring entity's satisfaction that the tenderer, at the time of submission of its tender, is from an eligible source country as defined under paragraph 2.1

2.12.3 The documentary evidence of the tenderers qualifications to perform the contract if its tender is accepted shall be established to the Procuring entity's satisfaction;

- (a) that, in the case of a tenderer offering to supply goods under the contract which the tenderer did not manufacture or otherwise produce, the tenderer has been duly authorized by the goods' Manufacturer or producer to supply the goods.
- (b) that the tenderer has the financial, technical, and production capability necessary to perform the contract;
- (c) that, in the case of a tenderer not doing business within Kenya, the tenderer is or will be (if awarded the contract) represented by an Agent in Kenya equipped, and able to carry out the Tenderer's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications.

## **2.13 Goods Eligibility and Conformity to Tender Documents**

2.13.1 Pursuant to paragraph 2.2 of this section, the tenderer shall furnish, as part of its tender documents establishing the eligibility and conformity to the tender documents of all goods which the tenderer proposes to supply under the contract

2.13.2 The documentary evidence of the eligibility of the goods shall consist of a statement in the Price Schedule of the country of origin of the goods

and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.

2.13.3 The documentary evidence of conformity of the goods to the tender documents may be in the form of literature, drawings, and data, and shall consist of:

- (a) a detailed description of the essential technical and performance characteristic of the goods;
- (b) a list giving full particulars, including available source and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period of two (2) years, following commencement of the use of the goods by the Procuring entity; and
- (c) a clause-by-clause commentary on the Procuring entity's Technical Specifications demonstrating substantial responsiveness of the goods and service to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.

2.13.4 For purposes of the documentary evidence to be furnished pursuant to paragraph 2.13.3(c) above, the tenderer shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procurement entity in its Technical Specifications, are intended to be descriptive only and not restrictive. The tenderer may substitute alternative standards, brand names, and/or catalogue numbers in its tender, provided that it demonstrates to the Procurement entity's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.

## **2.14 Tender Security**

2.14.1 The tenderer shall furnish, as part of its tender, a tender security in the amount of **Ksh 100,000** in the form specified in the Appendix to Invitation to Tenderers.

2.14.2 The tender security is required to protect the Procuring entity against the risk of Tenderer's conduct which would warrant the security's forfeiture, pursuant to paragraph 2.14.7

- 2.14.3 The tender security shall be denominated in Kenya Shillings or in another freely convertible currency, and shall be in the form of a bank guarantee or a bank draft issued by a reputable bank located in Kenya or abroad, or a guarantee issued by a reputable insurance company in the form provided in the tender documents or another form acceptable to the Procuring entity and valid for thirty (30) days beyond the validity of the tender.
- 2.14.4 Any tender not secured in accordance with paragraph 2.14.1 and 2.14.3 will be rejected by the Procuring entity as non responsive, pursuant to paragraph 2.22
- 2.14.5 Unsuccessful Tenderer's tender security will be discharged or returned as promptly as possible as but not later than thirty (30) days after the expiration of the period of tender validity prescribed by the Procuring entity.
- 2.14.6 The successful Tenderer's tender security will be discharged upon the tenderer signing the contract, pursuant to paragraph 2.27 and furnishing the performance security, pursuant to paragraph 2.28
- 2.14.7 The tender security may be forfeited:
- (a) if a tenderer withdraws its tender during the period of tender validity specified by the procuring entity on the Tender Form; or
  - (b) in the case of a successful tenderer, if the tenderer fails:
    - (i) to sign the contract in accordance with paragraph 2.27 or
    - (ii) to furnish performance security in accordance with paragraph 2.28

## 2.15 **Validity of Tenders**

- 2.15.1 Tenders shall remain valid for **120 days** or as specified in the Invitation to tender after the date of tender opening prescribed by the Procuring entity, pursuant to paragraph 2.18. A tender valid for a shorter period shall be rejected by the Procuring entity as non responsive.
- 2.15.2 In exceptional circumstances, the Procuring entity may solicit the Tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tender security provided under paragraph 2.14 shall also be suitably extended. A tenderer may refuse the request without forfeiting its tender security. A

tenderer granting the request will not be required nor permitted to modify its tender.

## **2.16 Format and Signing of Tender**

2.16.1 The Procuring entity shall prepare two copies of the tender, clearly marking each “ORIGINAL TENDER” and “COPY OF TENDER,” as appropriate. In the event of any discrepancy between them, the original shall govern.

2.16.2 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by the tenderer or a person or persons duly authorized to bind the tenderer to the contract. The latter authorization shall be indicated by written power-of-attorney accompanying the tender. All pages of the tender, except for unamended printed literature, shall be initialed by the person or persons signing the tender.

2.16.3 The tender shall have no interlineations, erasures, or overwriting except as necessary to correct errors made by the tenderer, in which case such corrections shall be initialed by the person or persons signing the tender.

## **2.17 Sealing and Marking of Tenders**

2.17.1 The Tenderer shall seal the original and each copy of the tender in separate envelopes, duly marking the envelopes as “ORIGINAL” and “COPY.” The envelopes shall then be sealed in an outer envelope.

2.17.2 The inner and outer envelopes shall:

(a) be addressed to the Procuring entity at the address given in the Invitation to Tender:

**The Managing Director  
Geothermal Development Co. Ltd  
P. O Box 100746-00101.  
NAIROBI, KENYA**

(b) bear, tender number and name in the Invitation for Tenders and the words, “**DO NOT OPEN BEFORE, 2:00pm, 17<sup>th</sup> April, 2017**”

2.17.3 The inner envelopes shall also indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared “late”.

2.17.4 If the outer envelope is not sealed and marked as required by paragraph 2.17.2, the Procuring entity will assume no responsibility for the tender's misplacement or premature opening.

## **2.18 Deadline for Submission of Tenders**

2.18.1 Tenders must be received by the Procuring entity at the address specified under paragraph 2.17.2 no later than **Monday 2:00pm, 17<sup>th</sup> April, 2017**.

2.18.2 The Procuring entity may, at its discretion, extend this deadline for the submission of tenders by amending the tender documents in accordance with paragraph 2.6, in which case all rights and obligations of the Procuring entity and candidates previously subject to the deadline will therefore be subject to the deadline as extended

## **2.19 Modification and Withdrawal of Tenders**

2.19.1 The tenderer may modify or withdraw its tender after the tender's submission, provided that written notice of the modification, including substitution or withdrawal of the tenders, is received by the Procuring Entity prior to the deadline prescribed for submission of tenders.

2.19.2 The Tenderer's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of paragraph 2.17. A withdrawal notice may also be sent by cable, telex but followed by a signed confirmation copy, postmarked not later than the deadline for submission of tenders.

2.19.3 No tender may be modified after the deadline for submission of tenders.

2.19.4 No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity specified by the tenderer on the Tender Form. Withdrawal of a tender during this interval may result in the Tenderer's forfeiture of its tender security, pursuant to paragraph 2.14.7

2.19.5 The procuring entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.

2.19.6 The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.

## **2.20 Opening of Tenders**

2.20.1 The Procuring entity will open all tenders in the presence of tenderers' representatives who choose to attend, **on 17<sup>th</sup> April, 2017 at 2:00 p.m. and** in the location specified in the Invitation to Tender.

The tenderers' representatives who are present shall sign a register evidencing their attendance.

2.20.2 The tenderers' names, tender modifications or withdrawals, tender prices, discounts and the presence or absence of requisite tender security and such other details as the Procuring entity, at its discretion, may consider appropriate, will be announced at the opening.

2.20.3 The Procuring entity will prepare minutes of the tender opening.

## **2.21 Clarification of Tenders**

2.21.1 To assist in the examination, evaluation and comparison of tenders the Procuring entity may, at its discretion, ask the tenderer for a clarification of its tender. The request for clarification and the response shall be in writing, and no change in the prices or substance of the tender shall be sought, offered, or permitted.

2.21.2 Any effort by the tenderer to influence the Procuring entity in the Procuring entity's tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderers' tender.

## **2.22 Preliminary Examination**

2.22.1 The Procuring entity will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the tenders are generally in order.

2.22.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantify, the unit price shall prevail, and

the total price shall be corrected. If the candidate does not accept the correction of the errors, its tender will be rejected, and its tender security forfeited. If there is a discrepancy between words and figures the amount in words will prevail

2.22.3 The Procuring entity may waive any minor informality or non-conformity or irregularity in a tender which does not constitute a material deviation, provided such waiver does not prejudice or effect the relative ranking of any tenderer.

2.22.4 Prior to the detailed evaluation, pursuant to paragraph 2.23 the Procuring entity will determine the substantial responsiveness of each tender to the tender documents. For purposes of these paragraphs, a substantially responsive tender is one, which conforms to all the terms and conditions of the tender documents without material deviations. The Procuring entity's determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.

2.22.5 If a tender is not substantially responsive, it will be rejected by the Procuring entity and may not subsequently be made responsive by the tenderer by correction of the non conformity.

## **2.23 Conversion to Single Currency**

2.23.1 Where other currencies are used, the procuring entity will convert these currencies to Kenya Shillings using the selling exchange rate on the date of tender closing provided by the Central Bank of Kenya.

## **2.24 Evaluation and Comparison of Tenders**

2.24.1 The Procuring entity will evaluate and compare the tenders which have been determined to be substantially responsive, pursuant to paragraph 2.22

2.24.2 The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.

2.24.3 A tenderer who gives false information in the tender document about its qualification or who refuses to enter into a contract after notification of contract award shall be considered for debarment from participating in future public procurement.



## **2.25 Preference**

2.25.1 Preference where allowed in the evaluation of tenders shall not exceed 15%

## **2.26 Contacting the Procuring entity**

2.26.1 Subject to paragraph 2.21 no tenderer shall contact the Procuring entity on any matter related to its tender, from the time of the tender opening to the time the contract is awarded.

2.26.2 Any effort by a tenderer to influence the Procuring entity in its decisions on tender, evaluation, tender comparison, or contract award may result in the rejection of the Tenderer's tender.

## **2.27 Award of Contract**

### **(a) Post-qualification**

2.27.1 In the absence of pre-qualification, the Procuring entity will determine to its satisfaction whether the tenderer that is selected as having submitted the lowest evaluated responsive tender is qualified to perform the contract satisfactorily.

2.27.2 The determination will take into account the tenderer financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the tenderers qualifications submitted by the tenderer, pursuant to paragraph 2.12.3 as well as such other information as the Procuring entity deems necessary and appropriate.

2.27.3 An affirmative determination will be a prerequisite for award of the contract to the tenderer. A negative determination will result in rejection of the Tenderer's tender, in which event the Procuring entity will proceed to the next lowest evaluated tender to make a similar determination of that Tenderer's capabilities to perform satisfactorily.

### **(b) Award Criteria**

2.27.4 The Procuring entity will award the contract to the successful tenderer(s) whose tender has been determined to be substantially responsive and has been determined to be the lowest evaluated tender, provided further that

the tenderer is determined to be qualified to perform the contract satisfactorily.

**(c) Procuring entity's Right to Vary quantities**

2.27.5 The Procuring entity reserves the right at the time of contract award to increase or decrease the quantity of goods originally specified in the Schedule of requirements without any change in unit price or other terms and conditions

**(d) Procuring entity's Right to Accept or Reject Any or All Tenders**

2.27.6 The Procuring entity reserves the right to accept or reject any tender, and to annul the tendering process and reject all tenders at any time prior to contract award, without thereby incurring any liability to the affected tenderer or tenderers or any obligation to inform the affected tenderer or tenderers of the grounds for the Procuring entity's action

**2.28 Notification of Award**

2.28.1 Prior to the expiration of the period of tender validity, the Procuring entity will notify the successful tenderer in writing that its tender has been accepted.

2.28.2 The notification of award will constitute the formation of the Contract but will have to wait until the contract is finally signed by both parties

2.28.3 Upon the successful Tenderer's furnishing of the performance security pursuant to paragraph 2.28, the Procuring entity will promptly notify each unsuccessful Tenderer and will discharge its tender security, pursuant to paragraph 2.14

**2.29 Signing of Contract**

2.29.1 At the same time as the Procuring entity notifies the successful tenderer that its tender has been accepted, the Procuring entity will send the tenderer the Contract Form provided in the tender documents, incorporating all agreements between the parties.

2.29.2 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.

2.29.3 Within thirty (30) days of receipt of the Contract Form, the successful tenderer shall sign and date the contract and return it to the Procuring entity.

### **2.30 Performance Security**

2.30.1 Within Thirty (30) days of the receipt of notification of award from the Procuring entity, the successful tenderer shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the tender documents, or in another form acceptable to the Procuring entity.

2.30.2 Failure of the successful tenderer to comply with the requirements of paragraph 2.27 or paragraph 2.28 shall constitute sufficient grounds for the annulment of the award and forfeiture of the tender security, in which event the Procuring entity may make the award to the next lowest evaluated Candidate or call for new tenders.

### **2.31 Corrupt or Fraudulent Practices**

2.31.1 The Procuring entity requires that tenderers observe the highest standard of ethics during the procurement process and execution of contracts when used in the present regulations, the following terms are defined as follows;

- (i) “corrupt practice” means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution; and
- (ii) “fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring entity, and includes collusive practice among tenderer (prior to or after tender submission) designed to establish tender prices at artificial non-competitive levels and to deprive the Procuring entity of the benefits of free and open competition;

2.31.2 The procuring entity will reject a proposal for award if it determines that the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question.

2.31.3 Further a tenderer who is found to have indulged in corrupt or fraudulent practices risks being debarred from participating in public procurement in Kenya.

## **Appendix to Instructions to Tenderers**

*The following information regarding the particulars of the tender shall complement supplement or amend the provisions of the instructions to tenderers. Wherever there is a conflict between the provision of the instructions to tenderers and the provisions of the appendix, the provisions of the appendix herein shall prevail over those of the instructions to tenderers*

| <b>INSTRUCTIONS TO TENDERERS REFERENCE</b> | <b>PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS</b>   |
|--|---|
| 2.1.1                                      | The tender is eligible to all Kenyan citizens <b>dealers/suppliers of Motor Vehicle Spare Parts, Tools and Consumables.</b>   |
| 2.3.2                                      | An electronic copy of the tender document may be obtained by interested firms upon payment of a non-refundable fee of Kshs. 1000 payable to our accounts office in cash or bankers cheque.<br>The document can also be viewed and downloaded from the website <a href="http://www.gdc.co.ke">www.gdc.co.ke</a> or <a href="http://supplier.treasury.go.ke">http://supplier.treasury.go.ke</a> free of charge or at no cost. Bidders who download the tender document from the website <b>MUST</b> forward their particulars immediately to <a href="mailto:procurement@gdc.co.ke">procurement@gdc.co.ke</a> for records and any further tender clarifications and addenda   |
| 2.5.1                                      | A prospective tenderer requiring any clarification of the tender document may notify GDC in writing (email in PDF format or by facsimile) at the following address:<br>One copy to: -<br>Manager, Supply Chain<br>Geothermal Development Company Limited,<br>Kawi House, South C<br>P.O. Box 100746 – 00101<br>NAIROBI, KENYA<br>E-mail: <a href="mailto:procurement@gdc.co.ke">procurement@gdc.co.ke</a><br><a href="mailto:dkyaka@gdc.co.ke">dkyaka@gdc.co.ke</a> & <a href="mailto:pkapto@gdc.co.ke">pkapto@gdc.co.ke</a><br><br>And one copy to: -<br>Senior Engineer, Fleet Management<br>Geothermal Development Company Limited,<br>P.O. Box 100746 – 00101<br>NAIROBI, KENYA<br>E-mail: <a href="mailto:mketer@gdc.co.ke">mketer@gdc.co.ke</a> |

|        |   |
|--------|---|
|        | <p><b>NB:</b> Any request for clarification must be in the firm's letterhead and signed, and must be in reference to the specific parts of the tender document properly numbered. GDC will respond in writing (e-mail in PDF format) to any request for clarification received at least seven (7) days prior to the deadline for the submission of tenders.</p>   |
| 2.10.2 | The prices should include all taxes and transport cost to <b>GDC Menengai, Geothermal Project.</b>  |
| 2.10.4 | The tender validity period is <b>120 days</b> from the date of tender opening. A tender valid for a shorter period shall be considered as non-responsive and <b><u>shall be rejected.</u></b>   |
| 2.11.1 | Prices quoted shall be in Kenya Shillings.  |
| 2.14.1 | The tenderer shall furnish a tender security in the amount of Ksh 100,000 in the form of insurance/bank guarantee valid for a period of 150 days from the date of tender opening.   |
| 2.20.1 | The tender closing date is; <b>on Monday 17<sup>th</sup> April, 2017 at 2.00Pm</b>  |
| 2.22.1 | <p>At the preliminary evaluation stage, the following mandatory requirements that determines a bidder's responsiveness will be assessed :-</p> <ol style="list-style-type: none"> <li>a) Dully filled, Signed &amp; Stamped Tender Form &amp; Price Schedules</li> <li>b) Original Tender Security in the amount of Ksh 100,000 valid for a period of 150 days from the date of tender opening.</li> <li>c) Certificate of Incorporation/ Registration in Kenya.</li> <li>d) Tax compliance certificate valid at the time of opening, the certificate shall be verified from KRA tax checker.</li> <li>e) Duly filled and signed "Mandatory Confidential Business Questionnaire";</li> <li>f) Dully filled, signed &amp; stamped declaration of undertaking not to engage in corrupt fraudulent practice</li> </ol> <p>NB:<br/>Bidders who will not meet the above requirements will be declared non-responsive and their bids will not be evaluated further.</p> |
| 2.24.1 | In the technical evaluation stage, only bidders who have been found responsive at the preliminary stage will be evaluated on the following parameters:  |

|        |  |
|--------|--|
|        | <p>- Compliance to the technical specifications as stipulated in <u>Section V</u> of this tender document</p> <p><b>a) Bidders MUST attach Brochures/Catalogues clearly indicating/</b> showing compliance to GDC requirements to all the products they intend to supply.</p> <p><b>b) Delivery period offered in the tender. The delivery period should be as stipulated in the Special Conditions of Contract</b></p> <p><b>c) Tenderers may quote to supply any or all the schedules, each schedule must be quoted for with completeness in order to qualify as responsive. <u>Each schedule shall be evaluated separately &amp; awarded</u></b></p> <p>Bids not meeting the technical specifications will be declared non-responsive and will not be evaluated further.</p> <p>Bids responsive at the technical evaluation stage will be evaluated at the financial stage. The bids will be checked for costing of all items and payment terms. The lowest evaluated tender will be recommended for award.</p> |
| 2.28.1 | The unsuccessful tenderers will be notified on the outcome of the tender at the same time the successful tenderer is notified.   |
| 2.29.1 | The performance security shall be <b>10% of the contract price in the form of a bank guarantee issued by a local bank.</b>   |

### **SECTION III: GENERAL CONDITIONS OF CONTRACT**

#### **Table of Clauses**

|  | Page |
|--|------|
| 3.1 Definitions.....                               | 24   |
| 3.2 Application.....                               | 24   |
| 3.3 Country of Origin.....                         | 24   |
| 3.4 Standards.....                                 | 25   |
| 3.5 Use of Contract documents and information..... | 25   |
| 3.6 Patent Rights.....                             | 25   |
| 3.7 Performance security.....                      | 25   |
| 3.8 Inspection and Tests.....                      | 26   |
| 3.9 Packing.....                                   | 27   |
| 3.10 Delivery and documents.....                   | 27   |
| 3.11 Insurance .....                               | 27   |
| 3.12 Payment.....                                  | 27   |
| 3.13 Price.....                                    | 27   |
| 3.14 Assignments.....                              | 28   |
| 3.15 Sub contracts.....                            | 28   |
| 3.16 Termination for default.....                  | 28   |
| 3.17 Liquidated damages.....                       | 29   |
| 3.18 Resolution of Disputes.....                   | 29   |
| 3.19 Language and law.....                         | 29   |
| 3.20 Force Majeure.....                            | 29   |

## **SECTION III - GENERAL CONDITIONS OF CONTRACT**

### **3.1 Definitions**

3.1.1 In this Contract, the following terms shall be interpreted as indicated:-

- (a) “The Contract” means the agreement entered into between the Procuring entity and the tenderer, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- (b) “The Contract Price” means the price payable to the tenderer under the Contract for the full and proper performance of its contractual obligations
- (c) “The Goods” means all of the equipment, machinery, and/or other materials, which the tenderer is required to supply to the Procuring entity under the Contract.
- (d) “The Procuring entity” means the organization purchasing the Goods under this Contract.
- (e) “The Tenderer” means the individual or firm supplying the Goods under this Contract.

### **3.2 Application**

3.2.1 These General Conditions shall apply in all Contracts made by the Procuring entity for the procurement installation and commissioning of equipment

### **3.3 Country of Origin**

3.3.1 For purposes of this clause, “Origin” means the place where the Goods were mined, grown or produced.

3.3.2 The origin of Goods and Services is distinct from the nationality of the tenderer.



### **3.4 Standards**

3.4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications.

### **3.5 Use of Contract Documents and Information**

3.5.1 The tenderer shall not, without the Procuring entity's prior written consent, disclose the Contract, or any provision therefore, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring entity in connection therewith, to any person other than a person employed by the tenderer in the performance of the Contract.

3.5.2 The tenderer shall not, without the Procuring entity's prior written consent, make use of any document or information enumerated in paragraph 3.5.1 above

3.5.3 Any document, other than the Contract itself, enumerated in paragraph 3.5.1 shall remain the property of the Procuring entity and shall be returned (all copies) to the Procuring entity on completion of the Tenderer's performance under the Contract if so required by the Procuring entity

### **3.6 Patent Rights**

3.6.1 The tenderer shall indemnify the Procuring entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Procuring entity's country

### **3.7 Performance Security**

3.7.1 Within thirty (30) days of receipt of the notification of Contract award, the successful tenderer shall furnish to the Procuring entity the performance security in the amount specified in Special Conditions of Contract.

3.7.2 The proceeds of the performance security shall be payable to the Procuring entity as compensation for any loss resulting from the Tenderer's failure to complete its obligations under the Contract.

3.7.3 The performance security shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the Procuring entity and shall be in the form of a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in Kenya or abroad, acceptable to the Procuring entity, in the form provided in the tender documents.

3.7.4 The performance security will be discharged by the Procuring entity and returned to the Candidate not later than thirty (30) days following the date of completion of the Tenderer's performance obligations under the Contract, including any warranty obligations, under the Contract

### **3.8 Inspection and Tests**

3.8.1 The Procuring entity or its representative shall have the right to inspect and/or to test the goods to confirm their conformity to the Contract specifications. The Procuring entity shall notify the tenderer in writing in a timely manner, of the identity of any representatives retained for these purposes.

3.8.2 The inspections and tests may be conducted in the premises of the tenderer or its subcontractor(s), at point of delivery, and/or at the Goods' final destination. If conducted on the premises of the tenderer or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring entity.

3.8.3 Should any inspected or tested goods fail to conform to the Specifications, the Procuring entity may reject the equipment, and the tenderer shall either replace the rejected equipment or make alterations necessary to make specification requirements free of costs to the Procuring entity.

3.8.4 The Procuring entity's right to inspect, test and where necessary, reject the goods after the Goods' arrival shall in no way be limited or waived by reason of the equipment having previously been inspected, tested and passed by the Procuring entity or its representative prior to the equipment delivery.

3.8.5 Nothing in paragraph 3.8 shall in any way release the tenderer from any warranty or other obligations under this Contract.

### **3.9 Packing**

3.9.1 The tenderer shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract.

3.9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract

### **3.10 Delivery and Documents**

3.10.1 Delivery of the Goods shall be made by the tenderer in accordance with the terms specified by Procuring entity in its Schedule of Requirements and the Special Conditions of Contract

### **3.11 Insurance**

3.11.1 The Goods supplied under the Contract shall be fully insured against loss or damage incidental to manufacturer or acquisition, transportation, storage, and delivery in the manner specified in the Special conditions of contract.

### **3.12 Payment**

3.12.1 The method and conditions of payment to be made to the tenderer under this Contract shall be specified in Special Conditions of Contract

3.12.2 Payments shall be made promptly by the Procuring entity as specified in the contract

### **3.13 Prices**

3.13.1 Prices charged by the tenderer for goods delivered and services performed under the Contract shall not, with the exception of any price adjustments authorized in Special Conditions of Contract, vary from the prices by the tenderer in its tender.

3.13.2 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)

3.13.3 Where contract price variation is allowed, the variation shall not exceed 10% of the original contract price.

3.13.4 Price variation request shall be processed by the procuring entity within 30 days of receiving the request.

### **3.14. Assignment**

3.14.1 The tenderer shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Procuring entity's prior written consent

### **3.15 Subcontracts**

3.15.1 The tenderer shall notify the Procuring entity in writing of all subcontracts awarded under this Contract if not already specified in the tender. Such notification, in the original tender or later, shall not relieve the tenderer from any liability or obligation under the Contract

### **3.16 Termination for default**

3.16.1 The Procuring entity may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the tenderer, terminate this Contract in whole or in part

- (a) if the tenderer fails to deliver any or all of the goods within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring entity
- (b) if the tenderer fails to perform any other obligation(s) under the Contract
- (c) if the tenderer, in the judgment of the Procuring entity has engaged in corrupt or fraudulent practices in competing for or in executing the Contract

3.16.2 In the event the Procuring entity terminates the Contract in whole or in part, it may procure, upon such terms and in such manner as it deems appropriate, equipment similar to those undelivered, and the tenderer shall be liable to the Procuring entity for any excess costs for such similar goods.

### **3.17 Liquidated Damages**

3.17.1. If the tenderer fails to deliver any or all of the goods within the period(s) specified in the contract, the procuring entity shall, without prejudice to its other remedies under the contract, deduct from the contract prices liquidated damages sum equivalent to 0.5% of the delivered price of the delayed items up to a maximum deduction of 10% of the delayed goods. After this the tenderer may consider termination of the contract.

### **3.18 Resolution of Disputes**

3.18.1 The procuring entity and the tenderer shall make every effort to resolve amicably by direct informal negotiation and disagreement or dispute arising between them under or in connection with the contract

3.18.2 If, after thirty (30) days from the commencement of such informal negotiations both parties have been unable to resolve amicably a contract dispute, either party may require adjudication in an agreed national or international forum, and/or international arbitration.

### **3.19 Language and Law**

3.19.1 The language of the contract and the law governing the contract shall be English language and the Laws of Kenya respectively unless otherwise stated.

### **3.20 Force Majeure**

3.20.1 The tenderer shall not be liable for forfeiture of its performance security or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

## SECTION IV - SPECIAL CONDITIONS OF CONTRACT

- 4.1 Special conditions of contract shall supplement the general conditions of contract, wherever there is a conflict between the GCC and the SCC, the provisions of the SCC herein shall prevail over those in the GCC.
- 4.2 Special conditions of contract with reference to the general conditions of contract.

| REFERENCE OF GCC                                | SPECIAL CONDITIONS OF CONTRACT   |
|---|--|
| 3.1<br><i>definitions</i>                       | The Purchaser is The Geothermal Development Company Limited of Kawi House, South C Off Mombasa Road, Nairobi, Kenya. It includes the Purchaser's legal representative's successors or assigns  |
| 3.3   | The bidders shall ensure the <b>Supply of Motor Vehicle Spare parts, Workshop Tools and Consumables</b> provided are new, unused and defects free  |
| 3.7.1<br><i>Performance Security</i>            | The Performance Security shall be in the amount of 10% of the Contract Price in the form of <b>approved financial institution</b> . The performance security shall be cashed if the supplier shall not deliver the services as per the agreed timelines and if it does not conform to agreed standard.   |
| 3.10 Delivery                                   | The delivery period for items shall be <b>two (2) months or less</b> . It is GDC's desire to have the <b>Motor Vehicle Spare parts, Workshop Tools and Consumables</b> delivered within the shortest time possible. Any tenderer with a delivery period exceeding ( <b>2 months</b> ) will be disqualified.  |
| 3.12.1<br><i>Payment Terms &amp; Conditions</i> | <ul style="list-style-type: none"> <li>i. The Purchaser shall upon execution of this Agreement issue a Contract the provision of the services. GDC shall issue LPO for any service to be performed.</li> <li>ii. The <b>credit period</b> shall be thirty (30) days upon receipt of certified invoices and delivery notes confirming that the invoiced services have been delivered and the service was in accordance with the contract.</li> <li>iii. Payment shall be made through Geothermal Development Company's cheque or telegraphic transfer of the contract.</li> <li>iv. Advance Payment shall not apply.</li> </ul> |
| 3.13 Prices                                     | Prices charged by the tenderer for the items delivered under the Contract shall not vary from the prices quoted by the tenderer in the tender.   |

|                                     |   |
|-------------------------------------|---|
|                                     | <p><b><u>No correction of errors.</u></b></p> <p>The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.</p>   |
| 3.18.1<br>Resolution of<br>Disputes | <p>If any dispute or difference of any kind arises between the Parties in connection with this Agreement or the breach, termination or validity hereof (a “Dispute”) it shall be referred to arbitration under the Arbitration Act, 1995.</p>   |
| Notices:                            | <p>Each party's address for the service of notice shall be the below mentioned address or such other address as it specifies by notice to the other;</p> <p>For the Procuring Entity:</p> <p style="text-align: center;">The Managing Director &amp; CEO,<br/>Geothermal Development Company Ltd (GDC)<br/>Kawi House, South C Bellevue Off Mombasa Road, Tel:<br/>0719037000, 0719036000<br/>P.O. Box 100746 – 00101<br/>NAIROBI, KENYA</p> <p>Any notice given under the Agreement shall be in writing and may be served:</p> <ol style="list-style-type: none"> <li>i. personally;</li> <li>ii. by registered or recorded delivery mail;</li> <li>iii. by e-mail, telex or facsimile transmission (the latter confirmed by telex or post); or</li> <li>iv. by any other means which any party specifies by notice to the others.</li> </ol> <p>Notice shall be deemed to have been served:</p> <ol style="list-style-type: none"> <li>i. if it was served in person, at the time of service;</li> <li>ii. if it was served by post, 72 hours after it was posted; and</li> <li>iii. If it was served by e-mail, telex or facsimile transmission, at the time of transmission.</li> </ol> |

## SECTION V - TECHNICAL SPECIFICATIONS

### 5.1 General

**5.1.1** These specifications describe the requirements for goods. Tenderers are requested to submit with their **offers the detailed specifications, drawings, catalogues, etc for the products they intend to supply clearly showing the size measurements of their products.**

5.1.2 Tenderers must indicate on the specifications sheets whether the equipment offered comply with each specified requirement.

5.1.3 All the dimensions and capacities of the equipment to be supplied shall not be less than those required in these specifications. Deviations from the basic requirements, if any shall be explained in detail in writing with the offer, with supporting data such as calculation sheets, etc. The procuring entity reserves the right to reject the products, if such deviations shall be found critical to the use and operation of the products.

5.1.4 The tenderers are requested to present information along with their offers as follows:

- (i) Shortest possible delivery period of each product



## SECTION VI: TECHNICAL SPECIFICATIONS SCHEDULE OF REQUIREMENT & SPECIFICATIONS

### SCHEDULE ONE (1): MOTOR VEHICLE SPARES

#### SCHEDULE 1A: NISSAN NAVARA SPARE PARTS MODELNO: H2J79

| PART NUMBER   | PART DESCRIPTION     | UOM | QUANTITY |
|---------------|----------------------|-----|----------|
| 15208 EB70D   | OIL FILTER           | PCS | 80       |
| 16403 4U11A   | FUEL FILTER          | PCS | 80       |
| 16403 06J0A   | WATER SEPARATOR      | PCS | 80       |
| 16546 EB70A   | AIR CLEANER          | PCS | 80       |
| D1060 JR70A   | BRAKE PADS           | PCS | 80       |
| D4060 EB70A   | BRAKE LININGS        | PCS | 80       |
| 11065 AD20A   | HEATER PLUGS         | PCS | 20       |
| 46010 EB70A   | BRAKE CYLINDER       | PCS | 10       |
| 11720 EB70B   | FAN BELT             | PCS | 30       |
| E6110 EB71A   | FRONT SHOCKS         | PCS | 50       |
| E6200 EB71A   | REAR SHOCKS          | PCS | 50       |
| 54524 EB70D   | UPPER CONTROL ARM LH | PCS | 10       |
| 54525 EB70D   | UPPER CONTROL ARM RH | PCS | 10       |
| 54500 EB70A   | LOWER CONTROL ARM LH | PCS | 10       |
| 54501 EB70A   | LOWER CONTROL ARM RH | PCS | 10       |
| 30100 JS10A   | CLUTCH PLATE         | PCS | 5        |
| 30210 JS10C   | PRESSURE PLATE       | PCS | 5        |
| 30502 69F10   | RELEASE BEARING      | PCS | 10       |
| 072601 012803 | HEAD LIGHT BULB      | PCS | 100      |
| 26261 89908   | BRAKE LIGHT          | PCS | 100      |

#### **NOTES**

- a) Documentary evidence to prove that the items offered comply with the Technical Specifications must be provided. Attach copy of relevant section of parts catalogue.
- b) All part numbers or their equivalents must comply with the Model of vehicle in each schedule

**SCHEDULE 1B: TOYOTA LANDCRUISER SPARE PARTS  
MODELNO: HZ179R**

| <b>PART NUMBER</b>   | <b>PART DESCRIPTION</b> | <b>UOM</b> | <b>QTY</b> |
|----------------------|-------------------------|------------|------------|
| 90091530002          | OIL FILTER              | PCS        | 100        |
| 2339051070           | FUEL FILTER             | PCS        | 100        |
| 1780161030           | AIR CLEANER             | PCS        | 100        |
| 449560070            | BRAKE LINNING           | PCS        | 80         |
| 446560340            | BRAKE PADS              | PCS        | 80         |
| 9091902523           | FAN BELT                | PCS        | 30         |
| 9091602452           | FRT SHOCK ABSORBER      | PCS        | 80         |
| 495316885            | RR SHOCK ABSORBER       | PCS        | 80         |
| 85212/85222/OKO90/91 | WIPER BLADES            | PCS        | 20         |
| 47750/477500K180     | BRAKE CYLINDER FRT      | PCS        | 5          |
| 9098113058           | HEAD LAMP BULB          | PCS        | 100        |
| APS                  | BRAKE LIGHT BULBS       | PCS        | 100        |
| APS                  | INDICATOR BULBS         | PCS        | 100        |
| 312500K060           | CLUTCH PLATE            | PCS        | 5          |
| HTS                  | SHOCK SPRING            | PCS        | 100        |
| 483060K020           | DUMPER RUBBER FR RR     | PCS        | 60         |
| 483040K040           | DUMPER RUBBER FR        | PCS        | 60         |
| 312500K060           | PRESSURE PLATE          | PCS        | 5          |
| 3123071011           | RELEASE BEARING         | PCS        | 5          |

**NOTES**

- a) Documentary evidence to prove that the items offered comply with the Technical Specifications must be provided. Attach copy of relevant section of parts catalogue.
- b) All part numbers or their equivalents must comply with the Model of vehicle in each schedule.

**SCHEDULE 1C: TOYOTA HILUX SPARE PARTS  
MODEL NO: KUN25R**

| <b>PART NUMBER</b>   | <b>PART DESCRIPTION</b> | <b>UOM</b> | <b>QTY</b> |
|----------------------|-------------------------|------------|------------|
| 9091YZZD2            | OIL FILTER              | PCS        | 100        |
| 233900L041           | FUEL FILTER             | PCS        | 100        |
| 178010C020           | AIR CLEANER             | PCS        | 100        |
| 044950K070           | BRAKE LINNING           | PCS        | 80         |
| 044650K240           | BRAKE PADS              | PCS        | 80         |
| 9091902523           | FAN BELT                | PCS        | 20         |
| 4851009J20           | FRT SHOCK ABSORBER      | PCS        | 60         |
| 485310K170/050       | RR SHOCK ABSORBER       | PCS        | 60         |
| 85212/85222/OKO90/91 | WIPER BLADES            | PCS        | 50         |
| 47750/477500K180     | BRAKE CYLINDER FRT      | PCS        | 20         |
| 9098113058           | HEAD LAMP BULB          | PCS        | 100        |
| APS                  | BRAKE LIGHT BULBS       | PCS        | 100        |

|            |                     |     |     |
|------------|---------------------|-----|-----|
| APS        | INDICATOR BULBS     | PCS | 100 |
| 312500K060 | CLUTCH PLATE        | PCS | 5   |
| HTS        | SHOCK SPRING        | PCS | 50  |
| 483060K020 | DUMPER RUBBER FR RR | PCS | 50  |
| 483040K040 | DUMPER RUBBER FR    | PCS | 50  |
| 312500K060 | PRESSURE PLATE      | PCS | 2   |
| 3123071011 | RELEASE BEARING     | PCS | 2   |

**NOTES**

- a) Documentary evidence to prove that the items offered comply with the Technical Specifications must be provided. Attach copy of relevant section of parts catalogue.
- b) All part numbers or their equivalents must comply with the Model of vehicle in each schedule

**SCHEDULE 1D: ISUZU BUSES SERVICE PARTS  
MODEL: NQR 66PU**

|    | PART DESCRIPTION                  | PART NUMBER | UOM | QTY |
|----|-----------------------------------|-------------|-----|-----|
| 1  | OIL FILTER                        | 5876101170  | PCS | 100 |
| 2  | FUEL FILTER                       | 5876100110  | PCS | 100 |
| 3  | LUBIX EP2                         | 64-1278-009 | PCS | 50  |
| 4  | FILTER ACL,OUT                    | 1142151710  | PCS | 30  |
| 5  | REAR INDICATOR LIGHT ASSEMBLY RHS | 1822302070  | PCS | 100 |
| 6  | HEAD LAMP RHS                     | 8973725285  | PCS | 60  |
| 7  | WIPER BLADES                      | 8971345632  | PCS | 20  |
| 8  | FAN BELT                          | 8971801991  | PCS | 20  |
| 9  | AIR FILTER                        | 1142151710  | PCS | 100 |
| 10 | CLUTCH PLATE                      | 8973771490  | PCS | 5   |
| 12 | SHOCK ABSORBER FRONT              | 8972536191  | PCS | 100 |
| 13 | SHOCK ABSORBER REAR               | 8972536512  | PCS | 100 |
| 14 | RELEASE BEARING                   | 8972553130  | PCS | 10  |
| 15 | HEATER PLUGS                      | 1825130443  | PCS | 60  |
| 16 | BRAKE PADS                        | NA          | PCS | 100 |
| 17 | CENTRE RUBBER                     | NA          | PCS | 10  |
| 18 | BRAKE LININGS                     | NA          | PCS | 100 |

**NOTES**

- a) Documentary evidence to prove that the items offered comply with the Technical Specifications must be provided. Attach copy of relevant section of parts catalogue.
- b) All part numbers or their equivalents must comply with the Model of vehicle in each schedule

**SCHEDULE 1E: NISSAN UD BUS SERVICE PARTS  
MODEL: NHU41H**

|    | <b>PART DESCRIPTION</b>              | <b>PART NUMBER</b> | <b>UOM</b> | <b>QTY</b> |
|----|--------------------------------------|--------------------|------------|------------|
| 1  | OIL FILTER                           |                    | PCS        | 40         |
| 2  | FUEL FILTER                          |                    | PCS        | 40         |
| 4  | FILTER ACL,OUT                       |                    | PCS        | 40         |
| 5  | REAR INDICATOR LIGHT ASSEMBLY<br>RHS |                    | PCS        | 60         |
| 6  | HEAD LAMP RHS                        |                    | PCS        | 60         |
| 7  | WIPER BLADES                         |                    | PCS        | 10         |
| 8  | FAN BELT                             |                    | PCS        | 10         |
| 9  | AIR FILTER                           |                    | PCS        | 40         |
| 10 | CLUTCH PLATE                         |                    | PCS        | 6          |
| 12 | SHOCK ABSORBER FRONT                 |                    | PCS        | 20         |
| 13 | SHOCK ABSORBER REAR                  |                    | PCS        | 20         |
| 14 | RELEASE BEARING                      |                    | PCS        | 10         |
| 15 | HEATER PLUGS                         |                    | PCS        | 20         |
| 16 | BRAKE PADS                           |                    | PCS        | 60         |
| 17 | CENTRE RUBBER                        |                    | PCS        | 20         |
| 18 | BRAKE LININGS                        |                    | PCS        | 60         |

**NOTES**

- a) Documentary evidence to prove that the items offered comply with the Technical Specifications must be provided. Attach copy of relevant section of parts catalogue.
- b) All part numbers or their equivalents must comply with the Model of vehicle in each schedule.

**SCHEDULE 1F: NISSAN UD TRUCK SERVICE PARTS  
MODEL: CWB450HTNA**

| <b>S/NO</b> | <b>PART DESCRIPTION</b> | <b>PART NUMBER</b> | <b>UOM</b> | <b>QTY</b> |
|-------------|-------------------------|--------------------|------------|------------|
| 1           | ELEMENT OIL FILTER      | 1527499289         | PCS        | 100        |
| 2           | ELEMENT FUEL FILTER     | 1644499129         | PCS        | 100        |
| 3           | SHOCK ABSORBER FT       | 5610100Z02         | PCS        | 60         |
| 4           | SHOCK ABSORBER REAR     | 5610100Z00         | PCS        | 60         |
| 5           | AIR CLEANER FILTER OUT  | 06-ND16546NB02/1   | PCS        | 100        |
| 6           | CLUTCH PLATE            | 3010090608         | PCS        | 5          |
| 7           | CLUTCH KIT              | 3020190108         | PCS        | 50         |
| 8           | BRAKE LINING FRONT      | 06-ND4103990872/1  | PCS        | 60         |
| 9           | BRAKE LINING REAR       | 4406090517         | PCS        | 60         |
| 10          | TORQUE ROD BUSHES       | 5554200Z00         | PCS        | 200        |
| 11          | MAIN LEAF SPRINGS (REAR | N/A                | PCS        | 60         |

|    |          |     |     |    |
|----|----------|-----|-----|----|
|    | & FRONT) |     |     |    |
| 12 | NO:2     | N/A | PCS | 60 |
| 13 | NO:3     | N/A | PCS | 60 |
| 14 | NO:4     | N/A | PCS | 60 |
| 15 | NO:5     | N/A | PCS | 60 |
| 16 | NO:6     | N/A | PCS | 60 |
| 17 | NO:7     | N/A | PCS | 60 |

### **NOTES**

- a) Documentary evidence to prove that the items offered comply with the Technical Specifications must be provided. Attach copy of relevant section of parts catalogue.
- b) All part numbers or their equivalents must comply with the Model of vehicle in each schedule

### **SCHEDULE 1G: MERCEDES ACTROS SPARE PARTS MODEL: 3353**

| S/NO | MERCEDES ACTROS      | PART NUMBER  | UOM   | QTY         |
|------|----------------------|--------------|-------|-------------|
| 1    | OIL FILTER           | A5411800209  | PCS   | 100         |
| 2    | FUEL FILTER          | A5410900151  | PCS   | 100         |
| 3    | AIR FILTER           | A0040942404  | PCS   | 100         |
| 4    | WATER SEPARATOR      | A0004770103  | PCS   | 100         |
| 5    | AIR DRYER            | A0004300969  | PCS   | 30          |
| 6    | FRONT BRAKE PADS     | A00642014020 | PAIRS | 10<br>PAIRS |
| 7    | FRONT SHOCK ABSORBER | A0083237400  | PAIRS | 10<br>PAIRS |
| 8    | REAR SHOCK ABSORBER  | A0083266000  | PAIRS | 10<br>PAIRS |

### **NOTES**

- a) Documentary evidence to prove that the items offered comply with the Technical Specifications must be provided. Attach copy of relevant section of parts catalogue.
- b) All part numbers or their equivalents must comply with the Model of vehicle in each schedule

### **SCHEDULE 1H: CEMENTING TRUCKS SERVICE PARTS**

| S/NO.    | PART DESCRIPTION         | PART NUMBER                            | UOM | QTY |
|----------|--------------------------|--|-----|-----|
| <b>A</b> | <b>BEIBEN 2534 TRUCK</b> |  |     |     |
| 1        | FUEL/WATER SEPARATOR     | PARKER PL420 OR EQUIVALENT             | PCS | 90  |
| 2        | FUEL FILTER              | PARKER 612630080087 OR EQUIVALENT      | PCS | 45  |
| 3        | OIL FILTER               | POWERGUARD 6PG-321013/BV61000070005 OR | PCS | 90  |

|          |                             |  |     |    |
|----------|-----------------------------|--|-----|----|
|          |                             | EQUIVALENT                                 |     |    |
| 4        | AIR CLEANER                 | POWERGUARD 6PG-4211070 OR EQUIVALENT       | PCS | 45 |
| 5        | COOLANT TANK                | FOR BEIBEN MODEL 2534                      | PCS |    |
| <b>B</b> | <b>SHACKMAN F3000 TRUCK</b> |  |     |    |
| 1        | COOLANT FILTER              | BALDWIN BW5075 OR EQUIVALENT               | PCS | 20 |
| 2        | OIL FILTER                  | BALDWIN BD7154 OR EQUIVALENT               | PCS | 20 |
| 3        | FUEL/WATER SEPARATOR        | PARKER PL420 OR EQUIVALENT                 | PCS | 20 |
| 4        | FUEL FILTER                 | DONALDSON P558000 OR EQUIVALENT / FS 19843 | PCS | 20 |
| 5        | AIR CLEANER                 | POWERGUARD 6PG-431014 OR EQUIVALENT        | PCS | 20 |

**NOTES**

- a) Documentary evidence to prove that the items offered comply with the Technical Specifications must be provided. Attach copy of relevant section of parts catalogue.
- b) All part numbers or their equivalents must comply with the Model of vehicle in each schedule.

**SCHEDULE 11: XCMG EQUIPMENT SERVICE PARTS**

**(i) EXCAVATOR**

Excavator model: XE470C

Engine model: QSM11

| S/N | DETAIL                       | PART NO           | UOM | QTY |
|-----|------------------------------|-------------------|-----|-----|
| 1   | Extended service lube filter | LF9080<br>2882674 | PCS | 30  |
| 2   | Fuel/Water separator         | FS1000<br>3329289 | PCS | 30  |
| 3   | Air filter                   | 9777868           | PCS | 30  |
| 4   | Fuel filter/Water separator  | R120T             | PCS | 30  |

**(ii) BULLDOZERS**

Bulldozer model: TY320

Engine model: CUMMINS NTA855-C360

| S/N | DETAIL       | PART NO                      | UOM | QTY |
|-----|--------------|------------------------------|-----|-----|
| 1   | Lube filter  | LF670<br>3889310             | PCS | 20  |
| 2   | Lube filter  | LF777<br>3889311             | PCS | 20  |
| 3   | Air filter   | 6128-81-7320<br>6127-81-7412 | PCS | 20  |
| 4   | Super filter | FS1212<br>3315843            | PCS | 20  |

**(iii) GRADERS**

Grader model: GR260

Engine model: 6CTA8.3-C260

| S/N | DETAIL                  | PART NO            | UOM | QTY |
|-----|-------------------------|--------------------|-----|-----|
| 1   | FUEL/WATER<br>SEPARATOR | FS1280             | PCS | 40  |
| 2   | FUEL FILTER             | FF5052             | PCS | 40  |
| 3   | AIR FILTER              | AF25276            | PCS | 40  |
| 4   | LUBE FILTER             | 91PY162<br>3401544 | PCS | 40  |

**NOTES**

- a) Documentary evidence to prove that the items offered comply with the Technical Specifications must be provided. Attach copy of relevant section of parts catalogue.
- b) All part numbers or their equivalents must comply with the Model of vehicle in each schedule.

**SCHEDULE 1J: FIRE ENGINES (WAICHAI) SERVICE PARTS**

**MODEL NO: JDS5150GXSPM60E**

|   | PART DESCRIPTION | PART NUMBER         | UOM | QTY |
|---|------------------|---------------------|-----|-----|
| 1 | OIL FILTER       | FFLS3349            | PCS | 40  |
| 2 | FUEL FILTER      | FF5052              | PCS | 40  |
| 3 | AIR FILTER       | 13126-910323/AS2570 | PCS | 40  |
| 4 | WATER SEPARATOR  | FS1280              | PCS | 40  |

**NOTES**

- a) Documentary evidence to prove that the items offered comply with the Technical Specifications must be provided. Attach copy of relevant section of parts catalogue.
- b) All part numbers or their equivalents must comply with the Model of vehicle in each schedule.

## SCHEDULE TWO (2) - WORKSHOP TOOLS

The required list of workshop equipment and tools is as listed below:

### LIST OF WORKSHOP EQUIPMENT & TOOLS.

Country of Origin : Germany/Japan.

#### SCHEDULE 2A: POWER TOOLS

| ITEM | DESCRIPTION                        | UOM | QTY |
|------|------------------------------------|-----|-----|
| 1    | Power drilling machine             | PC  | 1   |
| 2    | Bench mounted double wheel Grinder | PC  | 1   |
| 3    | Hand Held Grinding Machine         | PC  | 1   |

#### **NOTES:**

a) Attached a relevant brochure of the items quoted.

b). Refer to the detailed descriptions of Schedule 2 items (Workshop tools) provided below for different sizes/capacities of items in the table and the contents of items whose unit of measure is a **SET**.

#### SCHEDULE 2B: HAND TOOLS

| ITEM | DESCRIPTION   | UOM | QTY |
|------|---|-----|-----|
| 1    | Ratchet and socket set                                  | SET | 2   |
| 2    | Screwdriver and Bits                                    | SET | 2   |
| 3    | Pliers  | SET | 5   |
| 4    | Nut/bolt cutters  | PC  | 3   |
| 5    | Allen-Keys  | SET | 3   |
| 6    | Die &Stock  | SET | 2   |
| 7    | Gear Ratchet Set  | SET | 2   |
| 8    | 55Piece 1/4"Drive Metric and Fractional Socket Set      | SET | 2   |
| 9    | 38Pc. Mini Ratchet and Bit Set                          | SET | 3   |
| 10   | 76Piece Metric and Fractional Complete Screwdriver Bits | SET | 3   |
| 11   | Hammers   | PC  | 4   |
| 12   | Value Electronic Caliper - 0 to 6" / 150mm              | PC  | 2   |
| 13   | Bench Vices   | PC  | 2   |
| 14   | Adjustable spanners                                     | SET | 2   |
| 15   | Combination Spanners                                    | SET | 4   |
| 16   | 41 Piece Mechanics Screwdriver And Security Bit Set     | SET | 2   |
| 17   | Long Reach Socket Set                                   | SET | 2   |
| 18   | Short/Extra Short Socket Set                            | SET | 2   |



|    |                           |     |   |
|----|---------------------------|-----|---|
| 19 | Extra Long Socket Set     | SET | 2 |
| 20 | Thread Restorers          | SET | 2 |
| 21 | Inspection Hand Lamp 240v | PC  | 3 |

**NOTES:**

- a) Attached a brochure of the items quoted.  
b). Refer to the detailed descriptions of Schedule 2 items (Workshop tools) provided below for different sizes/capacities of items in the table and the contents of items whose unit of measure is a **SET**.

**SCHEDULE 2C: AUTOMOBILE MECHANICAL TOOLS**

| ITEM | DESCRIPTION                               | UOM | QTY |
|------|---|-----|-----|
| 1    | Hydraulic Floor press machine             | SET | 1   |
| 2    | Brake repairing tools                     | SET | 2   |
| 3    | Clutch repair tools                       | SET | 1   |
| 4    | Timing kits for diesel and petrol engines | SET | 1   |
| 5    | Engine/ Gearbox Support                   | PC  | 2   |
| 6    | Gas Welding Accessories                   | SET | 2   |
| 7    | Multi-stage Tool Boxes                    | PC  | 2   |
| 8    | Tool Rack                                 | PC  | 2   |

**NOTES:**

- a) Attached a brochure of the items quoted.  
b). Refer to the detailed descriptions of Schedule 2 items (Workshop tools) provided below for different sizes/capacities of items in the table and the contents of items whose unit of measure is a **SET**.

**SCHEDULE 2D: TYRE REPAIR TOOLS & EQUIPMENT**

| ITEM |                             | UOM | QTY |
|------|-----------------------------|-----|-----|
| 1    | 58" Screwdriver Pry Bar     | PC  | 1   |
| 2    | Digital Tire Pressure Gauge | PC  | 1   |

**NOTES:**

- a) Attached a brochure of the items quoted.  
b). Refer to the detailed descriptions of Schedule 2 items (Workshop tools) provided below for different sizes/capacities of items in the table and the contents of items whose unit of measure is a **SET**.

**SCHEDULE 2E: BODY REPAIR TOOLS & EQUIPMENT**

| ITEM | DESCRIPTION                  | UOM | QTY |
|------|------------------------------|-----|-----|
| 1    | Spray gun & air brushes      | SET | 2   |
| 2    | Body Repair Set - Master Kit | SET | 2   |

**NOTES:**

a) Attached a brochure of the items quoted.

b). Refer to the detailed descriptions of Schedule 2 items (Workshop tools) provided below for different sizes/capacities of items in the table and the contents of items whose unit of measure is a **SET**.

**SCHEDULE 2F: SERVICE REPAIR TOOLS AND EQUIPMENT**

| S/N | DESCRIPTION   | UOM | QTY |
|-----|---|-----|-----|
| 1   | 130mm Oil Filter Wrench   | PC  | 1   |
| 2   | 10 Piece 3/8" Square Drive Drain Plug Key Set   | SET | 1   |
| 3   | 16L (3.6 Gallon) Oil Drain Pan 205L Drum Cradle   | PC  | 1   |
| 4   | 205L Drum Cradle  | PC  | 1   |
| 5   | 280mm Oil Filter Strap Wrench   | PC  | 1   |
| 6   | 4 Piece Plastic Funnel Set  | SET | 1   |
| 7   | Drain Plug Wrench   | PC  | 1   |
| 8   | 36L Telescopic Oil Drainer  | PC  | 1   |
| 9   | 65L Gravity Feed Oil Drainer  | PC  | 1   |
| 10  | 114 Piece Oil Sump Plug Repair Kit  | PC  | 1   |
| 11  | 50 Assorted BSPT Grease Nipples   | PC  | 50  |
| 12  | 1/8" BSPT Heavy Duty 4 Jaw Hydraulic Connector<br>(Contains: Straight Fluted Extractor Set, 32 Assorted Thread Restorers & Inspection Hand Lamp 240v) | SET | 1   |

**NOTES:**

a) Attached a brochure of the items quoted.

b). Refer to the detailed descriptions of Schedule 2 items (Workshop tools) provided below for different sizes/capacities of items in the table and the contents of items whose unit of measure is a **SET**.

## SCHEDULE 2G: ELECTRICAL AND ELECTRONIC EQUIPMENT

| ITEM | DESCRIPTION  | UOM | QTY |
|------|--|-----|-----|
| 1    | Battery charger  | PC  | 2   |
| 2    | Fluke Meter  | PC  | 1   |
| 3    | Electronics tool kit (3)with:-<br>- Assorted screw drivers<br>- Wire strippers<br>- Side cutters<br>- Wire crimpers<br>- Calipers etc. | SET | 2   |

### **NOTES:**

- a) Attached a brochure of the items quoted.
- b). Refer to the detailed descriptions of Schedule 2 items (Workshop tools) provided below for different sizes/capacities of items in the table and the contents of items whose unit of measure is a **SET**.

### **DETAILED SPECIFICATIONS FOR SCHEDULE 2 – WORKSHOP TOOLS**

**Country of Origin : Germany/Japan.**

## **1. SCHEDULE 2A: POWER TOOLS**

### **1. Power drilling machines**

#### ***900w sds+ rotary hammer drill kit***

##### **Features:**

- a) Hammer and rotary drill function
- b) Rotation stop for chiseling
- c) Adjustable side handle with depth rod
- d) Soft grip handle Supplied with: 8 x SDS+ drills 5-18mm, 3 x SDS+ Chisels, 6 x HSS twist drill bits, 13mm geared chuck, SDS+ chuck adaptor, accessories, carrying case and 3M (approx.) cable and approved plug.

### **2. Bench mounted double wheel Grinder**

#### **Description:**

Motor type: Induction ball bearing  
Horse power: Continuous duty 1HP  
Amps: 10Amps  
Voltage: 240V  
Phase: Single  
Hertz: 50Hz  
RPM: 1700  
Grinding wheel size: 10'' (inch)  
Lamp: 240V, 40watts max

Tool rest: Left and Right  
Eye shield assembly: Left and Right (clear lexan)  
Spark arrester: Left and Right  
Quench tray: 8-1/4''x2-3/4''x1  
Wheel Dresser: Diamond wheel dresser

### **3. Hand Held Angle Grinding Machine**

#### **Description:**

Power Input: 2200 Watts  
No load speed: 6500rpm  
Max. Disc Diameter: 230mm  
Length: approx. 450mm  
Power output: approx. 1540 Watts

## **2. SCHEDULE 2B: HAND TOOLS**

### **1. Ratchet and socket set**

**13 sockets size:** 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0 and 13.0 mm;

- a) Reversible fine tooth gear-ratchet;
- b) Extension bar size: 75mm;
- c) Socket converter: 13mm x 1/4" square drive
- d) 20mm Gear Ratchet

**10 sockets Size:** 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19mm

**7 sockets size:** 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 and 3/4"

- a) Reversible fine tooth gear-ratchet
- b) Extension bar size: 75mm

**2 socket converters:** 20mm x 1/4" square drive and 20mm x 3/8" square drive  
1/4" square drive

**9 x 6 point sockets size:** 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0 and 10.0 mm

**9 x 6 point sockets size:** 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8 and 7/16"

- a) wobble extension bar size: 100mm
- b) Adaptor 1/4" (M) x 1/4" square drive
- c) 3/8" square drive

**10 x 12 point sockets size:** 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19mm

**8 x 12 point sockets size:** 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 and 13/16"

**Spark plug socket size:** 16mm  
wobble extension bar size: 150mm

### **2. Screwdriver and Bits**

- a) Screwdriver with 1/4" hexagon holder
- b) 3 plain slot insert bits size: 4.0, 5.5 and 6.0mm
- c) 3 cross slot insert bits: No.1, 2 and 3
- d) 3 hexagonal insert bits size: 3, 4 and 5mm  
Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

### 3. Pliers

- a) 160mm Combination Pliers
- b) 160mm Long Nose Pliers
- c) 140mm Diagonal Side Cutters

### 4. Nut/bolt cutters

#### *9mm - 22mm Capacity 3 Piece Nut Splitter Set*

- a) Drop forged steel body hardened and tempered with plated finish.
- b) Threaded splitting pin manufactured from chrome molybdenum steel hardened and tempered with chemically blacked finish.
- c) Capacities: 9 - 12mm, 12 - 16mm and 16 - 22mm

### 5. Allen-Keys

- a) Durable carbon steel construction
- b) Black oxide finish to resist rust
- **Sizes:** (SAE) Long Arm: 1/16", 5/64", 3/32", 1/8", 9/64", 5/32", 3/16", 1/4", 5/16"

**Short Arm:** 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 5/32", 3/16", 7/32"

**(Metric) Long Arm:** 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 4.5mm, 5mm, 6mm, 8mm

**Short Arm:** 1.27mm, 1.5mm, 2mm, 2.5mm, 3mm, 3.5mm, 4mm, 5mm, 5.5mm

- c) Alloy steel construction.
- d) Includes compartmentalized carry case.
- e) Handles: adjustable tap wrench handle, die handle, T-handle tap wrench, 1/8" NPT pipe tap, screwdriver
- f) With two pitch gauges

### 6. Die & Stock

- a) Thread size, **Coarse:** SAE 4-40, 6-32, 8-32, 10-24, 12-24, 1/4"-20, 5/16"-18, 3/8"-16, 7/16"-14, and 1/2"-13,
- b) Metric 3-0.5, 4-0.7, 5-0.8, 6-1, 7-1, 8-1.25, 9-1.25, 10-1.5, 12-1.75
- c) Thread size, **Fine:** SAE 10-32, 1/4"-28, 5/16"-24, 3/8", 7/16"-20, and 1/2"-20,
- d) Metric 10-1

### 7. Gear Ratchet Set

- a) 3 Piece, Cushion Grip Ratchet Set (1/4", 3/8" and 1/2")
- b) Cushion Grip Ratchet with low profile head
- c) Ratchet features flush mounted reversing lever
- d) 60 -Tooth Gear System

**8. 55 Piece 1 / 4" Drive Metric and Fractional Socket Set**

- a) 4mm - 14mm 1/4" Dr. 6 pt. Metric Deep Socket
- b) 3mm - 14mm 1/4" Dr. 6 pt. Metric Socket
- c) 3/16" - 9/16" 1/4" Dr. 6 pt. Fractional Deep Socket
- d) 1/8" - 9/16" 1/4" Dr. 6 pt. Fractional Socket
- e) Extension 1.9" long
- f) Extension 2.9" long
- g) Extension 3.9" long
- h) Extension 5.9" long
- i) Bit Holder
- j) Adapter 1/4"F x 3/8"M
- k) Universal Joint
- l) Made of chrome vanadium steel
- m) Comes in a blow molded case

**9. 38 Pc. Mini Ratchet and Bit Set**

**Description:**

- a) Durable aluminum case
- b) 36 S2 steel bits
- c) Quick release extension for hard to reach areas

**Includes:**

- (1) Ratchet handle, 72 teeth, CR-V chrome storage
- (1) Quick release extension
- (36) Bits, S2 steel
- (4) SL: 1/8", 5/32", 3/16" and 1/4"
- (6) PH: #1 (2pc.), #2 (2pc.) and #3 (2pc.)
- (6) PZ: #1 (2pc.), #2 (2pc.) and #3 (2pc.)
- (6) Hex: 5/64", 3/32", 1/8", 5/32", 3/16" and 1/4"
- (12) Torx: T10 (2pc.), T15 (2pc.), T25 (2pc.), T27 (2pc.), T30 (2pc.), T40 (2pc.)
- (1) Aluminum case

**10.76 Piece Metric and Fractional Complete Screwdriver Bits with OMNIDRIVE set**

**Description:**

- a) 1 OMNIDRIVE 4 in 1 handgrip
- b) Long slotted screwdriver bits - 6 sizes
- c) Screwdriver bits - 0,1,2,3

- d) Fractional Hex screwdriver bits - 1/16" to 5/16 (11 sizes)
- e) Metric hex screwdriver bits - 2mm to 8mm (8 sizes)
- f) Triple square screwdriver bits - 3 sizes
- g) Star bit screwdriver bits - 11 sizes
- h) Square screwdriver bits - 5 sizes
- i) 1/4" Drive six-point metric hand sockets - 3mm to 10mm (10 sizes)
- j) 1/4" Drive six-point Fractional hand sockets - 1/8" to 3/8" (8 sizes)
- k) Socket holder adapter
- l) Flexible extension
- m) Flexible bit holder
- n) 3 magnetic bit holders
- o) 3 extension bars
- p) Plastic carrying case

#### **11. Hammers**

- a) Dead blow hammer – 500gm
- b) Ball Peen Hammer \_1kg

#### **12. Value Electronic Caliper - 0 to 6" / 150mm**

- a) Range: 6"/150mm
- b) Stainless steel frame.
- c) Large easy-to-read display.
- d) Resolution: .0005"
- e) Absolute/incremental measurement.
- f) Direct inch/metric conversion.
- g) 4 way measuring.
- h) Includes molded case

#### **13. Bench Vices**

Capacity-150 mm (5")

#### **14. Adjustable spanners**

##### **Description:**

High torque load capacity, heat treated with thermoplastic handle and phosphated finishes.

Sizes: 8", 10", 15", 24"

#### **15. Combination Spanners**

##### **Description:**

Drop forged made from vanadium steel

Sizes:6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,32

#### **16. 41 Piece Mechanics Screwdriver And Security Bit Set In Eva Foam Insert Tray**

##### **Contents:**

- a) 2 plain slot, 2 cross slot and 2 PZ TYPE screwdrivers
- b) 2 double-ended angle screwdrivers - plain slot/PZ TYPE
- c) Bit set comprising: magnetic bit holder, torque spanner, tri-winged, hexagonal star security bits

### **17. Long Reach Socket Set**

Comprises 7 Sockets 14mm to 6mm sizes –  
All Long Reach 90/100mm

- a) 14mm x 100mm
- b) 13mm x 100mm
- c) 12mm x 100mm
- d) 10mm x 100mm
- e) 8mm x 90mm
- f) 7mm x 90mm
- g) 6mm x 90mm

### **18. Short/Extra Short Socket Set**

Comprises 7 Sockets 10mm to 6mm sizes –  
All Short Reach 45 to 63mm

- a) 10mm x 63mm
- b) 9mm x 63mm
- c) 8mm x 60mm
- d) 8mm x 45mm
- e) 7mm x 60mm
- f) 6mm x 60mm
- g) 6mm x 45mm

### **19. Extra Long Socket Set**

Comprises 3 Sockets 9, 8 & 7mm sizes –  
All Extra Long Reach, 200/240mm

- a) 9mm x 240mm
- b) 8mm x 240mm
- c) 7mm x 200mm

### **20. Thread Restorers**

With eight pitch sizes of thread form

Thread Restorers Specifications:-

| <b>Thread Form</b> | <b>Pitch Sizes</b>                             |
|--------------------|--|
| a) BSW / BSF       | 11, 12, 14, 16, 18, 20, 22, 26                 |
| b) SAE / UNF       | 12, 13, 14, 16, 18, 20, 24, 28                 |
| c) Metric          | 0.75, 1.00, 1.25, 1.50, 1.75, 2.00, 2.50, 3.00 |
| d) BSP             | 11, 12, 14, 16, 19, 20, 22, 28                 |

### **21. Inspection Hand Lamp 240v**

- a) Supplied with 240v - 12v transformer to BSEN60950 standard
- b) Thermal cut-out and voltage overload protection
- c) Supplied with universal joint and clamp
- d) 7 meters insulated cable with clips
- e) Replacement bulbs available - (03010570 12v - box of 10)



### **3. SCHEDULE 2C: AUTOMOBILE MECHANICAL TOOLS**

#### **1. Hydraulic Floor press machines**

##### **Specification:**

- a) Capacity ... 10 tons
- b) Ram stroke ... 190mm
- c) Height - ram to table ... 918mm (max.) ... 0mm (min.)

#### **2. Brake repairing tools**

##### **1/2" square drive caliper piston retraction tool**

##### **1/2" square drive pentagonal brake bit**

- a) Five point (pentagon) insert bit in socket holder.
- b) Socket manufactured from chrome vanadium steel hardened tempered and chrome plated.
- c) The bit made from S2 silicon steel hardened, tempered and chemically blacked.
- d) For use on most vehicles.

##### **10 x 11mm flare nut wrench**

- a) Designed for use on compression nuts fitted on petrol and diesel injection pipes systems.
- b) Manufactured from chrome vanadium steel hardened, tempered and chrome plated.

##### **3/8" square drive rear brake caliper wind back cube**

- a) Suitable for most rear brake calipers.
- b) Five key patterns, chemically blacked finish.

##### **7mm brake pad key with handle**

- a) Chrome vanadium steel key hardened and tempered with a chemically blacked finish.
- b) Suitable for various brake pad replacements

##### **8mm brake pad key with handle**

- a) Chrome vanadium steel key hardened and tempered with a chemically blacked finish.
- b) Suitable for disc brake caliper retaining bolts

##### **Brake Bleeding Kit**

- a) A kit designed for one person bleeding of brakes.
- b) one way valve incorporated in the 600mm long silicon tube to prevent air returning into the brake system whilst brake bleeding.

##### **27 Piece Brake Caliper Wind Back Tool Kit**

- a) Left handed and right handed winders
- b) Fits most vehicles.
- c) Packed in blow mould storage carrying case with display sleeve.

**39 Piece Brake Piston Wind Back Tool Kit**

- a) Left handed and right handed winders
- b) Fits most vehicles.
- c) Includes pin punches, brake keys, pentagon bit and sockets.
- d) Packed in blow mould storage carrying case with display sleeve.

**2 Piece Brake Pin Punch Set.**

- a) Manufactured from chrome vanadium steel hardened and tempered and chemically blacked.

**230mm Handbrake Spring Pliers**

- a) Spring-loaded pliers with grooves cut into ends and circular recess

**Brake Lining Thickness Guide**

- a) Three blade colours signify wear; red for replace now, yellow for replace soon and green for OK.
- b) Marked in metric with imperial equivalents.
- c) Contents: red 2 and 3mm; yellow 4, 5 and 6mm; green 8, 10 and 12mm

**3. Clutch repair tools**

**17 Piece Universal Clutch Aligning Kit**

- a) Precision manufactured steel bushes with chemically blacked finish.
- b) Suitable for use on most cars and light commercial vehicles.
- c) Display packed in handy storage case.

**Universal clutch aligning assembly tool**

- a) Fits most vehicles up to 5 tons including vehicles with double plate clutches.
- b) Body manufactured from ABS with brass screw and supplied with three collets.
- c) A full instruction leaflet is included with each tool.

**Flywheel puller**

- a) Comprising drop forged carbon steel plate and bolts.

**4. Cylinder and valve tools**

**20 Blades Metric Feeler Gauge Set**

- a) 100mm long taper blades, hardened and polished.
- b) Each blade marked with its size and folds into a polished steel case with thumbscrew.

**Blade sizes:** 20 metric blades size: 0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.55, 0.60, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 0.95 and 1.0mm..

**5. Timing kits for diesel and petrol engines**

**8 Piece Diesel And Petrol Engine Timing Kit**

- a) For petrol and diesel engine cars and both light and heavy commercial

vehicles.

## **6. 6 Piece Diesel Injector Seat Cutter Set**

### **Contents:**

- a) T bar handle assembly
- b) Pilot guide
- c) 4 reamers to suit most popular vehicles/injector makes

## **7. Engine/ Gearbox Support**

### **2 Ton Folding Engine Crane**

- a) Foldable engine crane with a single piston hydraulic pump.
- b) Four pre-set positions for lifting.
- c) Capacity ... 2 tons (2000kg)
- d) 4 x Lifting positions ... @ 500kg; 1000kg; 1500kg; 2000kg

## **8. Welding Machine**

### **Description:**

Input Power: 3/1 phase power

Rated Output: 3ph: 280A @ 31.2V, 35% duty cycle

Welding Amperage Range: 5-280Amps – 3 phase

Accessories: 2 Rod holders, 10m cable, mobile carriage.

## **9. Gas Welding Accessories**

### **Description:**

10m Gas welding Hose set with safety valves

Multi Stage Regulator

Heavy Duty welding Torch

Cutting Torch

Heating Nozzle

Spark lighter

Nozzle Cleaner

Cylinder key

## **10. Multi-stage Tool Boxes**

### **Description:**

Five cantilever trays in metal storage tool box complete with carrying handles and finished in bright red

Size: 22''

## **11. Tool Rack**

Length 5m

Height 3m

Width 1m

## **12. 13 Piece Commercial Vehicle Diesel Engine Compression Test Kit**

Large easy-to-read scale measuring 0-1000psi/0-70kg/cm<sup>2</sup> with 600mm of flexible hose and push on adaptor incorporating a Schrader one way valve.

Side pressure relief valve.

Display packed in plastic blow mould storage case with sleeve.

**Contents:**

Gauge with flexible hose

Threaded dummy glow plug

3 threaded dummy glow plug adaptors size: 20.5 x 30, 23.6 x 32 and 23.6 x 41mm

5 adaptor sleeves size: 6, 12, 18, 25 and 38mm 90° coupling

Assorted copper seals

**13.6 Piece Diesel Glow Plug Service Kit**

**Contents:**

- a) 3 x six point glow plug removal sockets with 180° flexible head size: 8, 9 and 10 x 80mm long
- b) Glow plug removal tool with collet
- c) 2 glow plug reaming tools - M10 and M12 threads

**14.6 Piece Diesel Injector Seat Cutter Set**

**Contents:**

- a) T bar handle assembly
- b) pilot guide
- c) 4 reamers to suit most popular vehicles/injector makes

**15. Diesel Engine Camshaft Locking Tool**

**16.10 Ton Hydraulic Puller Kit**

**Contents:**

- a) Hydraulic pump
- b) 3 puller legs
- c) 6 nuts and washers
- d) 6 link plates
- e) 2/3 leg puller yoke
- f) nose adaptor
- g) Min/Max Reach 0 - 150mm
- h) Min/Max Spread 100 - 240mm

**17.3 Piece Coil Spring Compressor Set**

- a) Cast steel claws with safety hooks.
- b) Lead screw manufactured from carbon steel hardened and tempered with 1/2" square drive facility.
- c) Maximum opening 224mm.

**18. Ball Joint Separator**

- a) Forged carbon steel body, plated finish with steel bolt.
- b) Adjustable jaw opening 19-21mm
- a) Maximum opening capacity 50mm

### **19.3 Piece Cv Boot Service Kit**

#### **Contents:**

- a) 200mm precision CV boot band cutters for use on CV bands up to 6mm wide
- b) 225mm CV band cutting tool

### **20. Large Insert Bearing Puller**

#### **Contents:**

- a) Puller yoke with centre screw and twin arms
- b) 2 x threaded leg extensions
- c) 6 x ball ended threaded puller adaptors

### **21. Small Insert Bearing Puller**

#### **Contents:**

- a) Puller yoke with centre screw and twin arms
- b) 2 x leg extensions
- c) Centre screw thread cap
- a) 6 x ball ended threaded puller adaptors

### **22. Twin & Triple Leg Reversible Puller**

- a) Puller with two reversible legs for external and internal pulling of gears, bearings, etc.
- b) Legs are forged carbon steel and have long and short reach facility.
- c) Yoke and thrust bolt are manufactured from carbon steel.
- d) Screw with a rolled thread with chemically blacked finish.
- a) Supplied with twin and triple yoke that will take either two or three legs

### **23. Universal Belt Tension Tester**

- a) Adjustable dual scale graduations readable from front and back of tool.
- b) Manufactured from good quality steel with knurled aluminium rotating knob.

### **24. 12 Ton Axle Stands (Pair)**

- a) Heavy duty, manufactured from carbon steel hardened and tempered with hardened steel pin.

#### **Specification:**

- b) Minimum height ... 535mm
- c) Maximum height ... 870mm
- d) Capacity (max. per stand) ... 6000kg (S.W.L)
- e) Capacity (per pair) ... 12000kg (S.W.L)

### **25. Battery Chargers**

#### **12/24v automatic battery charger**

- For workshop use.
- Fully automatic for continuous adjustment of unsupervised charging.

#### **Specification:**

- a) Charging output ... 12/24V
- b) Input-single phase ... 230V AC

- c) Charging steps ... 1
- d) Fast charge steps ... 1
- e) Charging current effective ... 22A (12V)
- f) Charging current average ... 15A (EN60335)
- g) Fused ... 30A

## **4. SCHEDULE 2D: TYRE REPAIR TOOLS & EQUIPMENT**

### **1. 58" Screwdriver Pry Bar**

#### **Description:**

- a) Capped-End Handles Allow the End-User to Strike the Pry Bar With a hammer.
- b) Ergonomically designed curved handle
- c) Hardened and tempered the entire length

### **2. Digital Tyre Pressure Gauge**

- a) Range 2.0-99.5psi, 0.15-7.00 bar and 15-700kPA.
- b) Low power consumption with automatic shut off and powered by a 3V lithium battery (supplied).

## **5. SCHEDULE 2E: BODY REPAIR TOOLS & EQUIPMENT**

### **1. Spray gun & air brushes**

- a) Anti-corrosion aluminum body with stainless steel and brass gun nozzle and needle.
- b) Multiple hole air cap for correct paint atomization and fan control.

#### **Specification:**

- c) Operating air pressure ... 58psi (4bar)
- d) Air consumption ... 7.59cfm (214L/min)
- e) Nozzle ... 1mm
- f) Air Inlet ... 1/4" BSP
- g) Pot capacity ... 500ml

### **2. Body Repair Set - Master Kit**

Master panel beating kit containing 8 panel beating hammers, 5 dollies, 4 spoons, 2 shaping tools and a body blade holder with 3 different blades

#### **Contents:**

- a) Panel Beater Shrinking Flat Face
- b) Panel Beater Straight Pein and Finish Flat Face
- c) Panel Beater Pick and Finishing Flat Face
- d) Panel Beater Pein and Finish Crowned Face
- e) Panel Beater Standard Bumping Flat Face

- f) Panel Beater Standard Bumping Crowned Face
- g) Panel Beater Light Bumping Crowned Face
- h) Rubber Faced Mallet
- i) Grid Toe Dolly
- j) Utility Dolly
- k) Thick Curved Dolly
- l) Round Head Dolly
- m) Heavy Toe Dolly
- n) Heavy Duty Pry Spoon
- o) Pry/Surfacing Spoon
- p) General Purpose Spoon
- q) Surface Spoon
- r) Bumping Tool Flat
- s) Door Lock Hole Reforming Tool
- t) Adjustable Body Blade Holder c/w 3 different Blades

## **6. SCHEDULE 2F: SERVICE TOOLS & EQUIPMENT**

### **1. 130mm Oil Filter Wrench**

Heavy duty chain with tightening nut which can be operated with a 1/2" square drive or 24mm wrench.

### **2.10 Piece 3/8" Square Drive Drain Plug Key Set**

Chrome vanadium steel hardened and tempered.

### **1. 16L (3.6 Gallon) Oil Drain Pan**

Manufactured from high-density polyethylene with UV stabilizer resistant to most chemicals and solvents. Anti-splash lip, large handles and enclosed spout helps reduce spillages.

### **2. 205L Drum Cradle**

For lifting, tilting and maneuvering 205L (55 gallon) drums around work areas. 65mm diameter wheels with transport handle.

### **3. 280mm Oil Filter Strap Wrench**

Heavy duty webbing strap 1000mm x 38mm with 3/8" x 1/2" square drive/21mm x 13/16" AF cam for tightening.

Cam has plated finish for corrosion protection.

### **4. 4 Piece Plastic Funnel Set**

- a) Four different sized tough plastic funnels.
- b) Sold loose.

#### **Contents:**

50, 75, 100 and 120mm diameter

### **5. Drain Plug Wrench**

- a) Nine different tapered sizes for the removal of female drain plugs fitted in

many automotive applications.

- b) Sold loose

#### **6. 36L Telescopic Oil Drainer**

- a) The Oil Drainer is wheeled under the sump plug of the vehicle when on an inspection ramp, the plug is removed and the oil flows by gravity into the plastic reservoir via a filtered funnel 410mm diameter.
- b) Screw cap for reservoir.  
Height adjusts from 760 to 1600mm

#### **7. 65L Gravity Feed Oil Drainer**

- a) Gravity feed waste oil drainers with 2M x 25.4mm discharge hose.
- b) Discharge is by air pressure.
- c) Fitted with safety valve, 18L steel telescopic collection pan, oil reservoir level indicator and small working tray.
- d) Heavy duty castors for easy maneuverability around the workshop with chrome plated pull-along handle.

#### **8. 114 Piece Oil Sump Plug Repair Kit**

- a) Comprehensive kit for the repair of damaged oil sump plug drain plug threads.
- b) Comprises six different-sized taps each with six sump bolts and washers.
- d) Packed in blow mould case with display sleeve and EVA foam insert.

#### **9. 50 Assorted BSPT Grease Nipples**

- a) Manufactured from EN-1A steel with profiles to BS, SAE, DIN, JIS and IS.
- b) Heat treated to SAE J534 and hardened.
- c) Yellow zinc plated to ASTM B117 specification.
- d) Display packed in a storage case.

##### **Contents:**

- e) 10 (approx.) 1/4" BSPT straight
- f) 5 (approx.) 1/4" BSPT 45°
- g) 5 (approx.) 1/4" BSPT 90°
- h) 20 (approx.) 1/8" BSPT straight
- i) 5 (approx.) 1/8" BSPT 45°
- j) 5 (approx.) 1/8" BSPT 90°

#### **10. 1/8" BSPT Heavy Duty 4 Jaw Hydraulic Connector**

- a) Heavy duty four jaw connector with brass body, threaded 1/8" BSPT.  
Safe working pressure 400bar/5800psi

#### **1. Straight Fluted Extractor Set**

- 6mm - 12mm diameter

##### **Set comprising:-**

- a) 5 x drill bits
- b) 10 x drill guides
- c) 5 x extractor assemblies



## 2.Thread Restorers

With eight pitch sizes of thread form

Thread Restorers Specifications:-

| Thread Form  | Pitch Sizes                                    |
|--------------|--|
| a) BSW / BSF | 11, 12, 14, 16, 18, 20, 22, 26                 |
| b) SAE / UNF | 12, 13, 14, 16, 18, 20, 24, 28                 |
| c) Metric    | 0.75, 1.00, 1.25, 1.50, 1.75, 2.00, 2.50, 3.00 |
| d) BSP       | 11, 12, 14, 16, 19, 20, 22, 28                 |

## 3. Inspection Hand Lamp 240v

- Supplied with 240v - 12v transformer to BSEN60950 standard
- Thermal cut-out and voltage overload protection
- Supplied with universal joint and clamp
- 7 meters insulated cable with clips
- Replacement bulbs available - (03010570 12v - box of 10)

## 7. SCHEDULE 2G: ELECTRICAL AND ELECTRONIC EQUIPMENT

### Battery charger specifications

|                 |                      |                            |
|-----------------|----------------------|----------------------------|
| RATING          | AC INPUT             | 240VAC, 50HZ, SINGLE PHASE |
|                 | DC OUTPUT            | 12/24V DC                  |
|                 | OUTPUT CURRENT LIMIT | 10-20A VARIABLE            |
| CONTROL CIRCUIT | FUSES                |                            |
| DIMENSIONS(mm)  |                      | 600*310*260                |

## SCHEDULE 3 - WORKSHOP CONSUMABLES

### SCHEDULE 3A:

| ITEM DESCRIPTION                | UOM | QTY |
|---------------------------------|-----|-----|
| ROUND REFLECTORS                | PCS | 50  |
| TRIANGULAR REFLECTORS           | PCS | 50  |
| UMBER REFLECTORS                | PCS | 50  |
| CHEVRONS                        | PCS | 50  |
| REFLECTIVE STRIPES YELLOW       | PCS | 50  |
| REFLECTIVE STRIPES WHITE        | PCS | 50  |
| REFLECTIVE STICKERS (YELLOW AND | PCS | 2   |

|                                     |      |   |
|-------------------------------------|------|---|
| WHITE)                              |      |   |
| REFLECTIVE STICKERS (RED AND WHITE) | PCS  | 2 |
| GAS FILLER RODS 3.25MM              | PKTS | 5 |
| GAS BRAZING RODS 3.1MM              | PKTS | 5 |
| BRAZING FLUX                        | TINS | 5 |

**NUTS BOLTS AND WASHERS**

|                                |                  |    |
|--------------------------------|------------------|----|
| NUMBER 10                      | PCS              | 50 |
| NUMBER 12                      | PCS              | 50 |
| NUMBER 13                      | PCS              | 50 |
| NUMBER 14                      | PCS              | 50 |
| NUMBER 15                      | PCS              | 50 |
| NUMBER 16                      | PCS              | 50 |
| NUMBER 17                      | PCS              | 50 |
| NUMBER 18                      | PCS              | 50 |
| SILICON                        | TUBES            | 10 |
| SILICON GLUE GUN               | PC               | 1  |
| RUBBER HOSE PIPE (HALF INCH)   | PC OF<br>50 MTRS | 1  |
| CLEANING CLOTHES (100% COTTON) | PCS              | 50 |
| HOSE CLIPS (ASSORTED)          | PCS              | 50 |
| PAINT SCRAPERS                 | PCS              | 5  |
| POP GUN                        | PCS              | 2  |
| POP GUN RIVETS                 | PKTS             | 5  |
| BUCKETS                        | PCS              | 5  |
| BROOMS                         | PCS              | 5  |
| WELDING RODS                   | PKTS             | 5  |

**NOTES:**

a) Attached a brochure of the items quoted.

**SCHEDULE 3B: FAST DRY PAINT**

| ITEM DESCRIPTION      | UOM                 | QTY |
|-----------------------|---------------------|-----|
| ORANGE                | TINS<br>(4LTS EACH) | 30  |
| BLACK                 | TINS (4LTS EACH)    | 20  |
| RED                   | TINS<br>(4LTS EACH) | 16  |
| GREEN                 | TINS (4LTS EACH)    | 8   |
| WHITE                 | TINS<br>(4LTS EACH) | 20  |
| NC METTALIC PAINT     | TINS<br>(4LTS EACH) | 16  |
| AUTOSYNTHETIC THINNER | JERRICANS           | 40  |

|                  |                       |     |
|------------------|-----------------------|-----|
|                  | ( 4LTS EACH)          |     |
| GREY PRIMER      | TINS (4LTS EACH)      | 24  |
| STANDARD THINNER | JERRICANS (5LTS EACH) | 20  |
| MASKING TAPES    | PCS                   | 100 |
| FIBRE MAT        | 5 KGS                 | 5   |
| FIBRE RESIN      | LTS                   | 5   |
| FIBRE HARDENER   | LTS                   | 5   |

**NOTES:**

a) Attached a brochure of the items quoted.

**SCHEDULE 3C: PAINTS**

| ITEM DESCRIPTION             | UOM                   | QTY |
|------------------------------|-----------------------|-----|
| ACRYLIC PAINT                | TINS (4LTS EACH)      | 20  |
| ACRYLIC THINNER              | JERRICANS (5LTS EACH) | 10  |
| ACRYLIC PAINT HARDENER       | TINS (1 LTS EACH)     | 10  |
| BODY FILLER                  | TINS (5KGS EACH)      | 10  |
| STANDARD THINNER             | TINS ( 5 LTS EACH)    | 16  |
| NITROCELLULOSE PAINT (WHITE) | TINS ( 4 LTS EACH)    | 20  |
| <b>SAND PAPERS</b>           |                       |     |
| P40                          | ROLL                  | 1   |
| 150 WET AND DRY              | PCS                   | 100 |
| 240 WET AND DRY              | PCS                   | 100 |
| 360 WET AND DRY              | PCS                   | 100 |
| 400 WET AND DRY              | PCS                   | 100 |
| 600 WET AND DRY              | PCS                   | 100 |
| 800 WET AND DRY              | PCS                   | 100 |
| 1000 WET AND DRY             | PCS                   | 100 |
| 1500 WET AND DRY             | PCS                   | 100 |
| 2000 WET AND DRY             | PCS                   | 100 |
| SPOT PUTTY                   | TINS (4KGS EACH)      | 2   |
| GREY PRIMER                  | TINS (4KGS EACH)      | 8   |
| BROWN PAPER                  | ROLL                  | 1   |
| G3                           | TINS (3.5KGS EACH)    | 2   |
| PAINT SIEVES                 | PCS                   | 100 |
| GREEN PANTONE 356C           | TINS (4 LTS EACH)     | 8   |

|                          |                      |     |
|--------------------------|----------------------|-----|
| ORANGE PANTONE 021C      | TINS<br>(4 LTS EACH) | 2   |
| BLACK PANTONE            | TINS<br>(4 LTS EACH) | 2   |
| YELLOW                   | TINS<br>(4 LTS EACH) | 2   |
| GREY C (30% BLACK)       | TINS<br>(4 LTS EACH) | 2   |
| MUSKING TAPES            | PCS                  | 100 |
| <b>BRANDING STENCILS</b> |                      |     |
| GREEN                    | ROLL                 | 1   |
| ORANGE                   | ROLL                 | 1   |
| BLACK                    | ROLL                 | 1   |
| GREY                     | ROLL                 | 1   |
| SPRAY GUN<br>(HVLV TYPE) | PCS                  | 2   |
| SPRAY GUN NORMAL TYPE    | PCS                  | 2   |

**NOTES:**

a) Attached a brochure of the items quoted.

**SCHEDULE 4 – SPRAY BOOTH COMPRESSOR ACCESSORIES**

| Technical specification of items           | UOM  | QTY |
|--|------|-----|
| ½” G I pipe (20bar)                        | M    | 70  |
| ½” Gate valves (Brass)                     | PC   | 7   |
| Thread Tapes (Large)                       | ROLL | 15  |
| Rubber Flexible Pressure Hose (20 bar)     | M    | 100 |
| ½” Pressure Gate Sockets                   | PC   | 20  |
| ½” Pressure Gate Elbows (20 bar)           | PC   | 20  |
| Electrical Tapes (Red, Green, Blue, Black) | ROLL | 10  |
| ¾” to ½” Reducing Gate Valves (Brass)      | PC   | 4   |
| Course Sand Paper                          | M    | 2   |
| Fine Sand Paper                            | M    | 2   |
| Puncture Repair Patches (No. 2)            | PC   | 100 |
| Tyre repair Needle(Stainless Steel)        | PC   | 5   |
| Cold Punch Repair Stripes                  | PC   | 100 |
| ½” Wall Clips                              | PC   | 100 |

|   |      |    |
|---|------|----|
| Self-tapping Screws 2''                   | PAC  | 3  |
| Steel Wall Nail                           | PAC  | 1  |
| Snip Chain                                | M    | 1  |
| Rolling Bolts (Brass) M6                  | PC   | 4  |
| 30Ton Trolley Hydraulic jack              | EACH | 1  |
| 30 Ton Bottle Hydraulic jack              | EACH | 3  |
| Tyre Patches Glue (Medium)                | PC   | 10 |
| Manual Oil 20litre hand pump with a meter | PC   | 2  |
| Grip Pliers with adjustable bolts (Big)   | EACH | 2  |
| Cross Wheel Spanner Sizes(21, 24, 27, 30) | EACH | 2  |
| Cross Wheel Spanner Sizes(32, 34, 36,38)  | EACH | 2  |
| Cross heel Spanner Sizes(35, 37, 39, 41)  | EACH | 2  |
| Torque Wrench Spanner                     | EACH | 3  |
| Standard Size jack Stands                 | PC   | 12 |

**NOTES:**

a) Attached a brochure of the items quoted.

## SECTION VII: PRICE SCHEDULE

### SCHEDULE ONE (1): MOTOR VEHICLE SPARES

#### SCHEDULE 1A: NISSAN NAVARA SPARE PARTS

| <b>PART NUMBER</b> | <b>PART DESCRIPTION</b>                      | <b>UOM</b> | <b>QTY</b> | <b>UNIT PRICE</b> | <b>TOTAL PRICE</b> |
|--------------------|--|------------|------------|-------------------|--------------------|
| 15208 EB70D        | OIL FILTER                                   | PCS        | 80         |                   |                    |
| 16403 4U11A        | FUEL FILTER                                  | PCS        | 80         |                   |                    |
| 16403 06J0A        | WATER SEPARATOR                              | PCS        | 80         |                   |                    |
| 16546 EB70A        | AIR CLEANER                                  | PCS        | 80         |                   |                    |
| D1060 JR70A        | BRAKE PADS                                   | PCS        | 80         |                   |                    |
| D4060 EB70A        | BRAKE LININGS                                | PCS        | 80         |                   |                    |
| 11065 AD20A        | HEATER PLUGS                                 | PCS        | 20         |                   |                    |
| 46010 EB70A        | BRAKE CYLINDER                               | PCS        | 10         |                   |                    |
| 11720 EB70B        | FAN BELT                                     | PCS        | 30         |                   |                    |
| E6110 EB71A        | FRONT SHOCKS                                 | PCS        | 50         |                   |                    |
| E6200 EB71A        | REAR SHOCKS                                  | PCS        | 50         |                   |                    |
| 54524 EB70D        | UPPER CONTROL ARM LH                         | PCS        | 10         |                   |                    |
| 54525 EB70D        | UPPER CONTROL ARM RH                         | PCS        | 10         |                   |                    |
| 54500 EB70A        | LOWER CONTROL ARM LH                         | PCS        | 10         |                   |                    |
| 54501 EB70A        | LOWER CONTROL ARM RH                         | PCS        | 10         |                   |                    |
| 30100 JS10A        | CLUTCH PLATE                                 | PCS        | 5          |                   |                    |
| 30210 JS10C        | PRESSURE PLATE                               | PCS        | 5          |                   |                    |
| 30502 69F10        | RELEASE BEARING                              | PCS        | 10         |                   |                    |
| 072601 012803      | HEAD LIGHT BULB                              | PCS        | 100        |                   |                    |
| 26261 89908        | BRAKE LIGHT                                  | PCS        | 100        |                   |                    |
|                    | <b>TOTAL PRICE</b>                           |            |            |                   |                    |
|                    | <b>VAT</b>                                   |            |            |                   |                    |
|                    | <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |            |            |                   |                    |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**SCHEDULE 1B: TOYOTA LANDCRUISER SPARE PARTS  
MODELNO: HZ179R**

| <b>PART NUMBER</b>   | <b>PART DESCRIPTION</b>                      | <b>UOM</b> | <b>QTY</b> | <b>UNIT PRICE</b> | <b>TOTAL PRICE</b> |
|----------------------|--|------------|------------|-------------------|--------------------|
| 90091530002          | OIL FILTER                                   | PCS        | 100        |                   |                    |
| 2339051070           | FUEL FILTER                                  | PCS        | 100        |                   |                    |
| 1780161030           | AIR CLEANER                                  | PCS        | 100        |                   |                    |
| 449560070            | BRAKE LINNING                                | PCS        | 80         |                   |                    |
| 446560340            | BRAKE PADS                                   | PCS        | 80         |                   |                    |
| 9091902523           | FAN BELT                                     | PCS        | 30         |                   |                    |
| 9091602452           | FRT SHOCK ABSORBER                           | PCS        | 80         |                   |                    |
| 495316885            | RR SHOCK ABSORBER                            | PCS        | 80         |                   |                    |
| 85212/85222/OKO90/91 | WIPER BLADES                                 | PCS        | 20         |                   |                    |
| 47750/477500K180     | BRAKE CYLINDER FRT                           | PCS        | 5          |                   |                    |
| 9098113058           | HEAD LAMP BULB                               | PCS        | 100        |                   |                    |
| APS                  | BRAKE LIGHT BULBS                            | PCS        | 100        |                   |                    |
| APS                  | INDICATOR BULBS                              | PCS        | 100        |                   |                    |
| 312500K060           | CLUTCH PLATE                                 | PCS        | 5          |                   |                    |
| HTS                  | SHOCK SPRING                                 | PCS        | 100        |                   |                    |
| 483060K020           | DUMPER RUBBER FR<br>RR                       | PCS        | 60         |                   |                    |
| 483040K040           | DUMPER RUBBER FR                             | PCS        | 60         |                   |                    |
| 312500K060           | PRESSURE PLATE                               | PCS        | 5          |                   |                    |
| 3123071011           | RELEASE BEARING                              | PCS        | 5          |                   |                    |
|                      | <b>TOTAL PRICE</b>                           |            |            |                   |                    |
|                      | <b>VAT</b>                                   |            |            |                   |                    |
|                      | <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |            |            |                   |                    |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**SCHEDULE 1C: TOYOTA HILUX SPARE PARTS  
MODEL NO: KUN25R**

| <b>PART NUMBER</b> | <b>PART DESCRIPTION</b> | <b>UOM</b> | <b>QTY</b> | <b>UNIT PRICE</b> | <b>TOTAL PRICE</b> |
|--------------------|-------------------------|------------|------------|-------------------|--------------------|
| 9091YZZD2          | OIL FILTER              | PCS        | 100        |                   |                    |
| 233900L041         | FUEL FILTER             | PCS        | 100        |                   |                    |
| 178010C020         | AIR CLEANER             | PCS        | 100        |                   |                    |
| 044950K070         | BRAKE LINNING           | PCS        | 80         |                   |                    |
| 044650K240         | BRAKE PADS              | PCS        | 80         |                   |                    |

|  |                        |     |     |  |  |
|--|------------------------|-----|-----|--|--|
| 9091902523                                   | FAN BELT               | PCS | 20  |  |  |
| 4851009J20                                   | FRT SHOCK<br>ABSORBER  | PCS | 60  |  |  |
| 485310K170/050                               | RR SHOCK<br>ABSORBER   | PCS | 60  |  |  |
| 85212/85222/OKO90/91                         | WIPER BLADES           | PCS | 50  |  |  |
| 47750/477500K180                             | BRAKE CYLINDER<br>FRT  | PCS | 20  |  |  |
| 9098113058                                   | HEAD LAMP BULB         | PCS | 100 |  |  |
| APS  | BRAKE LIGHT<br>BULBS   | PCS | 100 |  |  |
| APS  | INDICATOR BULBS        | PCS | 100 |  |  |
| 312500K060                                   | CLUTCH PLATE           | PCS | 5   |  |  |
| HTS  | SHOCK SPRING           | PCS | 50  |  |  |
| 483060K020                                   | DUMPER RUBBER FR<br>RR | PCS | 50  |  |  |
| 483040K040                                   | DUMPER RUBBER FR       | PCS | 50  |  |  |
| 312500K060                                   | PRESSURE PLATE         | PCS | 2   |  |  |
| 3123071011                                   | RELEASE BEARING        | PCS | 2   |  |  |
| <b>TOTAL PRICE</b>                           |                        |     |     |  |  |
| <b>VAT</b>                                   |                        |     |     |  |  |
| <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |                        |     |     |  |  |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**SCHEDULE 1D: ISUZU BUSES SERVICE PARTS  
MODEL: NQR 66PU**

|    | <b>PART DESCRIPTION</b>              | <b>PART NUMBER</b> | <b>UOM</b> | <b>QTY</b> | <b>UNIT PRICE</b> | <b>TOTAL PRICE</b> |
|----|--------------------------------------|--------------------|------------|------------|-------------------|--------------------|
| 1  | OIL FILTER                           | 5876101170         | PCS        | 100        |                   |                    |
| 2  | FUEL FILTER                          | 5876100110         | PCS        | 100        |                   |                    |
| 3  | LUBIX EP2                            | 64-1278-009        | PCS        | 50         |                   |                    |
| 4  | FILTER ACL,OUT                       | 1142151710         | PCS        | 30         |                   |                    |
| 5  | REAR INDICATOR LIGHT<br>ASSEMBLY RHS | 1822302070         | PCS        | 100        |                   |                    |
| 6  | HEAD LAMP RHS                        | 8973725285         | PCS        | 60         |                   |                    |
| 7  | WIPER BLADES                         | 8971345632         | PCS        | 20         |                   |                    |
| 8  | FAN BELT                             | 8971801991         | PCS        | 20         |                   |                    |
| 9  | AIR FILTER                           | 1142151710         | PCS        | 100        |                   |                    |
| 10 | CLUTCH PLATE                         | 8973771490         | PCS        | 5          |                   |                    |



|  |                      |            |     |     |  |  |
|--|----------------------|------------|-----|-----|--|--|
| 12   | SHOCK ABSORBER FRONT | 8972536191 | PCS | 100 |  |  |
| 13   | SHOCK ABSORBER REAR  | 8972536512 | PCS | 100 |  |  |
| 14   | RELEASE BEARING      | 8972553130 | PCS | 10  |  |  |
| 15   | HEATER PLUGS         | 1825130443 | PCS | 60  |  |  |
| 16   | BRAKE PADS           | NA         | PCS | 100 |  |  |
| 17   | CENTRE RUBBER        | NA         | PCS | 10  |  |  |
| 18   | BRAKE LININGS        | NA         | PCS | 100 |  |  |
| <b>TOTAL PRICE</b>                           |                      |            |     |     |  |  |
| <b>VAT</b>                                   |                      |            |     |     |  |  |
| <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |                      |            |     |     |  |  |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**SCHEDULE 1E: NISSAN UD BUS SERVICE PARTS  
MODEL: NHU41H**

|  | PART DESCRIPTION                  | PART NUMBER | UOM | QTY | UNIT PRICE | TOTAL PRICE |
|--|-----------------------------------|-------------|-----|-----|------------|-------------|
| 1  | OIL FILTER                        |             | PCS | 40  |            |             |
| 2  | FUEL FILTER                       |             | PCS | 40  |            |             |
| 4  | FILTER ACL,OUT                    |             | PCS | 40  |            |             |
| 5  | REAR INDICATOR LIGHT ASSEMBLY RHS |             | PCS | 60  |            |             |
| 6  | HEAD LAMP RHS                     |             | PCS | 60  |            |             |
| 7  | WIPER BLADES                      |             | PCS | 10  |            |             |
| 8  | FAN BELT                          |             | PCS | 10  |            |             |
| 9  | AIR FILTER                        |             | PCS | 40  |            |             |
| 10   | CLUTCH PLATE                      |             | PCS | 6   |            |             |
| 12   | SHOCK ABSORBER FRONT              |             | PCS | 20  |            |             |
| 13   | SHOCK ABSORBER REAR               |             | PCS | 20  |            |             |
| 14   | RELEASE BEARING                   |             | PCS | 10  |            |             |
| 15   | HEATER PLUGS                      |             | PCS | 20  |            |             |
| 16   | BRAKE PADS                        |             | PCS | 60  |            |             |
| 17   | CENTRE RUBBER                     |             | PCS | 20  |            |             |
| 18   | BRAKE LININGS                     |             | PCS | 60  |            |             |
| <b>TOTAL PRICE</b>                           |                                   |             |     |     |            |             |
| <b>VAT</b>                                   |                                   |             |     |     |            |             |
| <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |                                   |             |     |     |            |             |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**SCHEDULE 1F: NISSAN UD TRUCK SERVICE PARTS  
MODEL: CWB450HTNA**

| S/NO   | PART DESCRIPTION                    | PART NUMBER       | UOM | QTY | UNIT PRICE | TOTAL PRICE |
|--|-------------------------------------|-------------------|-----|-----|------------|-------------|
| 1  | ELEMENT OIL FILTER                  | 1527499289        | PCS | 100 |            |             |
| 2  | ELEMENT FUEL FILTER                 | 1644499129        | PCS | 100 |            |             |
| 3  | SHOCK ABSORBER FT                   | 5610100Z02        | PCS | 60  |            |             |
| 4  | SHOCK ABSORBER REAR                 | 5610100Z00        | PCS | 60  |            |             |
| 5  | AIR CLEANER FILTER OUT              | 06-ND16546NB02/1  | PCS | 100 |            |             |
| 6  | CLUTCH PLATE                        | 3010090608        | PCS | 5   |            |             |
| 7  | CLUTCH KIT                          | 3020190108        | PCS | 50  |            |             |
| 8  | BRAKE LINING FRONT                  | 06-ND4103990872/1 | PCS | 60  |            |             |
| 9  | BRAKE LINING REAR                   | 4406090517        | PCS | 60  |            |             |
| 10   | TORQUE ROD BUSHES                   | 5554200Z00        | PCS | 200 |            |             |
| 11   | MAIN LEAF SPRINGS<br>(REAR & FRONT) | N/A               | PCS | 60  |            |             |
| 12   | NO:2                                | N/A               | PCS | 60  |            |             |
| 13   | NO:3                                | N/A               | PCS | 60  |            |             |
| 14   | NO:4                                | N/A               | PCS | 60  |            |             |
| 15   | NO:5                                | N/A               | PCS | 60  |            |             |
| 16   | NO:6                                | N/A               | PCS | 60  |            |             |
| 17   | NO:7                                | N/A               | PCS | 60  |            |             |
| <b>TOTAL PRICE</b>                           |                                     |                   |     |     |            |             |
| <b>VAT</b>                                   |                                     |                   |     |     |            |             |
| <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |                                     |                   |     |     |            |             |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**SCHEDULE 1G: MERCEDES ACTROS SPARE PARTS  
MODEL: 3353**

| S/NO | MERCEDES ACTROS | PART NUMBER | UOM | QTY | UNIT PRICE | TOTAL PRICE |
|------|-----------------|-------------|-----|-----|------------|-------------|
| 1    | OIL FILTER      | A5411800209 | PCS | 100 |            |             |
| 2    | FUEL FILTER     | A5410900151 | PCS | 100 |            |             |
| 3    | AIR FILTER      | A0040942404 | PCS | 100 |            |             |
| 4    | WATER SEPARATOR | A0004770103 | PCS | 100 |            |             |
| 5    | AIR DRYER       | A0004300969 | PCS | 30  |            |             |

|  |                      |              |     |             |  |  |
|--|----------------------|--------------|-----|-------------|--|--|
| 6  | FRONT BRAKE PADS     | A00642014020 | PCS | 10<br>PAIRS |  |  |
| 7  | FRONT SHOCK ABSORBER | A0083237400  | PCS | 10<br>PAIRS |  |  |
| 8  | REAR SHOCK ABSORBER  | A0083266000  | PCS | 10<br>PAIRS |  |  |
| <b>TOTAL PRICE</b>                           |                      |              |     |             |  |  |
| <b>VAT</b>                                   |                      |              |     |             |  |  |
| <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |                      |              |     |             |  |  |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

### SCHEDULE 1H: CEMENTING TRUCKS SERVICE PARTS

| S/NO.  | PART DESCRIPTION            | PART NUMBER                                       | UOM | QTY | UNIT PRICE | TOTAL PRICE |
|--|-----------------------------|---|-----|-----|------------|-------------|
| <b>A</b>                                     | <b>BEIBEN 2534 TRUCK</b>    |   |     |     |            |             |
| 1  | FUEL/WATER SEPARATOR        | PARKER PL420 OR EQUIVALENT                        | PCS | 90  |            |             |
| 2  | FUEL FILTER                 | PARKER 612630080087 OR EQUIVALENT                 | PCS | 45  |            |             |
| 3  | OIL FILTER                  | POWERGUARD 6PG-321013/BV61000070005 OR EQUIVALENT | PCS | 90  |            |             |
| 4  | AIR CLEANER                 | POWERGUARD 6PG-4211070 OR EQUIVALENT              | PCS | 45  |            |             |
| 5  | COOLANT TANK                | FOR BEIBEN MODEL 2534                             | PCS |     |            |             |
| <b>B</b>                                     | <b>SHACKMAN F3000 TRUCK</b> |   |     |     |            |             |
| 1  | COOLANT FILTER              | BALDWIN BW5075 OR EQUIVALENT                      | PCS | 20  |            |             |
| 2  | OIL FILTER                  | BALDWIN BD7154 OR EQUIVALENT                      | PCS | 20  |            |             |
| 3  | FUEL/WATER SEPARATOR        | PARKER PL420 OR EQUIVALENT                        | PCS | 20  |            |             |
| 4  | FUEL FILTER                 | DONALDSON P558000 OR EQUIVALENT / FS 19843        | PCS | 20  |            |             |
| 5  | AIR CLEANER                 | POWERGUARD 6PG-431014 OR EQUIVALENT               | PCS | 20  |            |             |
| <b>TOTAL PRICE</b>                           |                             |   |     |     |            |             |
| <b>VAT</b>                                   |                             |   |     |     |            |             |
| <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |                             |   |     |     |            |             |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**SCHEDULE 11: XCMG EQUIPMENT SERVICE PARTS****i) EXCAVATOR**

Excavator model: XE470C

Engine model: QSM11

| S/N  | DETAIL                       | PART NO           | UOM | QTY | UNIT PRICE | TOTAL PRICE |
|--|------------------------------|-------------------|-----|-----|------------|-------------|
| 1  | Extended service lube filter | LF9080<br>2882674 | PCS | 30  |            |             |
| 2  | Fuel/Water separator         | FS1000<br>3329289 | PCS | 30  |            |             |
| 3  | Air filter                   | 9777868           | PCS | 30  |            |             |
| 4  | Fuel filter/Water separator  | R120T             | PCS | 30  |            |             |
| <b>TOTAL PRICE</b>                           |                              |                   |     |     |            |             |
| <b>VAT</b>                                   |                              |                   |     |     |            |             |
| <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |                              |                   |     |     |            |             |

Tenderer's name (Company) \_\_\_\_\_

Signature &amp; Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**(ii) BULLDOZERS**

Bulldozer model: TY320

Engine model: CUMMINS NTA855-C360

| S/N  | DETAIL       | PART NO                      | UOM | QTY | UNIT PRICE | TOTAL PRICE |
|--|--------------|------------------------------|-----|-----|------------|-------------|
| 1  | Lube filter  | LF670<br>3889310             | PCS | 20  |            |             |
| 2  | Lube filter  | LF777<br>3889311             | PCS | 20  |            |             |
| 3  | Air filter   | 6128-81-7320<br>6127-81-7412 | PCS | 20  |            |             |
| 4  | Super filter | FS1212<br>3315843            | PCS | 20  |            |             |
| <b>TOTAL PRICE</b>                           |              |                              |     |     |            |             |
| <b>VAT</b>                                   |              |                              |     |     |            |             |
| <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |              |                              |     |     |            |             |

Tenderer's name (Company) \_\_\_\_\_

Signature &amp; Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**(iii) GRADERS**

Grader model: GR260

Engine model: 6CTA8.3-C260

| S/N  | DETAIL               | PART NO            | UOM | QTY | UNIT PRICE | TOTAL PRICE |
|--|----------------------|--------------------|-----|-----|------------|-------------|
| 1  | FUEL/WATER SEPARATOR | FS1280             | PCS | 40  |            |             |
| 2  | FUEL FILTER          | FF5052             | PCS | 40  |            |             |
| 3  | AIR FILTER           | AF25276            | PCS | 40  |            |             |
| 4  | LUBE FILTER          | 91PY162<br>3401544 | PCS | 40  |            |             |
| <b>TOTAL PRICE</b>                           |                      |                    |     |     |            |             |
| <b>VAT</b>                                   |                      |                    |     |     |            |             |
| <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |                      |                    |     |     |            |             |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**SCHEDULE 1J: FIRE ENGINES (WAICHAD) SERVICE PARTS**

**MODEL NO: JDS5150GXSPM60E**

|  | PART DESCRIPTION | PART NUMBER             | UOM | QTY | UNIT PRICE | TOTAL PRICE |
|--|------------------|-------------------------|-----|-----|------------|-------------|
| 1  | OIL FILTER       | FFLS3349                | PCS | 40  |            |             |
| 2  | FUEL FILTER      | FF5052                  | PCS | 40  |            |             |
| 3  | AIR FILTER       | 13126-<br>910323/AS2570 | PCS | 40  |            |             |
| 4  | WATER SEPARATOR  | FS1280                  | PCS | 40  |            |             |
| <b>TOTAL PRICE</b>                           |                  |                         |     |     |            |             |
| <b>VAT</b>                                   |                  |                         |     |     |            |             |
| <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |                  |                         |     |     |            |             |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**No correction of arithmetic errors.**

The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.

## SCHEDULE TWO (2) - WORKSHOP TOOLS

Country of Origin for Schedule 2A-2G: Germany/Japan.

The required list workshop equipment and tools is as listed below:

### LIST OF WORKSHOP EQUIPMENT & TOOLS

#### SCHEDULE 2A: POWER TOOLS

| ITEM | DESCRIPTION                                  | UOM | QTY | UNIT PRICE | TOTAL PRICE |
|------|--|-----|-----|------------|-------------|
| 1    | Power drilling machine                       | PC  | 1   |            |             |
| 2    | Bench mounted double wheel Grinder           | PC  | 1   |            |             |
| 3    | Hand Held Grinding Machine                   | PC  | 1   |            |             |
|      | <b>Total Price</b>                           |     |     |            |             |
|      | <b>VAT</b>                                   |     |     |            |             |
|      | <b>Grand Total Cost Inclusive of 16% Vat</b> |     |     |            |             |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

#### SCHEDULE 2B: HAND TOOLS

| ITEM | DESCRIPTION  | UOM | QTY | UNIT PRICE | TOTAL PRICE |
|------|--|-----|-----|------------|-------------|
| 1    | Ratchet and socket set                                   | SET | 2   |            |             |
| 2    | Screwdriver and Bits                                     | SET | 2   |            |             |
| 3    | Pliers   | SET | 5   |            |             |
| 4    | Nut/bolt cutters   | PC  | 3   |            |             |
| 5    | Allen-Keys   | SET | 3   |            |             |
| 6    | Die & Stock  | SET | 2   |            |             |
| 7    | Gear Ratchet Set   | SET | 2   |            |             |
| 8    | 55 Piece 1/4" Drive Metric and Fractional Socket Set     | SET | 2   |            |             |
| 9    | 38 Pc. Mini Ratchet and Bit Set                          | SET | 3   |            |             |
| 10   | 76 Piece Metric and Fractional Complete Screwdriver Bits | SET | 3   |            |             |
| 11   | Hammers  | PC  | 4   |            |             |
| 12   | Value Electronic Caliper - 0 to 6" / 150mm               | PC  | 2   |            |             |
| 13   | Bench Vices  | PC  | 2   |            |             |
| 14   | Adjustable spanners                                      | SET | 2   |            |             |
| 15   | Combination Spanners                                     | SET | 4   |            |             |
| 16   | 41 Piece Mechanics Screwdriver And Security Bit Set      | SET | 2   |            |             |
| 17   | Long Reach Socket Set                                    | SET | 2   |            |             |

|  |                              |     |   |  |  |
|--|------------------------------|-----|---|--|--|
| 18   | Short/Extra Short Socket Set | SET | 2 |  |  |
| 19   | Extra Long Socket Set        | SET | 2 |  |  |
| 20   | Thread Restorers             | SET | 2 |  |  |
| 21   | Inspection Hand Lamp 240v    | PC  | 3 |  |  |
| <b>Total Price</b>                           |                              |     |   |  |  |
| <b>VAT</b>                                   |                              |     |   |  |  |
| <b>Grand Total Cost Inclusive of 16% VAT</b> |                              |     |   |  |  |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**SCHEDULE 2C: AUTOMOBILE MECHANICAL TOOLS**

| ITEM   | DESCRIPTION                               | UOM | QTY | UNIT PRICE | TOTAL PRICE |
|--|---|-----|-----|------------|-------------|
| 1  | Hydraulic Floor press machine             | SET | 1   |            |             |
| 2  | Brake repairing tools                     | SET | 2   |            |             |
| 3  | Clutch repair tools                       | SET | 1   |            |             |
| 4  | Timing kits for diesel and petrol engines | SET | 1   |            |             |
| 5  | Engine/ Gearbox Support                   | PC  | 2   |            |             |
| 6  | Gas Welding Accessories                   | SET | 2   |            |             |
| 7  | Multi-stage Tool Boxes                    | PC  | 2   |            |             |
| 8  | Tool Rack                                 | PC  | 2   |            |             |
| <b>Total Price</b>                           |   |     |     |            |             |
| <b>VAT</b>                                   |   |     |     |            |             |
| <b>Grand Total Cost Inclusive of 16% VAT</b> |   |     |     |            |             |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**SCHEDULE 2D: TYRE REPAIR TOOLS & EQUIPMENT**

| ITEM   |                             | UOM | QTY | UNIT PRICE | TOTAL PRICE |
|--|-----------------------------|-----|-----|------------|-------------|
| 1  | 58" Screwdriver Pry Bar     | PC  | 1   |            |             |
| 2  | Digital Tire Pressure Gauge | PC  | 1   |            |             |
| <b>TOTAL PRICE</b>                           |                             |     |     |            |             |
| <b>VAT</b>                                   |                             |     |     |            |             |
| <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |                             |     |     |            |             |

| Tenderer's name (Company)                             |  |     |     |            |              |  |
|---|--|-----|-----|------------|--------------|--|
| Signature & Date                                      |  |     |     |            | Rubber-Stamp |  |
| <b>SCHEDULE 2E: BODY REPAIR TOOLS &amp; EQUIPMENT</b> |  |     |     |            |              |  |
| ITEM  | DESCRIPTION                                  | UOM | QTY | UNIT PRICE | TOTAL PRICE  |  |
| 1   | Spray gun & air brushes                      | SET | 2   |            |              |  |
| 2   | Body Repair Set - Master Kit                 | SET | 2   |            |              |  |
|   | <b>TOTAL PRICE</b>                           |     |     |            |              |  |
|   | <b>VAT</b>                                   |     |     |            |              |  |
|   | <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |     |     |            |              |  |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**SCHEDULE 2F: SERVICE REPAIR TOOLS AND EQUIPMENT**

| S/N | DESCRIPTION   | UOM | QTY | UNIT PRICE | TOTAL PRICE |
|-----|---|-----|-----|------------|-------------|
| 1   | 130mm Oil Filter Wrench   | PC  | 1   |            |             |
| 2   | 10 Piece 3/8" Square Drive Drain Plug Key Set   | SET | 1   |            |             |
| 3   | 16L (3.6 Gallon) Oil Drain Pan 205L Drum Cradle   | PC  | 1   |            |             |
| 4   | 205L Drum Cradle  | PC  | 1   |            |             |
| 5   | 280mm Oil Filter Strap Wrench   | PC  | 1   |            |             |
| 6   | 4 Piece Plastic Funnel Set  | SET | 1   |            |             |
| 7   | Drain Plug Wrench   | PC  | 1   |            |             |
| 8   | 36L Telescopic Oil Drainer  | PC  | 1   |            |             |
| 9   | 65L Gravity Feed Oil Drainer  | PC  | 1   |            |             |
| 10  | 114 Piece Oil Sump Plug Repair Kit  | PC  | 1   |            |             |
| 11  | 50 Assorted BSPT Grease Nipples   | PC  | 50  |            |             |
| 12  | 1/8" BSPT Heavy Duty 4 Jaw Hydraulic Connector<br>(Contains: Straight Fluted Extractor Set, 32 Assorted Thread Restorers & Inspection Hand Lamp 240v) | SET | 1   |            |             |
|     | <b>Total Price</b>  |     |     |            |             |



|  |  |  |  |
|--|--|--|--|
|  | VAT  |  |  |
|  | <b>Grand Total Cost Inclusive of 16% VAT</b> |  |  |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**SCHEDULE 2G: ELECTRICAL AND ELECTRONIC EQUIPMENT**

| ITEM | DESCRIPTION  | UOM | QTY | UNIT PRICE | TOTAL PRICE |
|------|--|-----|-----|------------|-------------|
| 1    | Battery charger  | PC  | 2   |            |             |
| 2    | Fluke Meter  | PC  | 1   |            |             |
| 3    | Electronics tool kit (3)with:-<br>- Assorted screw drivers<br>- Wire strippers<br>- Side cutters<br>- Wire crimpers<br>- Calipers etc. | SET | 2   |            |             |
|      | <b>Total Price</b>   |     |     |            |             |
|      | <b>VAT</b>   |     |     |            |             |
|      | <b>Grand Total Cost Inclusive of 16% VAT</b>   |     |     |            |             |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**SCHEDULE 3 : WORKSHOP CONSUMABLES**

**SCHEDULE 3A:**

| ITEM DESCRIPTION                       | UOM | QTY | UNIT PRICE | TOTAL PRICE |
|--|-----|-----|------------|-------------|
| ROUND REFLECTORS                       | PCS | 50  |            |             |
| TRIANGULAR REFLECTORS                  | PCS | 50  |            |             |
| UMBER REFLECTORS                       | PCS | 50  |            |             |
| CHEVRONS                               | PCS | 50  |            |             |
| REFLECTIVE STRIPES YELLOW              | PCS | 50  |            |             |
| REFLECTIVE STRIPES WHITE               | PCS | 50  |            |             |
| REFLECTIVE STICKERS (YELLOW AND WHITE) | PCS | 2   |            |             |
| REFLECTIVE STICKERS (RED AND WHITE)    | PCS | 2   |            |             |

|  |               |    |  |  |
|--|---------------|----|--|--|
| GAS FILLER RODS 3.25MM                       | PKTS          | 5  |  |  |
| GAS BRAZING RODS 3.1MM                       | PKTS          | 5  |  |  |
| BRAZING FLUX                                 | TINS          | 5  |  |  |
| <b>NUTS BOLTS AND WASHERS</b>                |               |    |  |  |
| NUMBER 10                                    | PCS           | 50 |  |  |
| NUMBER 12                                    | PCS           | 50 |  |  |
| NUMBER 13                                    | PCS           | 50 |  |  |
| NUMBER 14                                    | PCS           | 50 |  |  |
| NUMBER 15                                    | PCS           | 50 |  |  |
| NUMBER 16                                    | PCS           | 50 |  |  |
| NUMBER 17                                    | PCS           | 50 |  |  |
| NUMBER 18                                    | PCS           | 50 |  |  |
| SILICON                                      | TUBES         | 10 |  |  |
| SILICON GLUE GUN                             | PC            | 1  |  |  |
| RUBBER HOSE PIPE (HALF INCH)                 | PC OF 50 MTRS | 1  |  |  |
| CLEANING CLOTHES (100% COTTON)               | PCS           | 50 |  |  |
| HOSE CLIPS (ASSORTED)                        | PCS           | 50 |  |  |
| PAINT SCRAPERS                               | PCS           | 5  |  |  |
| POP GUN                                      | PCS           | 2  |  |  |
| POP GUN RIVETS                               | PKTS          | 5  |  |  |
| BUCKETS                                      | PCS           | 5  |  |  |
| BROOMS                                       | PCS           | 5  |  |  |
| WELDING RODS                                 | PKTS          | 5  |  |  |
| <b>TOTAL PRICE</b>                           |               |    |  |  |
| <b>VAT</b>                                   |               |    |  |  |
| <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |               |    |  |  |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

### **SCHEDULE 3B: FAST DRY PAINT**

| <b>ITEM DESCRIPTION</b> | <b>UOM</b>       | <b>QTY</b> | <b>UNIT PRICE</b> | <b>TOTAL PRICE</b> |
|-------------------------|------------------|------------|-------------------|--------------------|
| ORANGE                  | TINS (4LTS EACH) | 30         |                   |                    |
| BLACK                   | TINS (4LTS EACH) | 20         |                   |                    |
| RED                     | TINS (4LTS EACH) | 16         |                   |                    |
| GREEN                   | TINS (4LTS EACH) | 8          |                   |                    |

|  |                           |     |  |  |
|--|---------------------------|-----|--|--|
| WHITE  | TINS<br>(4LTS EACH)       | 20  |  |  |
| NC METTALIC PAINT                            | TINS<br>(4LTS EACH)       | 16  |  |  |
| AUTOSYNTHETIC<br>THINNER                     | JERRICANS<br>( 4LTS EACH) | 40  |  |  |
| GREY PRIMER                                  | TINS (4LTS EACH)          | 24  |  |  |
| STANDARD THINNER                             | JERRICANS (5LTS<br>EACH)  | 20  |  |  |
| MASKING TAPES                                | PCS                       | 100 |  |  |
| FIBRE MAT                                    | 5 KGS                     | 5   |  |  |
| FIBRE RESIN                                  | LTS                       | 5   |  |  |
| FIBRE HARDENER                               | LTS                       | 5   |  |  |
| <b>TOTAL PRICE</b>                           |                           |     |  |  |
| <b>VAT</b>                                   |                           |     |  |  |
| <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |                           |     |  |  |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

### **SCHEDULE 3C: PAINTS**

| <b>ITEM DESCRIPTION</b>         | <b>UOM</b>               | <b>QTY</b> | <b>UNIT PRICE</b> | <b>TOTAL PRICE</b> |
|---------------------------------|--------------------------|------------|-------------------|--------------------|
| ACRYLIC PAINT                   | TINS<br>(4LTS EACH)      | 20         |                   |                    |
| ACRYLIC THINNER                 | JERRICANS (5LTS<br>EACH) | 10         |                   |                    |
| ACRYLIC PAINT<br>HARDENER       | TINS<br>(1 LTS EACH)     | 10         |                   |                    |
| BODY FILLER                     | TINS (5KGS EACH)         | 10         |                   |                    |
| STANDARD THINNER                | TINS<br>( 5 LTS EACH)    | 16         |                   |                    |
| NITROCELLULOSE<br>PAINT (WHITE) | TINS<br>( 4 LTS EACH)    | 20         |                   |                    |
| <b>SAND PAPERS</b>              |                          |            |                   |                    |
| P40                             | ROLL                     | 1          |                   |                    |
| 150 WET AND DRY                 | PCS                      | 100        |                   |                    |
| 240 WET AND DRY                 | PCS                      | 100        |                   |                    |
| 360 WET AND DRY                 | PCS                      | 100        |                   |                    |
| 400 WET AND DRY                 | PCS                      | 100        |                   |                    |
| 600 WET AND DRY                 | PCS                      | 100        |                   |                    |
| 800 WET AND DRY                 | PCS                      | 100        |                   |                    |
| 1000 WET AND DRY                | PCS                      | 100        |                   |                    |

|  |                       |     |  |  |
|--|-----------------------|-----|--|--|
| 1500 WET AND DRY                             | PCS                   | 100 |  |  |
| 2000 WET AND DRY                             | PCS                   | 100 |  |  |
| SPOT PUTTY                                   | TINS<br>(4KGS EACH)   | 2   |  |  |
| GREY PRIMER                                  | TINS<br>(4KGS EACH)   | 8   |  |  |
| BROWN PAPER                                  | ROLL                  | 1   |  |  |
| G3   | TINS<br>(3.5KGS EACH) | 2   |  |  |
| PAINT SIEVES                                 | PCS                   | 100 |  |  |
| GREEN PANTONE 356C                           | TINS<br>(4 LTS EACH)  | 8   |  |  |
| ORANGE PANTONE<br>021C                       | TINS<br>(4 LTS EACH)  | 2   |  |  |
| BLACK PANTONE                                | TINS<br>(4 LTS EACH)  | 2   |  |  |
| YELLOW                                       | TINS<br>(4 LTS EACH)  | 2   |  |  |
| GREY C (30% BLACK)                           | TINS<br>(4 LTS EACH)  | 2   |  |  |
| MUSKING TAPES                                | PCS                   | 100 |  |  |
| <b>BRANDING STENCILS</b>                     |                       |     |  |  |
| GREEN  | ROLL                  | 1   |  |  |
| ORANGE                                       | ROLL                  | 1   |  |  |
| BLACK  | ROLL                  | 1   |  |  |
| GREY   | ROLL                  | 1   |  |  |
| SPRAY GUN<br>(HVLV TYPE)                     | PCS                   | 2   |  |  |
| SPRAY GUN NORMAL<br>TYPE                     | PCS                   | 2   |  |  |
| <b>TOTAL PRICE</b>                           |                       |     |  |  |
| <b>VAT</b>                                   |                       |     |  |  |
| <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |                       |     |  |  |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

#### **SCHEDULE 4: SPRAY BOOTH COMPRESSOR ACCESSORIES**

| <b>TECHNICAL SPECIFICATION OF ITEMS</b> | <b>UOM</b> | <b>QTY</b> | <b>UNIT PRICE</b> | <b>TOTAL PRICE</b> |
|---|------------|------------|-------------------|--------------------|
| ½" G I PIPE (20BAR)                     | M          | 70         |                   |                    |
| ½" GATE VALVES (BRASS)                  | PC         | 7          |                   |                    |

|  |      |     |  |  |
|--|------|-----|--|--|
| THREAD TAPES (LARGE)                         | ROLL | 15  |  |  |
| RUBBER FLEXIBLE PRESSURE HOSE (20 BAR)       | M    | 100 |  |  |
| ½” PRESSURE GATE SOCKETS                     | PC   | 20  |  |  |
| ½” PRESSURE GATE ELBOWS (20 BAR)             | PC   | 20  |  |  |
| ELECTRICAL TAPES (RED, GREEN, BLUE, BLACK)   | ROLL | 10  |  |  |
| ¾” TO ½” REDUCING GATE VALVES (BRASS)        | PC   | 4   |  |  |
| COURSE SAND PAPER                            | M    | 2   |  |  |
| FINE SAND PAPER                              | M    | 2   |  |  |
| PUNCTURE REPAIR PATCHES (NO. 2)              | PC   | 100 |  |  |
| TYRE REPAIR NEEDLE(STAINLESS STEEL)          | PC   | 5   |  |  |
| COLD PUNCH REPAIR STRIPES                    | PC   | 100 |  |  |
| ½” WALL CLIPS                                | PC   | 100 |  |  |
| SELF-TAPPING SCREWS 2”                       | PAC  | 3   |  |  |
| STEEL WALL NAIL                              | PAC  | 1   |  |  |
| SNIP CHAIN                                   | M    | 1   |  |  |
| ROLLING BOLTS (BRASS) M6                     | PC   | 4   |  |  |
| 30TON TROLLEY HYDRAULIC JACK                 | EACH | 1   |  |  |
| 30 TON BOTTLE HYDRAULIC JACK                 | EACH | 3   |  |  |
| TYRE PATCHES GLUE (MEDIUM)                   | PC   | 10  |  |  |
| MANUAL OIL 20LITRE HAND PUMP WITH A METER    | PC   | 2   |  |  |
| GRIP PLIERS WITH ADJUSTABLE BOLTS (BIG)      | EACH | 2   |  |  |
| CROSS WHEEL SPANNER SIZES(21, 24, 27, 30)    | EACH | 2   |  |  |
| CROSS WHEEL SPANNER SIZES(32, 34, 36,38)     | EACH | 2   |  |  |
| CROSS HEEL SPANNER SIZES(35, 37, 39, 41)     | EACH | 2   |  |  |
| TORQUE WRENCH SPANNER                        | EACH | 3   |  |  |
| STANDARD SIZE JACK STANDS                    | PC   | 12  |  |  |
| <b>TOTAL PRICE</b>                           |      |     |  |  |
| <b>VAT</b>                                   |      |     |  |  |
| <b>GRAND TOTAL COST INCLUSIVE OF 16% VAT</b> |      |     |  |  |

Tenderer's name (Company) \_\_\_\_\_

Signature & Rubber-Stamp \_\_\_\_\_ Date \_\_\_\_\_

**No correction of arithmetic errors.**

The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.

**SECTION VII - STANDARD FORMS**

- 1. FORM OF TENDER**
- 2. TENDER SECURITY FORM**
- 3. CONTRACT FORM**
- 4. PERFORMANCE SECURITY FORM**
- 5. CONFIDENTIAL BUSINESS QUESTIONNAIRE**
- 6. DECLARATION OF UNDERTAKING**

## FORM OF TENDER

Date \_\_\_\_\_

Tender No. \_\_\_\_\_

To.....

.....

[Name and address of procuring entity]

Gentlemen and/or Ladies:

1. Having examined the tender documents including Addenda Nos.. *[insert numbers]*, the of which is hereby duly acknowledged, we, the undersigned, offer to provide. *[description of services]* in conformity with the said tender documents for the sum of. *[total tender amount in words and figures]* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Tender.
2. We undertake, if our Tender is accepted, to provide the services in accordance with the services schedule specified in the Schedule of Requirements.
3. If our Tender is accepted, we will obtain the tender guarantee in a sum equivalent to \_\_\_\_\_ percent of the Contract Price for the due performance of the Contract, in the form prescribed by (Procuring entity).
4. We agree to abide by this Tender for a period of *[number]* days from the date fixed for tender opening of the Instructions to tenderers, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
5. Until a formal Contract is prepared and executed, this Tender, together with your written acceptance thereof and your notification of award, shall constitute a binding Contract between us.

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 20  
*[signature]* \_\_\_\_\_ *[In the capacity of]*  
Duly authorized to sign tender for and on behalf of \_\_\_\_\_

## TENDER SECURITY FORM

Whereas ..... [name of the tenderer]  
(hereinafter called "the tenderer") has submitted its tender dated .....  
[date of submission of tender] for the design, fabricate, deliver, erect and install  
six units of Prefabricated housing units (hereinafter called "the Tender")  
..... KNOW ALL PEOPLE by these  
presents that WE ..... of ..... having our  
registered office at ..... (hereinafter called "the Bank"), are  
bound unto ..... [Geothermal Development Company Ltd]  
(hereinafter called "the Geothermal Development Company") in the  
sum of ..... for which payment well and truly to be  
made to the said Geothermal Development Company, the Bank binds  
itself, its successors, and assigns by these presents. Sealed with the  
Common Seal of the said Bank this \_\_\_\_\_ day of \_\_\_\_\_  
\_\_\_\_\_ 20 \_\_\_\_\_.

THE CONDITIONS of this obligation are:-

1. If the tenderer withdraws its Tender during the period of tender validity specified by the tenderer on the Tender Form; or
2. If the tenderer, having been notified of the acceptance of its Tender by the Geothermal Development Company during the period of tender validity:
  - (a) fails or refuses to execute the Contract Form, if required; or
  - (b) fails or refuses to furnish the performance security in accordance with the Instructions to tenderers;

We undertake to pay to the Geothermal Development Company up to the above amount upon receipt of its first written demand, without the Geothermal Development Company having to substantiate its demand, provided that in its demand the Geothermal Development Company will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This tender guarantee will remain in force up to and including thirty (30) days after the period of tender validity, and any demand in respect thereof should reach the Bank not later than the above date.

[signature of the bank] \_\_\_\_\_

(Amend accordingly if provided by Insurance Company)



## **CONTRACT FORM**

THIS AGREEMENT made the \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_ between ..... [*Geothermal Development Company Ltd*] of ..... [*country of Procurement entity*] (hereinafter called “*the Procuring Entity*”) of the one part and ..... [*name of tenderer*] of ..... [*city and country of tenderer*] (hereinafter called “*the tenderer*”) of the other part;

WHEREAS the Geothermal Development Company invited tenders for design, fabricate, deliver, erect and install six units of Prefabricated housing units and has accepted a tender by the tenderer in the sum of ..... [*contract price in words and figures*] (hereinafter called “*the Contract Price*”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to:
2. The following documents shall be deemed to form and be read and construed as part of this Agreement viz:
  - a) the Tender Form and the Price Schedule submitted by the tenderer
  - b) the Schedule of Requirements
  - c) the Technical Specifications
  - d) Drawings
  - e) the General Conditions of Contract
  - f) the Special Conditions of contract; and
  - g) Geothermal Development Company’s Notification of Award
3. In consideration of the payments to be made by the Geothermal Development Company to the tenderer as hereinafter mentioned, the tender hereby covenants with the Geothermal Development Company to provide and to remedy defects therein in conformity in all respects with the provisions of the Contract
4. The Geothermal Development Company hereby covenants to pay the tenderer in consideration of the provisions of design, fabricate, deliver, erect and install six units of Prefabricated housing units and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed for the Employer in the presence of:

**COMPANY SECRETARY** )  
)  
)  
)  
)  
**WITNESS** )  
)

Signed  
for the Contractor in the presence of:

**DIRECTOR** )  
)  
)  
)  
**SECRETARY** )  
)

**PERFORMANCE SECURITY FORM**

To: *Geothermal Development Company,*

WHEREAS ..... [*name of tenderer*] (hereinafter called “the tenderer”) has undertaken , in pursuance of Contract No. \_\_\_\_\_

\_\_\_\_\_ [*reference number of the contract*] dated \_\_\_\_\_ 20 \_\_\_\_\_

\_\_\_\_\_ to design and build .....

[*design, fabricate, deliver, erect and install six units of Prefabricated housing units*] (hereinafter called “the Contract”).

AND WHEREAS it has been stipulated by you in the said Contract that the tenderer shall furnish you with a bank guarantee by a reputable bank for the sum specified therein as security for compliance with the Tenderer’s performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the tenderer a guarantee:

THEREFORE WE hereby affirm that we are Guarantors and responsible to you, on behalf of the tenderer, up to a total of ..... [*amount of the guarantee in words and figure*] and we undertake to pay you, upon your first written demand declaring the tenderer to be in default under the Contract and without cavil or argument, any sum or sums within the limits of ..... [*amount of guarantee*] as aforesaid, without you needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This guarantee is valid until the \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_

Signed and seal of the Guarantors

\_\_\_\_\_  
[*name of bank or financial institution*]

\_\_\_\_\_  
[*address*]

\_\_\_\_\_  
[*date*]

## CONFIDENTIAL BUSINESS QUESTIONNAIRE

You are requested to give the particulars indicated in Part 1 and either Part 2 (a), 2(b) or 2(c) whichever applied to your type of business.

You are advised that it is a serious offence to give false information on this form.

|  |
|--|
| <p><b>Part 1 General</b></p> <p>Business Name .....</p> <p>Location of Business Premises .....</p> <p>Plot No, ..... Street/Road .....</p> <p>Postal address ..... Tel No. .... Fax Email .....</p> <p>.....</p> <p>Nature of Business .....</p> <p>Registration Certificate No. ....</p> <p>Maximum value of business which you can handle at any one time – Kshs.....</p> <p>Name of your bankers .....</p> <p>.....</p> <p>Branch .....</p> |
|--|

|   |  |
|---|--|
|   | <b>Part 2 (a) – Sole Proprietor</b>    |
| Your name in full.....                          | Age.....                               |
| Nationality.....                                | Country of Origin.....                 |
| Citizenship details<br>.....                    |  |
|   | <b>Part 2 (b) – Partnership</b>        |
| Given details of partners as follows            |  |
| Name  | Nationality                            |
|   | Citizenship details                    |
|   | Shares                                 |
| 1. ....   | .....                                  |
| 2. ....   | .....                                  |
| 3. ....   | .....                                  |
| 4. ....   | .....                                  |
|   | <b>Part 2 (c) – Registered Company</b> |
| Private or Public                               |  |
| State the nominal and issued capital of company |  |
| Nominal Kshs.                                   |  |
| Issued Kshs.                                    |  |
| Given details of all directors as follows       |  |
| Name  | Nationality                            |
|   | Citizenship details                    |
|   | Shares                                 |
| 1. ....   | .....                                  |
| 2. ....   | .....                                  |
| 3. ....   | .....                                  |
| 4. ....   | .....                                  |
| Date.....                                       | Signature of Candidate.....            |

## **DECLARATION OF UNDERTAKING**

We underscore the importance of a free, fair and competitive procurement process that precludes abusive practices. In this respect we have neither offered nor granted directly or indirectly any inadmissible advantages to any public servant or other person nor accepted such advantages in connection with our bid, nor will we offer or grant or accept any such incentives or conditions in the present procurement process or, in the event that we are awarded the contract, in the subsequent execution of the contract. We also declare that no conflict of interest exists in the meaning of the kind described in the Public Procurement & Disposal Act 2015

We also underscore the importance of adhering to the law in the implementation of the project.

We will inform our staff about their respective obligations and about their obligation to fulfill this declaration of undertaking and to obey the laws of the country.

We also declare that our company/sub-contractors/ all members of the consortium has/have not been debarred to engage in procurement/ included in the list of sanctions.

We acknowledge that, the client is entitled to terminate the contract immediately if the statements made in the Declaration of Undertaking were objectively false or the reason for exclusion occurs after the Declaration of Undertaking has been issued.

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_

(Name of company)

(Signature(s))