

KAWI HOUSE, SOUTH C BELLEVUE, OFF MOMBASA ROAD, RED CROSS ROAD, P.O.BOX 100746-00101, NAIROBI

TEL: (254)20 2427516/0719036000 info@gdc.co.ke/www.gdc.co.ke

REF: GDC/MSC/SC/005/18-19/pk-yh

25th March 2019

TO: ALL BIDDERS

Dear Sir/Madam,

ADDENDUM 1: CLARIFICATIONS & AMMENDMENT A) CLARIFICATIONS

RE: TENDER FOR SUPPLY OF GEOTHERMAL VALVES AND ACCESSORIES & WELL LOGGING TOOLS FOR MENENGAI GEOTHERMAL PROJECT – TENDER REF: GDC/GRM/ICB/015/2018:2019

Pursuant to clause 7.1 of the tender document and in response to bidder's request for clarifications, GDC wishes to provide the as follows;

No.	Bidders Query	GDC Response	
1.	Is this tender open to International Companies?	Yes its OPEN to all companies registered locally and internationally.	
2.	Terms of Payment? Can the payment be Letter of Credit Site Draft for International Companies?	The term of payment is as stated in Section VIII. Particular Conditions of Contract, GC 11.1, page 108 of the tender document.	
3.	Does the bidder need to offer all the products or can the bidder offer some of the products requested?	Bidders can quote for any of the schedules. However, each schedule MUST be quoted in full and no partial delivery accepted. Award shall be based on the lowest evaluated Price per fully completed Schedule	
4.	Can the delivery site for international companies be CFR Mombasa Port? Can GDC clear products, pay for duty and taxes if any, and handle the domestic transportation to Menengai?	The delivery point is Menengai in Nakuru. The incoterm for quoting the goods outside the country is CIP Menengai, Nakuru. Refer to ITB 14.6 (b) of Section II, Bid Data Sheet in Page 30 of the tender document	
5.	Valve of size 4 1/16" is only available in API 6A Standards and in the document it requires API 6D standards, Please clarify on this?	The valve should be API 6A and not API 6D.	
6.	If we are not a manufacturer for certain items on a schedule then can we still quote it in order to have quoted all items on the schedule?	Bidders must provide Manufacturer Authorization for all items quoted for in each schedule.	



7	Schodula C. Tachnical Dequipments for	Degrange is as tabulated below.
7.	Schedule C: Technical Requirements for Electronic Logging Wireline (E-Line), The	
	temperature rating of the cable and heads are	The second secon
	300C. How many PPM of H2S are in the	
	Well bore and how many PPM of H2S do	
	you want the cable to be resistant to? Is there	1
	any C02 or Chlorides present in the Well	
	bore?	dioxide (CO2)
		3 Chloride (Cl) 1000
		S Chieffee (Ci) 1000
8.	H2S resistant stated-we would kindly require	HCO3 – 5000 MEQ. No elemental Sulfur.
	well condition chart attached completed to	Other details are as provided in number 7
	determine proper alloy material?	above.
9.	Kindly clarify on the below issues of main	Specifications remain as stated in the
	concern for schedule A: Clarify on the type	tender document. Refer to Section VII,
	and size of flow meter?	General Conditions of Contract, Page 73
		of the tender document.
10.	Clarification 1 - Page 3-73, Schedule A,	20Hz or higher is acceptable
	The specification table for the pressure,	
	temperature, flow and casing locator tool	
	highlights that a CCL is required. To enable	
	GDC to gain a clean and more detailed signal	
	from the CCL can GDC confirm they require	
	a 20Hz or greater signal from the CCL? A	
	signal of 20Hz and above will provide a more detailed reading.	
11.	Clarification 2 – Page 3-73, Schedule A -	Sample log is optional.
11.	The specification table for the pressure,	Sample log is optional.
	temperature, flow and casing locator tool	
	highlights that a CCL is required. Would	
	GDC require a sample of a CCL log as part	
	of the tender technical submission?	
12.	Clarification 3 - Page 3-73, Schedule A -	SRO should be used with the tools
	SRO-Surface box, to ensure the system	supplied.
	offered to GDC is fully flexible, please	
	confirm that the SRO surface box offered is	
	required to operate with any supplier sensor.	
13.	Clarification 4 – Page 3-73, Schedule A -	Track record for in country is optional.
	Track record – Does GDC require an in	Tenderer should show track record of the
	country track record for the pressure,	tool in any other high temperature
	temperature, flow and casing locator tool	geothermal field.
1.4	sensor.	D.C. (CDC)
14.	Clarification 5 - Is this tender open to	Refer to GDC response in Q1.
	International Companies or only local	
1.5	Kenyan Companies?	The manuscript milestons is an atotal in the
15.	Clarification 6 - Terms of Payment – What	The payment milestone is as stated in the
	are the terms of payment for foreign	tender document. Refer to Section VIII,
	companies such as ours? We only accept letter of credit payment at sight of	Particular Conditions of Contract, Page 108 of the tender document.
	documents.	100 of the tender document.
I		



16.	Clarification 7 - Can the delivery for foreign companies be CFR Mombasa Port or Nairobi Airport?	The delivery point is Menengai, Nakuru County as indicted in the tender document. Refer to Section VII, General Conditions of Contract, page 79 of the tender.
17.	Clarification 8 - Can GDC clear products, pay for duty and taxes if any, and handle the domestic transportation to Menengai? As these figures are unknown to us being a foreign company and also insuring goods within Kenya by a foreign company is not acceptable by our insurers and this increases the risks for us.	GDC will seek for exemptions from The National Treasury of Kenya. In the event, exemption is not granted, GDC shall pay for the taxes and duties. However, tenderers must quote prices as per incoterm CIP Menengai, Nakuru County as stated in the tender document.
18.	Clarify the years of submission for the audited balance sheets or other financial statements acceptable to the Purchaser?	The years of submission for the audited balance sheets or other financial statements are the years 2017, 2016 and 2015 respectively.

B) AMENDMENT

Pursuant to clause 8.1 and 8.2 of Section I, Instructions to Bidders of the tender document, GDC wishes to make the following amendment to the tender document.

Schedule Four (4) - Downhole Camera

Item	Qty	Requirements	
Downhole	1	Size	2-3/8" OD Camera
Camera		Operating temperature	>400°F
		Max. operating pressure	10,000 psi
		Cable head connector	GO-Pin (1 3/16"-12 UN threads)
		Resolution	960 × 480 pixels monochrome
		System surface components	Power/Image Control Unit
			Laptop: 14" high definition LED (touch-
			sensitive), Case: Magnesium alloy with
			handle, drop resistant, Intel Core i7
			processor, 8GB RAM, 512GB SSD, 64
			bit, Win 10 Pro
			Associated software

NB: All the instructions including the tender closing date of 17th April, 2019 at 1100HRS remain unchanged.

Yours faithfully,

MANAGER SUPPLY CHAIN

FOR: GEOTHERMAL DEVELOPMENT COMPANY

