

GEOTHERMAL DEVELOPMENT COMPANY LTD (GDC)

GDC/ENV/OT/043/2017-2018

TENDER FOR SUPPLY, INSTALLATION &
COMMISSIONING OF
AUTOMATIC WEATHER STATION AT BARINGO –
SISLALI GEOTHERMAL PROJECT FOR
ENVIRONMENTAL MONITORING(SCHEDULE
ONE: AUTOMATIC WEATHER STATION &
SCHEDULE TWO: RUGGED LAPTOP)
(NATIONAL OPEN TENDER)

CLOSING DATE AND TIME: 24th APRIL, 2018 2018 AT 2.00PM

TABLE OF CONTENTS

		PAGE	
	INTRODUCTION	3	
SECTION I	INVITATION TO TENDER	4	
SECTION II	INSTRUCTIONS TO TENDERERS Appendix to Instructions to Tenderers	5 20	
SECTION III	GENERAL CONDITIONS OF CONTRACT	23	
SECTION IV	SPECIAL CONDITIONS OF CONTRACT	31	
SECTION V	TECHNICAL SPECIFICATIONS	33	
SECTION VI	SCHEDULE OF REQUIREMENTS & PRICES	34	
SECTION VII	STANDARD FORMS	40)

SECTION I INVITATION TO TENDER

TENDER REF NO: GDC/ENV/OT/043/2017-2018

TENDER NAME: TENDER FOR THE SUPPLY, INSTALLATION &

COMMISSIONING OF AUTOMATIC WEATHER STATION FOR BARINGO-SILALI GEOTHERMAL PROJECT (SCHEDULE ONE: AUTOMATIC WEATHER STATION & SCHEDULE TWO: RUGGED

LAPTOP)

- 1.1 The Geothermal Development Company Limited invites sealed bids from eligible candidates the supply of Automatic Weather Station & Rugged Laptop for Environmental monitoring.
- 1.2 Interested eligible candidates may obtain further information from and inspect the tender documents from the office of Manager, Supply Chain at Kawi House Office, located at South C Bellevue, Off Mombasa Road, Red Cross Road between 9.00am and 4.00pm during weekdays.
- 1.3 An electronic copy of the tender document may be obtained by interested firms upon payment of a non-refundable fee of **Kshs. 1000** payable to our accounts office in cash or bankers cheque. The document can also be viewed and downloaded from the website www.gdc.co.ke or http://supplier.treasury.go.ke free of charge or at no cost. Bidders who download the tender document from the website MUST forward their particulars immediately for records and any further tender clarifications and addenda to address provided at appendix to instruction to tenderers.
- 1.4 Tenders MUST be accompanied by a **Tender Security in the amount of Kshs. 100,000.00** from a reputable bank/insurance company operating in Kenya in the format provided in the tender document.
- 1.5 Completed tender documents are to be enclosed in plain sealed envelopes marked with tender name and tender reference number and be deposited in the Tender Box at GDC Kawi House Office Ground Floor, located at South C Bellevue, Off Mombasa Road, Red Cross Road, or be addressed to;

THE MANAGING DIRECTOR, GEOTHERMAL DEVELOPMENT COMPANY LTD (GDC) P.O. BOX 100746 – 00101 NAIROBI, KENYA

So as to be received on or before Tuesday 24th April, 2018 at 2.00pm (1400Hrs)

1.6 Prices quoted per full schedule should be inclusive of all taxes & delivery costs and must be in Kenya Shillings or an easily convertible currency and shall remain valid for 120 days.

- 1.7 There will be a Mandatory Site Visit at Naudo in Baringo-Silali on 12th April 2018 at 10am. Bidders to assemble at Kampi Samaki by 9:00am. Site Visit attendance register shall be signed during visit and site visit certificate issued to bidder's present. Tenderers to arrange for their own transport and accommodation during the visit.
- 1.8 Tenders will be opened immediately thereafter in the presence of the Candidates or their representatives who choose to attend at GDC Kawi House Office Ground Floor boardroom.
- 1.9 Late Tenders will be not opened and accepted.

MANAGER, SUPPLY CHAIN

SECTION II - INSTRUCTIONS TO TENDERERS

Table of	Clauses
----------	---------

	Page	
2.1	Eligible tenderers	6
2.2	Eligible goods	6
2.3	Cost of tendering	6
2.4	Contents of Tender document	7
2.5	Clarification of documents	7
2.6	Amendment of documents	8
2.7	Language of tender	8
2.8	Documents comprising the tender	8
2.9	Tender forms	9
2.10	Tender prices	9
2.11	Tender currencies	
2.12	Tenderers eligibility and qualifications	. 10
2.13	Goods' eligibility and conformity to	
	tender documents	. 10
2.14	Tender security	. 11
2.15	Validity of tenders	. 12
2.16	Format and signing of tenders	13
2.17	Sealing and marking of tenders	13
2.18	Deadline for submission of tender	14
2.19	Modification and withdrawal of tenders	. 14
2.20	Opening of tenders	. 15
2.21	Clarification of tenders	15
2.22	Preliminary examination	15
2.23	Conversion to single currency	16
2.24	Evaluation and comparison of tenders	16
2.25	Contacting the procuring entity	17
2.26	Award of contract	17
(a)	Post qualification	. 17
(b)	Award criteria	17
(c)	Procuring entity's right to vary quantities	18
(d)	Procuring entity's right to accept or	
	reject any or all tenders	. 18
2.27	Notification of award	
2.28	Signing of contract	
2.29	Performance security	
2.30	Corrupt or fraudulent practices	. 19

SECTION II - INSTRUCTIONS TO TENDERERS

2.1 Eligible Tenderers

- 2.1.1 This Invitation for Tenders is open to all tenderers eligible as described in the Invitation to Tender. Successful tenderers shall complete the supply of goods by the intended completion date specified in the Schedule of Requirements Section VI.
- 2.1.2 The procuring entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.
- 2.1.3 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring entity to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this Invitation for tenders.
- 2.1.4 Tenderers shall not be under a declaration of ineligibility for corrupt and fraudulent practices.

2.2 Eligible Goods

- 2.2.1 All goods to be supplied under the contract shall have their origin in eligible source countries.
- 2.2.2 For purposes of this clause, "origin" means the place where the goods are mined, grown, or produced. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is substantially different in basic characteristics or in purpose or utility from its components
- 2.2.3 The origin of goods is distinct from the nationality of the tenderer.

2.3 Cost of Tendering

- 2.3.1 The Tenderer shall bear all costs associated with the preparation and submission of its tender, and the procuring entity, will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.
- 2.3.2 The price to be changed for the tender document shall not exceed Kshs.1,000/= or free of charge for bidders that download the tender document from GDC Website www.gdc.co.ke or http://supplier.treasury.go.ke

2.3.3 All firms found capable of performing the contract satisfactorily in accordance to the set prequalification criteria shall be prequalified.

2.4. The Tender Document

- 2.4.1 The tender document comprises the documents listed below and addenda issued in accordance with clause 2.6 of these instructions to Tenderers
 - (i) Invitation to Tender
 - (ii) Instructions to tenderers
 - (iii) General Conditions of Contract
 - (iv) Special Conditions of Contract
 - (v) Schedule of requirements
 - (vi) Technical Specifications
 - (vii) Tender Form and Price Schedules
 - (viii) Tender Security Form
 - (ix) Contract Form
 - (x) Performance Security Form
 - (xi) Manufacturer's Authorization Form
 - (xii) Confidential Business Questionnaire
 - (xiii) Declaration of Undertaking
- 2.4.2 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tender documents. Failure to furnish all information required by the tender documents or to submit a tender not substantially responsive to the tender documents in every respect will be at the tenderers risk and may result in the rejection of its tender.

2.5 Clarification of Documents

- 2.5.1 A prospective tenderer requiring any clarification of the tender document may notify the Procuring entity in writing or by post at the entity's address indicated in the Invitation to Tender. The Procuring entity will respond in writing to any request for clarification of the tender documents, which it receives not later than seven (7) days prior to the deadline for the submission of tenders, prescribed by the procuring entity. Written copies of the Procuring entities response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective tenderers that have received the tender document.
- 2.5.2 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.

2.6 Amendment of Documents

2.6.1 At any time prior to the deadline for submission of tenders, the Procuring entity, for any reason, whether at its own initiative or in response to a clarification

- requested by a prospective tenderer, may modify the tender documents by amendment.
- 2.6.2 All prospective candidates that have received the tender documents will be notified of the amendment in writing or by post and will be binding on them.
- 2.6.3 In order to allow prospective tenderers reasonable time in which to take the amendment into account in preparing their tenders, the Procuring entity, at its discretion, may extend the deadline for the submission of tenders.

2.7 Language of Tender

2.7.1 The tender prepared by the tenderer, as well as all correspondence and documents relating to the tender exchange by the tenderer and the Procuring entity, shall be written in English language, provided that any printed literature furnished by the tenderer may be written in another language provided they are accompanied by an accurate English translation of the relevant passages in which case, for purposes of interpretation of the tender, the English translation shall govern.

2.8 **Documents Comprising of Tender**

- 2.8.1 The tender prepared by the tenderers shall comprise the following components
 - (a) a Tender Form and a Price Schedule completed in accordance with paragraph 2.9, 2.10 and 2.11 below
 - (b) documentary evidence established in accordance with paragraph 2.1.2 that the tenderer is eligible to tender and is qualified to perform the contract if its tender is accepted;
 - (c) documentary evidence established in accordance with paragraph 2..2.1 that the goods and ancillary services to be supplied by the tenderer are eligible goods and services and conform to the tender documents; and
 - (d) tender security furnished in accordance with paragraph 2.14

2.9 **Tender Forms**

2.9.1 The tenderer shall complete the Tender Form and the appropriate Price Schedule furnished in the tender documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, quantity, and prices.

2.10 **Tender Prices**

- 2.10.1 The tenderer shall indicate on the appropriate Price Schedule the unit prices and total tender price of the goods it proposes to supply under the contract
- 2.10.2 Prices indicated on the Price Schedule shall include all costs including taxes, insurances and delivery to the premises of the entity.

- 2.10.3 Prices quoted by the tender shall be fixed during the Tender's performance of the contract and not subject to variation on any account. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to paragraph 2.22
- 2.10.4 The validity period of the tender shall be 120 days from the date of opening of the tender.

2.11 **Tender Currencies**

2.11.1 Prices shall be quoted in Kenya Shillings unless otherwise specified in the Appendix to Instructions to Tenderers.

2.12 Tenderers Eligibility and Qualifications

- 2.12.1Pursuant to paragraph 2.1. the tenderer shall furnish, as part of its tender, documents establishing the tenderers eligibility to tender and its qualifications to perform the contract if its tender is accepted.
- 2.12.2The documentary evidence of the tenderers eligibility to tender shall establish to the Procuring entity's satisfaction that the tenderer, at the time of submission of its tender, is from an eligible source country as defined under paragraph 2.1
- 2.12.3The documentary evidence of the tenderers qualifications to perform the contract if its tender is accepted shall be established to the Procuring entity's satisfaction;
 - (a) that, in the case of a tenderer offering to supply goods under the contract which the tenderer did not manufacture or otherwise produce, the tenderer has been duly authorized by the goods' Manufacturer or producer to supply the goods.
 - (b) that the tenderer has the financial, technical, and production capability necessary to perform the contract;
 - (c) that, in the case of a tenderer not doing business within Kenya, the tenderer is or will be (if awarded the contract) represented by an Agent in Kenya equipped, and able to carry out the Tenderer's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications.

2.13 Goods Eligibility and Conformity to Tender Documents

- 2.13.1 Pursuant to paragraph 2.2 of this section, the tenderer shall furnish, as part of its tender documents establishing the eligibility and conformity to the tender documents of all goods which the tenderer proposes to supply under the contract
- 2.13.2 The documentary evidence of the eligibility of the goods shall consist of a statement in the Price Schedule of the country of origin of the goods and services

- offered which shall be confirmed by a certificate of origin issued at the time of shipment.
- 2.13.3 The documentary evidence of conformity of the goods to the tender documents may be in the form of literature, drawings, and data, and shall consist of:
 - (a) a detailed description of the essential technical and performance characteristic of the goods;
 - (b) a list giving full particulars, including available source and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period of two (2) years, following commencement of the use of the goods by the Procuring entity; and
 - (c) a clause-by-clause commentary on the Procuring entity's Technical Specifications demonstrating substantial responsiveness of the goods and service to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.
- 2.13.4 For purposes of the documentary evidence to be furnished pursuant to paragraph 2.13.3(c) above, the tenderer shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procurement entity in its Technical Specifications, are intended to be descriptive only and not restrictive. The tenderer may substitute alternative standards, brand names, and/or catalogue numbers in its tender, provided that it demonstrates to the Procurement entity's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.

2.14 Tender Security

- 2.14.1 The tenderer shall furnish, as part of its tender, a tender security for the amount specified in the Appendix to Invitation to Tenderers.
- **2.14.2** The tender security shall be in the amount of Kes. **100,000.00** as stated in the tender document.
- 2.14.3 The tender security is required to protect the Procuring entity against the risk of Tenderer's conduct which would warrant the security's forfeiture, pursuant to paragraph 2.14.7
- 2.14.4 The tender security shall be denominated in Kenya Shillings or in another freely convertible currency, and shall be in the form of a bank guarantee or a bank draft issued by a reputable bank located in Kenya or abroad, or a guarantee issued by a reputable insurance company in the form provided in the tender documents or another form acceptable to the Procuring entity and valid for thirty (30) days beyond the validity of the tender.
- 2.14.5 Any tender not secured in accordance with paragraph 2.14.1 and 2.14.3 will be rejected by the Procuring entity as non responsive, pursuant to paragraph 2.22

- 2.14.6 Unsuccessful Tenderer's tender security will be discharged or returned as promptly as possible but not later than thirty (30) days after the expiration of the period of tender validity prescribed by the Procuring entity.
- 2.14.7 The successful Tenderer's tender security will be discharged upon the tenderer signing the contract, pursuant to paragraph 2.27 and furnishing the performance security, pursuant to paragraph 2.28
- 2.14.8 The tender security may be forfeited:
 - (a) if a tenderer withdraws its tender during the period of tender validity specified by the procuring entity on the Tender Form; or
 - (b) in the case of a successful tenderer, if the tenderer fails:
 - (i) to sign the contract in accordance with paragraph 2.27 or
 - (ii) to furnish performance security in accordance with paragraph 2.28

2.15 Validity of Tenders

- 2.15.1 Tenders shall remain valid for **120 days** or as specified in the Invitation to Tender after the date of tender opening prescribed by the Procuring entity, pursuant to paragraph 2.18. A tender valid for a shorter period shall be rejected by the Procuring entity as non responsive.
- 2.15.2 In exceptional circumstances, the Procuring entity may solicit the Tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tender security provided under paragraph 2.14 shall also be suitably extended. A tenderer may refuse the request without forfeiting its tender security. A tenderer granting the request will not be required nor permitted to modify its tender.

2.16 Format and Signing of Tender

- 2.16.1 The Procuring entity shall prepare two copies of the tender, clearly marking each "ORIGINAL TENDER" and "COPY OF TENDER," as appropriate. In the event of any discrepancy between them, the original shall govern.
- 2.16.2 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by the tenderer or a person or persons duly authorized to bind the tenderer to the contract. The latter authorization shall be indicated by written power-of-attorney accompanying the tender. All pages of the tender, except for unamended printed literature, shall be initialed by the person or persons signing the tender.

2.16.3 The tender shall have no interlineations, erasures, or overwriting except as necessary to correct errors made by the tenderer, in which case such corrections shall be initialed by the person or persons signing the tender.

2.17 Sealing and Marking of Tenders

- 2.17.1 The Tenderer shall seal the original and each copy of the tender in separate envelopes, duly marking the envelopes as "ORIGINAL" and "COPY." The envelopes shall then be sealed in an outer envelope.
- 2.17.2 The inner and outer envelopes shall:
 - (a) be addressed to the Procuring entity at the address given in the Invitation to Tender:
 - (b) bear, tender number and name in the Invitation for Tenders and the words, "DO NOT OPEN BEFORE," **Tuesday 24th April, 2018 at 2.00Pm**
- 2.17.3 The inner envelopes shall also indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared "late".
- 2.17.4 If the outer envelope is not sealed and marked as required by paragraph 2.17.2, the Procuring entity will assume no responsibility for the tender's misplacement or premature opening.

2.18 **Deadline for Submission of Tenders**

- **2.18.1** Tenders must be received by the Procuring entity at the address specified under paragraph 2.17.2 no later than **24**th **April**, **2018 at 2.00Pm**.
- 2.18.2 The Procuring entity may, at its discretion, extend this deadline for the submission of tenders by amending the tender documents in accordance with paragraph 2.6, in which case all rights and obligations of the Procuring entity and candidates previously subject to the deadline will therefore be subject to the deadline as extended

2.19 Modification and Withdrawal of Tenders

- 2.19.1 The tenderer may modify or withdraw its tender after the tender's submission, provided that written notice of the modification, including substitution or withdrawal of the tenders, is received by the Procuring prior to the deadline prescribed for submission of tenders.
- 2.19.2 The Tenderer's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of paragraph 2.17. A withdrawal notice may also be sent by cable, telex but followed by a signed

- confirmation copy, postmarked not later than the deadline for submission of tenders.
- 2.19.3 No tender may be modified after the deadline for submission of tenders.
- 2.19.4 No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity specified by the tenderer on the Tender Form. Withdrawal of a tender during this interval may result in the Tenderer's forfeiture of its tender security, pursuant to paragraph 2.14.7
- 2.19.5 The procuring entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.
- 2.19.6 The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.

2.20 Opening of Tenders

- 2.20.1 The Procuring entity will open all tenders in the presence of tenderers' representatives who choose to attend, at **2.00Pm**, **Tuesday 24th April**, **2018** and in the location specified in the Invitation to Tender.
 - The tenderers' representatives who are presence shall sign a register evidencing their attendance.
- 2.20.2 The tenderers' names, tender modifications or withdrawals, tender prices, discounts and the presence or absence of requisite tender security and such other details as the Procuring entity, at its discretion, may consider appropriate, will be announced at the opening.
- 2.20.3 The Procuring entity will prepare minutes of the tender opening.

2.21 Clarification of Tenders

- 2.21.1 To assist in the examination, evaluation and comparison of tenders the Procuring entity may, at its discretion, ask the tenderer for a clarification of its tender. The request for clarification and the response shall be in writing, and no change in the prices or substance of the tender shall be sought, offered, or permitted.
- 2.21.2 Any effort by the tenderer to influence the Procuring entity in the Procuring entity's tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderers' tender.

2.22 Preliminary Examination

- 2.22.1 The Procuring entity will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the tenders are generally in order.
- 2.22.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantify, the unit price shall prevail, and the total price shall be corrected. If the candidate does not accept the correction of the errors, its tender will be rejected, and its tender security forfeited. If there is a discrepancy between words and figures the amount in words will prevail
- 2.22.3 The Procuring entity may waive any minor informality or non-conformity or irregularity in a tender which does not constitute a material deviation, provided such waiver does not prejudice or effect the relative ranking of any tenderer.
- 2.22.4 Prior to the detailed evaluation, pursuant to paragraph 2.23 the Procuring entity will determine the substantial responsiveness of each tender to the tender documents. For purposes of these paragraphs, a substantially responsive tender is one, which conforms to all the terms and conditions of the tender documents without material deviations. The Procuring entity's determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.
- 2.22.5 If a tender is not substantially responsive, it will be rejected by the Procuring entity and may not subsequently be made responsive by the tenderer by correction of the non conformity.

2.23 Conversion to Single Currency

2.23.1 Where other currencies are used, the procuring entity will convert these currencies to Kenya Shillings using the selling exchange rate on the ate of tender closing provided by the Central Bank of Kenya.

2.24 Evaluation and Comparison of Tenders

- 2.24.1 The Procuring entity will evaluate and compare the tenders which have been determined to be substantially responsive, pursuant to paragraph 2.22
- 2.24.2 The tender evaluation committee shall evaluate the tender within 15 days of the validity period from the date of opening the tender.
- 2.24.3 A tenderer who gives false information in the tender document about its qualification or who refuses to enter into a contract after notification of contract

award shall be considered for debarment from participating in future public procurement.

2.25 Preference

2.25.1 Preference where allowed in the evaluation of tenders shall not exceed 25%

2.26 Contacting the Procuring entity

- 2.26.1 Subject to paragraph 2.21 no tenderer shall contact the Procuring entity on any matter related to its tender, from the time of the tender opening to the time the contract is awarded.
- 2.26.2 Any effort by a tenderer to influence the Procuring entity in its decisions on tender, evaluation, tender comparison, or contract award may result in the rejection of the Tenderer's tender.

2.27 Award of Contract

(a) **Post-qualification**

- 2.27.1 In the absence of pre-qualification, the Procuring entity will determine to its satisfaction whether the tenderer that is selected as having submitted the lowest evaluated responsive tender is qualified to perform the contract satisfactorily.
- 2.27.2 The determination will take into account the tenderer financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the tenderers qualifications submitted by the tenderer, pursuant to paragraph 2.12.3 as well as such other information as the Procuring entity deems necessary and appropriate.
- 2.27.3 An affirmative determination will be a prerequisite for award of the contract to the tenderer. A negative determination will result in rejection of the Tenderer's tender, in which event the Procuring entity will proceed to the next lowest evaluated tender to make a similar determination of that Tenderer's capabilities to perform satisfactorily.

(b) Award Criteria

2.27.4 The Procuring entity will award the contract to the successful tenderer(s) whose tender has been determined to be substantially responsive and has been determined to be the lowest evaluated tender, provided further that the tenderer is determined to be qualified to perform the contract satisfactorily.

(c) Procuring entity's Right to Vary quantities

2.27.5 The Procuring entity reserves the right at the time of contract award to increase or decrease the quantity of goods originally specified in the Schedule of requirements without any change in unit price or other terms and conditions

(d) Procuring entity's Right to Accept or Reject Any or All Tenders

2.27.6 The Procuring entity reserves the right to accept or reject any tender, and to annul the tendering process and reject all tenders at any time prior to contract award, without thereby incurring any liability to the affected tenderer or tenderers or any obligation to inform the affected tenderer or tenderers of the grounds for the Procuring entity's action

2.28 Notification of Award

- 2.28.1 Prior to the expiration of the period of tender validity, the Procuring entity will notify the successful tenderer in writing that its tender has been accepted.
- 2.28.2 The notification of award will constitute the formation of the Contract but will have to wait until the contract is finally signed by both parties
- 2.28.3 Upon the successful Tenderer's furnishing of the performance security pursuant to paragraph 2.28, the Procuring entity will promptly notify each unsuccessful Tenderer and will discharge its tender security, pursuant to paragraph 2.14

2.29 Signing of Contract

- 2.29.1 At the same time as the Procuring entity notifies the successful tenderer that its tender has been accepted, the Procuring entity will send the tenderer the Contract Form provided in the tender documents, incorporating all agreements between the parties.
- 2.29.2 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless thee is an administrative review request.
- 2.29.3 Within thirty (30) days of receipt of the Contract Form, the successful tenderer shall sign and date the contract and return it to the Procuring entity.

2.30 Performance Security

2.30.1 Within Thirty (30) days of the receipt of notification of award from the Procuring entity, the successful tenderer shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the tender documents, or in another form acceptable to the Procuring entity.

2.30.2 Failure of the successful tenderer to comply with the requirements of paragraph 2.27 or paragraph 2.28 shall constitute sufficient grounds for the annulment of the award and forfeiture of the tender security, in which event the Procuring entity may make the award to the next lowest evaluated Candidate or call for new tenders.

2.31 Corrupt or Fraudulent Practices

- 2.31.1 The Procuring entity requires that tenderers observe the highest standard of ethics during the procurement process and execution of contracts when used in the present regulations, the following terms are defined as follows;
 - (i) "corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution; and
 - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring entity, and includes collusive practice among tenderer (prior to or after tender submission) designed to establish tender prices at artificial non-competitive levels and to deprive the Procuring entity of the benefits of free and open competition;
- 2.31.2 The procuring entity will reject a proposal for award if it determines that the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question.
- 2.31.3 Further a tenderer who is found to have indulged in corrupt or fraudulent practices risks being debarred from participating in public procurement in Kenya.

Appendix to Instructions to Tenderers

The following information regarding the particulars of the tender shall complement supplement or amend the provisions of the instructions to tenderers. Wherever there is a conflict between the provision of the instructions to tenderers and the provisions of the appendix, the provisions of the appendix herein shall prevail over those of the instructions to tenderers

INSTRUCTIONS TO TENDERERS REFERENCE	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS					
2.1.1	The tender is eligible to all suppliers of Automatic Weather					
	Station and Rugged laptops.					
2.3.2	The document can also be viewed and downloaded from the website www.gdc.co.ke or http://supplier.treasury.go.ke free of charge or at no cost. Bidders who download the tender document from the website must forward their particulars immediately for records and any further tender clarifications and addenda. There will be a Mandatory Site Visit at Naudo in Baringo-Silali					
	on 12 th April 2018. Bidders to assemble at Kampi Samaki by					
	9:00am. Site Visit attendance register shall be signed during visit and site visit certificate issued to bidder's present.					
	Tenderers to arrange for their own transport and					
	accommodation during the visit.					
2.5.1	A prospective tenderer requiring any clarification of the tender document may notify GDC in writing (email in PDF format or by facsimile) at the following address: Manager, Supply Chain Geothermal Development Company Limited, Kawi House, South C Bellevue, Off Mombasa Road, Red Cross Road P.O. Box 100746 – 00101 NAIROBI, KENYA E-mail: procurement@gdc.co.ke Copy to: dkyaka@gdc.co.ke & pkapto@gdc.co.ke					
	And One copy to: - General Manager, GRD Geothermal Development Company Limited, P.O. Box 100746 – 00101 NAIROBI, KENYA E-mail: cofwona@gdc.co.ke Copy to: gwetangula@gdc.co.ke NB: Any request for clarification must be in the firm's letterhead,					
	signed and must be in reference to the specific parts of the tender					

	document properly numbered specific parts of the tender document properly numbered.
2.5.2	GDC will respond in writing (e-mail in PDF format) to any request for clarification received at least seven (7) days prior to the deadline for the submission of tenders.
2.14.1	The tenderer shall furnish, as part of its tender, a tender security in the amount of Kshs. 100,000.00 issued by a reputable
	bank/Insurance guarantee.
2.15	The tender validity period is 120 days from the date of tender opening. A tender valid for a shorter period shall be considered non-responsive and shall be rejected.
2.18.1	The tender closing date is on Tuesday 24th April, 2018 at 2.00Pm
2.22.1	At the preliminary evaluation stage, the following mandatory requirements that determines a bidder's responsiveness will be assessed: As provided below (A): Tender Evaluation Criteria Mandatory requirement NB: Bidders who will not meet the below requirements will be declared non-responsive and their bids will not be evaluated further NB: Bidders who will not meet the above requirements will be declared non-responsive and their bids will not be evaluated further
2.24.1	In the technical evaluation stage, only bidders who have been found responsive at the preliminary stage will be evaluated on the table B below on evaluation criteria. Bids responsive at the technical evaluation stage will be evaluated at the financial stage. In the financial evaluation stage, responsive bids at the technical stage shall be checked for costing of all items per full complete schedule. Award Criteria The contract shall be awarded per full schedule basis The lowest evaluated total price per full schedule shall be recommended for award. Incomplete schedule will be declared non-responsive. Tenderers can bid for any of the schedules
2.28.1	The unsuccessful tenderers will be notified on the outcome of the
2.29.1	tender at the same time the successful tenderer is notified The performance security shall be 10% of the contract price issued by a local bank

TENDER EVALUATION CRITERIA

Stages of evaluation:

- A) **Stage I: Mandatory requirements** will determine the satisfactory responsiveness of a Tenderer, failure to meet any of these set requirements as noted hereunder will render a tender non responsive and will automatically be disqualified/not proceed for Technical Evaluation.
- B) **Stage II: Technical Evaluation**: Bids will be checked on compliance to the technical requirements specified below and bids not meeting the technical requirement will be declared non-responsive and will not be evaluated further.
- **C) Stage III: Financial Evaluation:** The bids will be checked for costing of the full schedule. The lowest evaluated tender per complete full schedule will be recommended for award.

NB: -

- The lowest evaluated bid shall be the lowest total price per full schedule.
- Incomplete quoted schedule shall not be considered for financial evaluation and shall be declared non-responsive.
- Tenderers can quote for any schedule of choice.

TABLE A: STAGE I: MANDATORY REQUIREMENTS

Tenderers to submit copies of the following MANDATORY documents (Yes/No)

No.	Requirement	Yes	No
1.	Duly filled, Signed & Stamped Price Schedules		
2.	Duly filled, Signed & Stamped Tender Form		
3.	Original Tender Security in the amount of Ksh 100,000		
	in the form of bank or insurance guarantee valid for a		
	period of 150 days from the date of tender opening.		
4.	Attach a copy of certificate of		
	Incorporation/Registration in Kenya.		
5.	Attach a copy of Tax Compliance Certificate valid at		
	the time of tender opening. GDC shall confirm the		
	Certificate validity from KRA tax checker.		
6.	Duly filled and signed Confidential Business		
	Questionnaire		
7.	Duly Filled and Signed Declaration of Undertaking not		
	to engage in corrupt fraudulent practice.		
8.	Duly signed and stamped Manufacturer's authorization		
	letter in the Manufacturers letter head. The authenticity		
	of this letter shall be verified by GDC.		
9.	Attach site visit certificate		
10.	Attach a duly authorized power of attorney		

NB: Please note that the authenticity of the above documents provided SHALL be verified with the relevant authority and any forgery or false presentation in any one of the above shall lead to automatic disqualification and render the tenderers bid non-responsive.

B: STAGE II: TECHNICAL/SERVICE REQUIREMENTS EVALUATION

No	Requirements	Yes/No		
1.	Provide Manufacturer authorization for quoted items. The authorization			
	shall be verified with the issuing firm to ascertain its authenticity.			
2.	Attach detailed brochures/catalogues for all quoted items depicting			
	compliance to GDC specifications in Section V.			
3.	Delivery should be as stated in the special conditions of contract. It is			
	GDC's desire to have the drilling materials delivered within the given			
	period. Delivery must be complete and partial delivery shall not be			
	accepted. Bidders Must indicate their delivery schedule in the respective			
	price schedules.			
4.	Compliance to GDC payment terms as specified in the Special Conditions			
	of Contract. Any deviation to the payments shall lead to the bidder being			
	declared non-responsive.			

C) Stage III: Financial Evaluation: The bids will be checked for costing of the full schedule. The lowest evaluated tender per complete full schedule will be recommended for award.

NB: -

- The lowest evaluated bid shall be the lowest total price per full schedule.
- Incomplete quoted schedule shall not be considered for financial evaluation and shall be declared non-responsive.
- Tenderers can quote for any schedule of choice.

No correction of arithmetic errors.

The tender sum as submitted and read out during the tender opening **SHALL** be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.

*Tenderers MUST take extra caution to ensure the tender sum is correctly tabulated/computed.

SECTION III: GENERAL CONDITIONS OF CONTRACT

Table of Clauses

			Page
3.1	Definitions	24	
3.2	Application	24	
3.3	Country of Origin	24	
3.4	Standards	25	
3.5	Use of Contract documents and information	25	
3.6	Patent Rights	25	
3.7	Performance security	25	
3.8	Inspection and Tests	26	
3.9	Packing	27	
3.10	Delivery and documents	27	
3.11	Insurance	27	
3.12	Payment	27	
3.13	Price	28	
3.14	Assignments	28	
3.15	Sub contracts	28	
3.16	Termination for default	28	
3.17	Liquidated damages	29	
3.18	Resolution of Disputes	29	
3.19	Language and law	29	
3.20	Force Majeure	29	

SECTION III - GENERAL CONDITIONS OF CONTRACT

3.1 **Definitions**

- 3.1.1 In this Contract, the following terms shall be interpreted as indicated:-
 - (a) "The Contract" means the agreement entered into between the Procuring entity and the tenderer, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - (b) "The Contract Price" means the price payable to the tenderer under the Contract for the full and proper performance of its contractual obligations
 - (c) "The Goods" means all of the equipment, machinery, and/or other materials, which the tenderer is required to supply to the Procuring entity under the Contract.
 - (d) "The Procuring entity" means the organization purchasing the Goods under this Contract.
 - (e) "The Tenderer' means the individual or firm supplying the Goods under this Contract.

3.2 **Application**

3.2.1 These General Conditions shall apply in all Contracts made by the Procuring entity for the procurement installation and commissioning of equipment

3.3 Country of Origin

- 3.3.1 For purposes of this clause, "Origin" means the place where the Goods were mined, grown or produced.
- 3.3.2 The origin of Goods and Services is distinct from the nationality of the tenderer

3.4 Standards

3.4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications.

3.5 Use of Contract Documents and Information

3.5.1 The tenderer shall not, without the Procuring entity's prior written consent, disclose the Contract, or any provision therefore, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the

- Procuring entity in connection therewith, to any person other than a person employed by the tenderer in the performance of the Contract.
- 3.5.2 The tenderer shall not, without the Procuring entity's prior written consent, make use of any document or information enumerated in paragraph 3.5.1 above
- 3.5.3 Any document, other than the Contract itself, enumerated in paragraph 3.5.1 shall remain the property of the Procuring entity and shall be returned (all copies) to the Procuring entity on completion of the Tenderer's performance under the Contract if so required by the Procuring entity

3.6 **Patent Rights**

3.6.1 The tenderer shall indemnify the Procuring entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Procuring entity's country

3.7 **Performance Security**

- 3.7.1 Within thirty (30) days of receipt of the notification of Contract award, the successful tenderer shall furnish to the Procuring entity the performance security in the amount specified in Special Conditions of Contract.
- 3.7.2 The proceeds of the performance security shall be payable to the Procuring entity as compensation for any loss resulting from the Tenderer's failure to complete its obligations under the Contract.
- 3.7.3 The performance security shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the Procuring entity and shall be in the form of a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in Kenya or abroad, acceptable to the Procuring entity, in the form provided in the tender documents.
- 3.7.4 The performance security will be discharged by the Procuring entity and returned to the Candidate not later than thirty (30) days following the date of completion of the Tenderer's performance obligations under the Contract, including any warranty obligations, under the Contract

3.8 **Inspection and Tests**

3.8.1 The Procuring entity or its representative shall have the right to inspect and/or to test the goods to confirm their conformity to the Contract specifications. The Procuring entity shall notify the tenderer in writing in a timely manner, of the identity of any representatives retained for these purposes.

- 3.8.2 The inspections and tests may be conducted in the premises of the tenderer or its subcontractor(s), at point of delivery, and/or at the Goods' final destination. If conducted on the premises of the tenderer or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring entity.
- 3.8.3 Should any inspected or tested goods fail to conform to the Specifications, the Procuring entity may reject the equipment, and the tenderer shall either replace the rejected equipment or make alternations necessary to make specification requirements free of costs to the Procuring entity.
- 3.8.4 The Procuring entity's right to inspect, test and where necessary, reject the goods after the Goods' arrival shall in no way be limited or waived by reason of the equipment having previously been inspected, tested and passed by the Procuring entity or its representative prior to the equipment delivery.
- 3.8.5 Nothing in paragraph 3.8 shall in any way release the tenderer from any warranty or other obligations under this Contract.

3.9 **Packing**

- 3.9.1 The tenderer shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract.
- 3.9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract

3.10 **Delivery and Documents**

3.10.1 Delivery of the Goods shall be made by the tenderer in accordance with the terms specified by Procuring entity in its Schedule of Requirements and the Special Conditions of Contract

3.11 Insurance

3.11.1 The Goods supplied under the Contract shall be fully insured against loss or damage incidental to manufacturer or acquisition, transportation, storage, and delivery in the manner specified in the Special conditions of contract.

3.12 **Payment**

3.12.1 The method and conditions of payment to be made to the tenderer under this Contract shall be specified in Special Conditions of Contract

3.12.2 Payments shall be made promptly by the Procuring entity as specified in the contract

3.13 Prices

- 3.13.1 Prices charged by the tenderer for goods delivered and services performed under the Contract shall not, with the exception of any price adjustments authorized in Special Conditions of Contract, vary from the prices by the tenderer in its tender.
- 3.13.2 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)
- 3.13.3 Where contract price variation is allowed, the variation shall not exceed 25% of the original contract price.
- 3.13.4 Price variation request shall be processed by the procuring entity within 30 days of receiving the request.

3.14. Assignment

3.14.1 The tenderer shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Procuring entity's prior written consent

3.15 Subcontracts

3.15.1 The tenderer shall notify the Procuring entity in writing of all subcontracts awarded under this Contract if not already specified in the tender. Such notification, in the original tender or later, shall not relieve the tenderer from any liability or obligation under the Contract

3.16 Termination for default

- 3.16.1 The Procuring entity may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the tenderer, terminate this Contract in whole or in part
 - (a) if the tenderer fails to deliver any or all of the goods within the periods) specified in the Contract, or within any extension thereof granted by the Procuring entity
 - (b) if the tenderer fails to perform any other obligation(s) under the Contract
 - (c) if the tenderer, in the judgment of the Procuring entity has engaged in corrupt or fraudulent practices in competing for or in executing the Contract

3.16.2 In the event the Procuring entity terminates the Contract in whole or in part, it may procure, upon such terms and in such manner as it deems appropriate, equipment similar to those undelivered, and the tenderer shall be liable to the Procuring entity for any excess costs for such similar goods.

3.17 Liquidated Damages

3.17.1. If the tenderer fails to deliver any or all of the goods within the period(s) specified in the contract, the procuring entity shall, without prejudice to its other remedies under the contract, deduct from the contract prices liquidated damages sum equivalent to 0.5% of the delivered price of the delayed items up to a maximum deduction of 10% of the delayed goods. After this the tenderer may consider termination of the contract.

3.18 Resolution of Disputes

- 3.18.1 The procuring entity and the tenderer shall make every effort to resolve amicably by direct informal negotiation and disagreement or dispute arising between them under or in connection with the contract
- 3.18.2 If, after thirty (30) days from the commencement of such informal negotiations both parties have been unable to resolve amicably a contract dispute, either party may require adjudication in an agreed national or international forum, and/or international arbitration.

3.19 Language and Law

3.19.1 The language of the contract and the law governing the contract shall be English language and the Laws of Kenya respectively unless otherwise stated.

3.20 Force Majeure

3.20.1 The tenderer shall not be liable for forfeiture of its performance security or termination for default if and to the extent that it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

SECTION IV- SPECIAL CONDITIONS OF CONTRACT

- 4.1. Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, between the GCC and the SCC, the provisions of the SCC herein shall prevail over these in the GCC.
- 42. Special conditions of contract as relates to the GCC

REFERENCE OF	SPECIAL CONDITIONS OF CONTRACT
GCC	
3.1	The Purchaser is The Geothermal Development Company Limited of
Definitions	Kawi House, South C off Red cross road
	P. O Box 100746-00101, Nairobi, Kenya. It includes the Purchaser's
	legal representative's successors or assigns.
3.7 Performance	The Performance Security shall be in the amount of 10% of the
Security	Contract Price in the form of a bank guarantee issued by a reputable
	bank operating in Kenya. The Performance security will be cashed if
	the tenderer shall not deliver the materials as per delivery period
	indicated in the Schedule of Requirements.
3.10.1 Delivery	The delivery period for the items shall be within three (3) months or
	earlier from the date of contract. It is GDC's desire to have the
	materials/items delivered within the shortest time possible. Any
	tenderer with a delivery period exceeding the stipulated time may be
	disqualified.
3.12.1	1)The credit period shall be:-
Payment Terms &	
Conditions	Geothermal Development Company's payment terms are 30 days upon
	receipt of certified invoices and delivery notes confirming that the
	invoiced material has been delivered and is in accordance with the
	contract.
	2)The Payment terms shall be:-
	2)The Layment terms shan be
	Payment shall be made through Geothermal Development Company's
	cheque or telegraphic transfer for the amount of contract.
	31
	3) Advance Payment
	Advance Payment is not applicable.
	No Interest on delayed payments
3.13	Prices charged by the renderer for the Weather Station delivered under
	the Contract shall not vary from the prices quoted by the tenderer in the
	tender.
	No correction of arithmetic errors.
	The tender sum as submitted and read out during the tender opening
	shall be absolute and final and shall not be the subject of correction,

	adjustment or amendment in any way by any person or entity.
Notices:	Where the Contract provides for Notice to be given to any party, such Notice shall be well and sufficiently given if given by way of: -
	 a) A letter posted by registered mail (airmail if international) to the postal address of the party concerned shown below, or delivered to that party by hand at the address shown below or; b) An email sent to the email address of the party concerned shown below.
	The addresses of the parties for Notices shall be: -GDC: The Managing Director & CEO Geothermal Development Company Ltd (GDC) P.O Box 100746 – 00101 Nairobi, Kenya
	or such other address as GDC may designate as its address for this purpose by Notice to the Contractor.

SECTION V - TECHNICAL SPECIFICATIONS

5.1 General

- 5.1.1 These specifications describe the requirements for goods. Tenderers are requested to submit with their offers the detailed specifications, drawings, catalogues, brochures etc for the products they intend to supply
- 5.1.2 Tenderers must indicate on the specifications sheets whether the equipment offered comply with each specified requirement.
- 5.1.3 All the dimensions and capacities of the equipment to be supplied shall not be less than those required in these specifications. Deviations from the basic requirements, if any shall be explained in detail in writing with the offer, with supporting data such as calculation sheets, etc. The procuring entity reserves the right to reject the products, if such deviations shall be found critical to the use and operation of the products.
- 5.1.4 The tenderers are requested to present information along with their offers as follows:
 - (i) Shortest possible delivery period of each product

SECTION VI - SCHEDULE OF REQUIREMENTS, SPECIFICATION & PRICE SCHEDULE

SCHEDULE 1: SUPPLY, INSTALLATION & COMMISSIONING OF AUTOMATIC WEATHER STATION

Item	Description	Country	Unit of	Qty	Unit	Total
	GENGODG	of origin	issue		price	price
1	SENSORS		Pcs			
1	WIND SPEED					
	• Wind Speed Range : 0-180 knots F.S.			1		
	• Wind Speed Accuracy: ±0.5% < 40 knots,			1		
	$\pm 1.1\% > 40 \text{ knots}$					
	Wind Speed Resolution: 1 knot					
	 Wind Speed Start Threshold:4±1 knots Anemometer Dimensions: 267 mm 					
	• Anemometer Dimensions: 267 mm (Height), 228 mm (Axis to Outer Cup					
	Edge), 127 mm (Cup Diameter)					
	• Anemometer Weight: 4.2 kg					
	WIND DIRECTION			1		
	• Wind Direction Range : 0 - 360°			1		
	• Wind Direction Accuracy: ±0.27% of F.S.					
	• Wind Direction Resolution : 1°					
	• Wind Direction Start Threshold : 3±1 knots					
	• Wind Vane Dimensions :585 mm (Height),					
	790 mm (Axis to Fin Tip), 375 mm (Axis to					
	Balance Weight) • Wind Vane Weight: 12 kg					
	• Operating Temperature: -40°C to +100°C					
	• Power Consumption (wind direction) :10					
	Ma					
	• Power Supply: 16/32/64 Ah Lithium Ion					
	Battery 3.6 V or 50/100/200 Ah					
	Rechargeable Battery HIGH PRECISION BAROMETER					
				1		
	• Sensor Type : High-accuracy			_		
	Piezoresistive					
	Measurement Range: 500-1200 hPa					
	Measurement Resolution : 0.01 hPa					
	• Measurement Accuracy: ±0.4 hPa in					
	the entire temperature range					
	Long Term Stability: 0.25 hPa/yearTurn-on Time: Approx. 2 s from					
	powering powering					
	• Response Time : 16 ms (SDI-12					
	measurement is made upon request)					
	measurement is made upon request)					<u> </u>

Item	Description	Country	Unit of	Qty	Unit	Total
		of origin	issue		price	price
	 Supply Voltage: 10-30 VDC Absorption Current: < 10 mA for analogue or Modbus measurements, 200 µA for SDI-12 between measurements Operating Conditions: -40°C to +80°C, 0-100% RH Media: Dry air and non-corrosive 					
	media					
	• Overload Pressure : 3 x Full Scale					
	Ingress Protection Rating: IP67					
	AIR TEMPERATURE					
	Temperature Sensor Type: 4 wire Pt 100 1/3 DIN			1		
	• Temperature Measuring Range : -40°C to +60°C					
	• Temperature Accuracy : ±0.15°C, ±0.1% of measurement					
	• Temperature Stability : 0.2°C/ year					
	• Outputs Analogue : 4-20 mA; Digital: RS232 or RS485 MODBUS RTU					
	• Power Supply: 10 - 40 VDC					
	• Consumption : 2 mA					
	 Environmental Protection Rating: IP65 Radiation Shield housing					
	RELATIVE HUMIDITY			1		
	• Humidity Sensor Type: Capacitive					
	Hygroscopic Polymer					
	• Humidity Measuring Range: 0 - 100% RH					
	• Humidity Accuracy: ±0.15% (0 - 90% RH)					
	• Humidity Sensor Working Temperature: - 40°C to +60°C					
	Hysteresis and Repeatability: 0.4% RH					
	Long Term Stability:1%/ year					
	• Response Time at 63% of final variation : 3					
	minutes with filter/ 6 seconds without filter					
	SOLAR RADIATION (1 ST CLASS			1		
	PYRANOMETER)			1		
	• Response Time: 95% <8 sec					
	• Zero Offset - Ther. Rad. (200 W/m²):+6					
	W/m²					
	• Zero Offset - Temp. Change (5 K/hr):					

Item	Description	Country	Unit of	Qty	Unit	Total
		of origin	issue		price	price
	 <2 W/m² Non-stability (change/year): <0.5% Non-linearity (at 1000 W/m²): <0.2% Directional Response (1000 W/m²): <20 W/m² Spectral Selectivity (0.35-1.5 μm): <1% Temp. Response (for 50°C band): <0.2% Tilt Response (at 1000 W/m²): <0.2% Sensitivity: Approx. 7 μV/W⁻¹m⁻² Impedance: Approx. 500 Ohms Operating Temperature Range: -40°C to +80°C Irradiance Range: 0-2000 W/m² Cable Length: 10 m Wavelength Range: 285-3000 nm IP Rating: IP67 Fixed kit for pyranometer Sensor with spirit level or bull's eye for leveling. Measure solar radiation and sunshine hours provide mounting supports and Accessories 	or origin	ASSUC		price	price
	 RAIN GAUGE Tipping bucket Rain gauge, with pedestal and spirit level or bull's eye for leveling, post and leveling bracket Diameter of Aperture: 203 mm Area of Aperture: 32365 mm² Rainfall Capacity: Unlimited Base Diameter: 280 mm Height (Standard Cover): 310 mm Weight (Standard Cover): 5.8 kg Height (Deep Cover):437 mm Weight (Deep Cover):7.0 kg Sensitivity/Resolution /calibration :0.2 mm per tip A deep cover option is available, with the funnel set 127 mm below the rim Accuracy: ±0.5% DATA ACQUISITION SYSTEM			1		

 Graphic Display/ touch screen or latest display technology Review of History on screen USB:1 PC Configuration: Yes AMS2750E: Yes Monitor and process data for up to 15 sensor inputs. Interface for connection to a computer on site Analogue Channels 15 universal channels: V, mV, mA, Pt100, Pt1000 with 2 wire inputs with a common terminal, or 10 isolated 2 wire inputs. Maximum Analog Sampling 100 Hz A/D resolution 18 bit A/D conversion resolution Digital Channels 15 digital I/O's Serial Channels 2 smart channels which can accept: modbus serial (RS232, RS422, RS485) master and slave, 4 x SDI-12 inputs Calculated Maths Functionality Entensive maths functionality Entensive maths functionality Extensive configurable alarm functionality Data Acquisition Rate 11 data acquisition rates – (The station should be programmed to log in data after every one (1hr) Number of Smart Sensors 150 smart sensors can be polled Internal Storage 256-512 MB 	Item	Description	Country of origin	Unit of issue	Qty	Unit price	Total price
(10,000,000 data points) • Communication Interfaces: RS232 modbus, TCP/IP ethernet, VPN Modem Package that includes high gain antenna, antenna bracket, lightning protection, control circuitry, pre-wiring and programming. UMTS Next G	Item	 Graphic Display/ touch screen or latest display technology Review of History on screen USB:1 PC Configuration: Yes AMS2750E: Yes Monitor and process data for up to 15 sensor inputs. Interface for connection to a computer on site Analogue Channels 15 universal channels: V, mV, mA, Pt100, Pt1000 with 2 wire inputs with a common terminal, or 10 isolated 2 wire inputs. Maximum Analog Sampling 100 Hz A/D resolution 18 bit A/D conversion resolution Digital Channels 15 digital I/O's Serial Channels 2 smart channels which can accept: modbus serial (RS232, RS422, RS485) master and slave, 4 x SDI-12 inputs Calculated Maths Functionality Entensive maths functionality available Alarm Functionality Extensive configurable alarm functionality Data Acquisition Rate 11 data acquisition rates – (The station should be programmed to log in data after every one (1hr) Number of Smart Sensors 150 smart sensors can be polled Internal Storage 256- 512 MB (10,000,000 data points) Communication Interfaces: RS232 modbus, TCP/IP ethernet, VPN Modem Package that includes high gain antenna, antenna bracket, lightning protection, control circuitry, pre-wiring and 	•		Qty		

Item	Description	Country	Unit of	Otv	Unit	Total
		of origin	issue	Q -3	price	price
	interface, web server, modbus server (slave), modbus client (master), FTP server, FTP client System Integrated display and keypad. Real-time clock included (±1 min/year @ 0°C to +40°C) Power Supply 10-30 VDC TOWER MAST Material: Aluminium, with coated steel base section and stainless steel fasteners. Height: 10m with a 1.5m top tube. Weight: 40kg Shipping Size:_3.05 x 0.5 x 0.5m Typical: >60 ms-1 (guyed) Material: Automatic weather Station System Enclosure Waterproof, fiberglass-reinforced	•		1	price	price
	polyester enclosure with door gasket, external grounding lug, stainless-steel hinge, and lockable hasps. Color: White Internal Dimensions: 30.5 x 35.6 x 14 cm (12 x 14 x 5.5 in.) Fitted with data logger Houses the battery Houses the necessary communication interface. REMOTE POWER Solar Panel Output :Typically 125W peak Solar Panel Maximum Power Voltage:17.5 VDC Solar Panel Maximum Power Current: 4.44 A Solar Panel Open Circuit Voltage:21.6 VDC Solar Panel Short Circuit Current:4.8 A Solar Panel Power Allowance Range:±3			1		

Item	Description	Country of origin	Unit of issue	Qty	Unit price	Total price
	 Solar Panel Dimensions: 1510 x 674 mm Solar Panel Weight: 12 kg 	or origin	issuc		price	Price
	 Solar Panel Mounting: 4 mounting holes or can be mounted via a bracket Charge Controller Rated Current: 10 A 					
	 Charge Controller Terminals: 3 pairs of terminals (input, battery, output) Charge Controller Overload Protection: 					
	 1.25 x rated current for 60 seconds, 1.5 x rated current for 5 seconds Charge Controller Short Circuit Protection: 3.5 x rated current 					
	 Charge Controller Protection: Overcharge/Discharge, overheating Charge Controller Self-Consumption:6 					
	 mA Charge Controller Working Temperature :-35 °C to 55 °C Charge Controller Dimensions: 14 x 6.5 					
	 x 3.5 cm Charge Controller Weight: 140 g Charge Controller Type: Gel Lead Acid Deep Cycle Battery capable of supporting the station and communication equipment (DC/AC 250V) 					
	• Invertor(12 VDC and 250AC)					
	COST OF INSTALLATION The cost of installation should include Site survey and preparation, fencing of AWS site, training, and AWS installation and commissioning at the designated site					
	(Baringo - Silali Geothermal project). Baringo-Silali Project is approximately 338-359km and 178-199km from Nairobi and Nakuru respectively in the larger Baringo					
	County County					
	 FENCING OF AWS SITE 6 Ft chain links Angle bars of 3x3 x1/4 inches(14) 					
	 gauge) with antirust paint Area to be fenced 10m x 10m Entrance gate made of hollow section 					
	frame (1 inch) and welded wire mesh					

Item	Description	Country of origin	Unit of issue	Qty	Unit price	Total price
	with lock & Padlock for securing the site					
	AWS DOCUMENTATION	1				<u></u>
	(HARDCOPY AND SOFTCOPY)					
	 Including: 2 sets of technical manuals in English 2 sets of operators manuals in English 2 sets of installation and maintenance manuals in English NB All sensors should have all the installation accessories and be factory calibrated accompanied by calibration certificates and can be used for an extended period without any adjustment. 					
	Total Cost of equipment					
	16% VAT					
	Transport, Installation & Commissioning cost to Naudo, Baringo - Silali					
	Grand Total Cost for Supply, Installation and commissioning Inclusive of 16% VAT transferred to tender form					
	Delivery Period (Specify)					

TENDERER'S NAME:	
TENDERER'S SIGNATURE	
COMPANY'S RUBBER STAMP	
CURRENCY OF TENDER	

NB:

- 1. The tender sum as submitted and read out during the tender opening shall be absolute and final and **SHALL NOT** be the subject of correction, adjustment or amendment in any way by any person or entity.
- 2. *Tenderers MUST take extra caution to ensure the tender sum is correctly tabulated/computed.
- 3. Quoted Prices shall not be subject to changes.

SCHEDULE 2: SUPPLY & DELIVERY OF RUGGED FIELD LAPTOP.

Item	Description	Country	Unit of	Qty	Unit	Total
Itterin	Description	of origin	issue	Qty	price	price
1	Processors: Fourth-generation Intel®	<u> </u>	Pcs	1	<u> </u>	1
	Core TM i7dual-core processors					
	Operating systems: Windows® 8.1 Pro					
	(64-bit)					
	Memory: 2 DIMM slots supporting up to					
	16GB 1600MHz DDR3L					
	Graphics : Integrated Intel HD Graphics					
	5000 (i7)					
	Storage: 1TB mobility solid state drives					
	Display : 14.0" HD (1366 x 768) 16:9					
	outdoor-readable display with resistive					
	touchscreen					
	Multimedia: High-quality speaker,					
	integrated noise-reducing array					
	microphones, stereo headphone/microphone					
	combo jack					
	Connectivity: 10/100/1000 gigabit Ethernet					
	and optional triple RF-passthough (GPS,					
	mobile broadband and WLAN) Wireless					
	LAN: Dell Wireless TM 1707 802.11n Single					
	Band Wi-Fi with Bluetooth® 4.0 + vPro TM					
	Ports, slots and peripherals Ports, USB 2.0 (2) USB 2.0 (2) potice					
	Ports: USB 3.0 (2), USB 2.0 (2), native RS-232 serial ports (2), RJ-45 gigabit					
	Ethernet network connectors (2),					
	Slots: Memory card reader; Express Card					
	54 mm or PCMCIA; M.2 slots (2 internal);					
	Optional DVD+/-RW					
	Security: Steel-reinforced cable lock slot					
	Dimensions and weight:					
	Dimensions: (WxDxH) 13.66" x 9.57" x					
	1.73" (347 x 243 x 44.4 mm)					
	Weight: 6.6 lbs. with 6-cell battery and no					
	optical drive					
	Input Customizable RGB backlit keyboard,					
	Resistive touchpad, Resistive single-point					
	gloved-capable touch screen					
	Operating thermal range: -20°F to 140°F					
	(-29°C to 60°C);					
	Carrying Case: Tough Mate Backpack					<u> </u>
	Total Cost of equipment					
	Total Cost of equipment					

Item	Description	Country of origin	Unit of issue	Qty	Unit price	Total price
	16% VAT					
	Total Cost for Supply and Delivery of Rugged laptop at Naudo inclusive of 16% VAT transferred to tender form					
	Delivery Period (Specify)					

ΓENDERER'S NAME:	
TENDERER'S SIGNATURE	
COMPANY'S RUBBER STAMP	
CURRENCY OF TENDER	

NB:

- 1. The tender sum as submitted and read out during the tender opening shall be absolute and final and **SHALL NOT** be the subject of correction, adjustment or amendment in any way by any person or entity.
- 2. *Tenderers MUST take extra caution to ensure the tender sum is correctly tabulated/computed.
- 3. Quoted Prices shall not be subject to changes.

SECTION VII - STANDARD FORMS

Notes on the sample Forms

- 1. Form of Tender The form of tender must be completed by the tenderer and submitted with the tender documents. It must also be duly signed by duly authorized representatives of the tenderer.
- 2. Confidential Business Questionnaire Form This form must be completed by the tenderer and submitted with the tender documents.
- 3. Tender Security Form When required by the tender documents the tender shall provide the tender security either in the form included herein or in another format acceptable to the procuring entity.
- 4. Contract Form The Contract Form shall not be completed by the tenderer at the time of submitting the tender. The Contract Form shall be completed after contract award and should incorporate the accepted contract price.
- 5. Performance Security Form The performance security form should not be completed by the tenderers at the time of tender preparation. Only the successful tenderer will be required to provide performance security in the form provided herein or in another form acceptable to the procuring entity.

7.1 **FORM OF TENDER**

	Date
	Tender No.
To:	
[name and address of procuring	ng entity]
Gentlemen and/or Ladies:	
Nos	r documents including Addenda [insert numbers].the receipt of which is hereby duly , offer to supply deliver, install and commission ((Supply of Automatic Weather Station) in tender documents for the sum of
	(total tender amount in words ay be ascertained in accordance with the Schedule of
	er is accepted, to deliver install and commission the delivery schedule specified in the Schedule of
equivalent to percent	we will obtain the guarantee of a bank in a sum of the Contract Price for the due performance of the by
	Tender for a period of 120 days from the date ctions to tenderers, and it shall remain binding upon efore the expiration of that period.
	with your written acceptance thereof and your e a Contract, between us. Subject to signing of the
6. We understand that you ar may receive.	re not bound to accept the lowest or any tender you
Dated this day of	20
[signature]	[in the capacity of]
Duly authorized to sign tender for an	on behalf of

7.2 CONFIDENTIAL BUSINESS QUESTIONNAIRE FORM

Part 1 − General:

You are requested to give the particulars indicated in Part 1 and either Part 2(a), 2(b) or 2(c) whichever applied to your type of business

You are advised that it is a serious offence to give false information on this form

Business Nam	ıe				
Location of bu	usiness premises				
Plot No	- 	Street/Road	• • • • • • • • • • • • • • • • • • • •		
Postal Address	s 7	Tel No	Fax	E mail	
Nature of Bus	iness ,				
Registration C	Certificate No				
Maximum val	ue of business which	you can handle at any	one time – Ksh	S	
Name of your	bankers		Branch .		
	Part	2 (a) – Sole Proprietor	r		
Your name	in full	•••••	A	Age	
Nationality		Country of	origin		
		ip details			
	•	1			
		2 (b) Partnership			
Given detail	ls of partners as follow	_			
Name	*	Nationality	Citize	enship Details	Shares
	1			-	
	Part	2 (c) – Registered Co	mpany		
Private or P					
State the no	minal and issued capi	tal of company-			
	al Kshs				
Issued	Kshs				
	ls of all directors as fo				
Na	ame	Nationality	Citizer	nship Details	Shares
1				-	
_					
			5151141410		

• If a Kenya Citizen, indicate under "Citizenship Details" whether by Birth, Naturalization or registration.

7.3 TENDER SECURITY FORM

Whereas
(hereinafter called "the Tender")
(hereinafter called "the Bank"), are bound unto
for which payment well and truly to be made to the said Procuring entity, the Bank binds itself, its successors, and assigns by these presents. Sealed with the Common Seal of the said Bank this day of 20
THE CONDITIONS of this obligation are:- 1. If the tenderer withdraws its Tender during the period of tender validity specified by the tenderer on the Tender Form; or
 If the tenderer, having been notified of the acceptance of its Tender by the Procuring entity during the period of tender validity: (a) fails or refuses to execute the Contract Form, if required; or (b) fails or refuses to furnish the performance security in accordance with the Instructions to tenderers;
We undertake to pay to the Procuring entity up to the above amount upon receipt of its first written demand, without the Procuring entity having to substantiate its demand, provided that in its demand the Procuring entity will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.
This tender guarantee will remain in force up to and including thirty (30) days after the period of tender validity, and any demand in respect thereof should reach the Bank not later than the above date.
[signature of the bank] (Amend accordingly if provided by Insurance Company)

7.4 CONTRACT FORM

THIS AGREEMENT made the day of 20
between
(hereinafter called "the tenderer") of the other part;
WHEREAS the Procuring entity invited tenders for certain goods] and has accepted a tender by the tenderer for the supply of those goods in the sum o
NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:
1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to:
2. The following documents shall be deemed to form and be read and construed as
part of this Agreement viz: (a) the Tender Form and the Price Schedule submitted by the tenderer
(b) the Schedule of Requirements
(c) the Technical Specifications
(d) the General Conditions of Contract
(e) the Special Conditions of contract; and(f) the Procuring entity's Notification of Award
3. In consideration of the payments to be made by the Procuring entity to the tenderer as hereinafter mentioned, the tender hereby covenants with the Procuring entity to provide the goods and to remedy defects therein in conformity in all respects with the provisions of the Contract
4. The Procuring entity hereby covenants to pay the tenderer in consideration of the provisions of the goods and the remedying of defects therein, the Contract Price or sucl other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the contract.
IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.
Signed, sealed, delivered by the (for the Procuring entity
Signed, sealed, delivered by the (for the tenderer in the presence of
(Amend accordingly if provided by Insurance Company)

7.5 **PERFORMANCE SECURITY FORM**

To
WHEREAS
"the Contract").
AND WHEREAS it has been stipulated by you in the said Contract that the tenderer shall furnish you with a bank guarantee by a reputable bank for the sum specified therein as security for compliance with the Tenderer's performance obligations in accordance with the Contract.
AND WHEREAS we have agreed to give the tenderer a guarantee:
THEREFORE WE hereby affirm that we are Guarantors and responsible to you, on behalf of the tenderer, up to a total of
This guarantee is valid until the day of 20
Signed and seal of the Guarantors
[name of bank or financial institution]
[address]
[date]

7.6 DECLARATION OF UNDERTAKING

We underscore the importance of a free, fair and competitive procurement process that precludes abusive practices. In this respect we have neither offered nor granted directly or indirectly any inadmissible advantages to any public servant or other person nor accepted such advantages in connection with our bid, nor will we offer or grant or accept any such incentives or conditions in the present procurement process or, in the event that we are awarded the contract, in the subsequent execution of the contract. We also declare that no conflict of interest exists in the meaning of the kind described in the Public Procurement & Disposal Act 2015

We also underscore the importance of adhering to the law in the implementation of the project.

We will inform our staff about their respective obligations and about their obligation to fulfil this declaration of undertaking and to obey the laws of the country.

We also declare that our company/sub-contractors/ all members of the consortium

has/have not been debarred to engage in procurement/ included in the list of sanctions.

C	<i>*</i>	erminate the contract immo	•
	after the Declaration of Und	<i>y</i> ,	
Dated this	day of	20	
(Name of company)			
(Signature(s)			

7.7 MANUFACTURER'S AUTHORIZATION FORM

10 [name of the Procuring entity]
WHEREAS
[name and/or description of the goods] having factories at [address of factory] do hereby authorize
[name and address of Agent] to submit a tender, and
subsequently negotiate and sign the Contract with you against tender No [reference of the Tender] for the above goods manufactured by
us.
We hereby extend our full guarantee and warranty as per the General Conditions of Contract for the goods offered for supply by the above firm against this Invitation for Tenders.
[signature for and on behalf of manufacturer]

Note: This letter of authority should be on the letterhead of the Manufacturer and should be signed by a person competent.